Blomberg
seit 1883

www.blombergінternational.com
info@blombergінternational.com

PR00010036

FREE STANDING
COLLECTION
2009/2010

Blomberg
seit 1883

We welcome you to the new world of Blomberg.
A world where green is respected, design is timeless and expectations are exceeded.

A world that is…
… in harmony with nature through products designed to preserve natural resources.
… in harmony with your home through a universal design that will complement various styles.
… in harmony with you through practical solutions, unique innovations and reliable quality.

Let us discover this world together.

BLOMBERG
IN HARMONY WITH YOUR LIFE



Due to the continual improvements achieved through research and development, Blomberg reserves the right to make any changes to the specifications and features of products without prior notice.
As a result, you may find differences between the product as described in the catalogue and the product you receive.

Blomberg®

seit 1883

Reddot Design Award

The Reddot Design Award ranks among the world's biggest design competitions, and is recognised internationally as a seal of quality. Blomberg's logitronic dishwasher GSN 1580 XB won the Reddot Design Award, confirming it as an innovative appliance with outstanding design features.

reddot design award

EcoTopTen

EcoTopTen is a major initiative, promoting reduced energy consumption and environmentally friendly product innovation. The research project and the campaign are both supported by the German Federal Ministry for Education and Research, the German Federal Ministry for Consumer Protection, Nutrition and Agriculture, as well as the Foundation Zukunftserbe ("Heritage of Future"). The German Eco-Institute selected Blomberg's heat pump dryer TKF 1350 S as one of only three products nominated in the EcoTopTen ranking. This selection was due to TKF 1350 S's high quality, energy efficiency and eco-friendly design.

Stiftung Warentest

Stiftung Warentest is the leading consumer safety group in Germany. Blomberg's heat pump dryers TKF 1350 A/S and TKF 7350, washing machines WAF 7340 and WAF 7442 SL, and dishwasher models GIN 1580 XB and GVN 1380 have been recommended by Stiftung Warentest for their outstanding quality.

Stiftung Warentest test GUT (1,9) Blomberg GIN 1580 XB Im Test: 10 Geschirrspüler Qualitätsurteil: 8 gut, 2 befriedigend Ausgabe 07/2006

Stiftung Warentest test GUT (2,0) Blomberg TKF 1350 A/S Im Test: 13 Kondensationstrockner Qualitätsurteil: 11 gut, 2 befriedigend Ausgabe 10/2006

Stiftung Warentest test GUT (2,5) Blomberg WAF 7340 Im Test: Waschmaschinen Qualitätsurteil: 6 gut, 1 befriedigend, 3 ausreichend, 1 mangelhaft Ausgabe 09/2007

Stiftung Warentest test GUT (2,3) Blomberg GIN 1380 Im Test: 15 voll integrierbare Geschirrspülmaschinen Qualitätsurteil: 13 gut, 1 ausreichend, 1 ohne Urteil Ausgabe 04/2008

Stiftung Warentest test GUT (2,3) Blomberg WAF 7442 SL Im Test: 11 Waschmaschinen 7 x gut Ausgabe 09/2009

Stiftung Warentest test GUT (2,0) Blomberg TKF 7350 Im Test: 11 Wäschetrockner 5 x gut Ausgabe 10/2009

Excellence in Design Award

Blomberg mirror refrigerator MDND 1880 received a Bronze award in appliance DESIGN Magazine's 22nd Annual Excellence in Design Awards Competition. The purpose of appliance DESIGN's annual design competition is to honor those designers who have excelled in meeting the modern challenge of harmoniously melding technology and industrial design.

Plus X Award

The Plus X Award is Germany's biggest competition in the consumer electronics market and was created to offer consumers meaningful and reliable evaluation of goods. In the big white goods category Blomberg received several Plus X Awards: washing machine WAF 1560 S for design, dishwasher GSN 1581 X for design and innovation, tumble dryer TKF 1350 S for innovation, refrigerator KND 1650 X for innovation and ecology, BEO 1690 X for design and ease of use, washing machines WAF 7360 AQ and WAF 7462 S for ecology, smarTouch™ dishwasher for design and ease of use, WNF 8428 A for ease of use and ecology, GLN 9220 E and GTN 9220 E for design and ease of use, MDND 1880 for design and ecology, and BEO 9576 X for design.

PLUS X AWARD achieved for: Design

PLUS X AWARD achieved for: Innovation

PLUS X AWARD achieved for: Ecology

PLUS X AWARD achieved for: Innovation Design

PLUS X AWARD achieved for: Innovation Ecology

PLUS X AWARD achieved for: Design Ease of Use

PLUS X AWARD achieved for: Ease of Use Ecology

PLUS X AWARD achieved for: Design Ecology

Energy+ Award

The European Commission commended Blomberg's refrigerator/freezer CT 1300 A the most energy efficient refrigerator at the Energy+ Competition. With the daily electricity consumption of a 16 W light bulb, this Blomberg refrigerator has lower annual average energy consumption than any comparable appliance. In terms of the EU label classification, it qualifies for an A++ label.

ENERGY+AWARD 2004

VDE

Blomberg's Q line washing machines and logitronic dishwashers have received the VDE approval for their outstanding performance. VDE, the Association for Electrical, Electronic & Information Technologies, is a Germany-based testing institute, which is one of the largest technical and scientific associations in Europe. Blomberg is the first brand to receive the VDE approval for both washing machines and dishwashers.

VDE Quality Tested gute Bedienbarkeit hohe Reinigungs-/ Trocknungsqualität Hygiene geprüft ID. 40021583

VDE Quality Tested gute Bedienbarkeit hohe Waschqualität Hygiene geprüft ID. 40018485

Superbrand

Blomberg was chosen among the strongest B2C brands in Denmark on the basis of an analysis made by Research International among 2100 people, combined with estimations from the Danish B2C Superbrand Council consisting of 18 prominent and acknowledged experts.

CONTENT

COOLING 05

WASHING MACHINES 37

DRYERS 65

DISHWASHERS 75

COOKERS 91

TECHNICAL DETAILS 104

COOLING

Welcome to the magical world of
Blomberg cooling products,
where vegetables continue
to grow outside their realm,
ions fly hunting bacteria,
and freezers are transformed
into fresh food compartments…

Discover this cool world
where reality sounds magical.

IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Harmless components
All Blomberg refrigerators are manufactured with components that are 80% recyclable, and are 100% free from ozone-damaging gases.

Eco function
Certain electronic refrigerators are equipped with a special eco function that is designed to minimize energy consumption. When the refrigerator doors remain closed for 6 consecutive hours, and the electronic settings are left unaltered, the refrigerator automatically goes to energy saving mode. In this mode the temperature of the freezer compartment is preserved at -18°C regardless of the temperature settings programmed earlier.



Minimum energy consumption
Preservation of natural resources is a priority for Blomberg, where not only production facilities are environment conscious, but also all products. Blomberg refrigerator range features models with **A++** and **A+** energy efficiency, saving you money and saving the world. An A++ refrigerator consumes **50% less energy**, while an A+ refrigerator consumes **up to 25% less energy** than an "A" class model.

Energy

Manufacturer / Model	Blomberg DSM 9630 A++
More efficient A B C D E F G Less efficient	A++
Energy consumption kWh/year *(Based on standart test results for 24 h)* Actual consumption will depend on how the appliance is used and where it is located	207
Fresh food volume l	215
Frozen food volume l	69
	15 ****
Noise (dB(A) re 1 pW)	37

Further information is contained in product brochures

Norm EN 153
Refrigerator Label Directive 94/2/CE

IN HARMONY WITH THE FUTURE

ADVANCED TECHNOLOGY

Four-door side-by-side refrigerators
Blomberg four-door side-by-side refrigerators have been designed to provide maximum cooling advantages. With their **80 cm wide** shelf space, they have the largest cooling area for easy and ergonomic use of the refrigerator. For maximum flexibility, you can set the temperature of the special **flexi zone** from - 24°C to +10°C. You can use this 77-litre compartment as a freezer, super fresh zone or a fresh food compartment depending on your storage needs.

flexizone

Our four-door side-by-side refrigerators feature Blomberg's trio-cycle no frost technology, which provides separate air circulation in the freezer, the fresh food compartment and the flexi zone by means of three separate fans. This separate air movement prevents odour blendig, leads to a more homogenous air distribution for better preservation of foodstuff. and provides more energy efficient and silent cooling.

triocycle cooling

Duo-cycle no frost technology
Available with certain Blomberg fridge freezers, is an advanced duo-cycle no frost technology which provides more homogenous, energy efficient, and silent cooling.

duocycle

silent cooling

In conventional no frost systems a fan provides constant air flow between the freezer and fresh food compartments. One of the most common problems of this system is odour mixing between the compartments. In Blomberg's duo-cycle no frost technology, two fans – one for the freezer and another for the fresh food compartment – provide separate air circulation. In other words, there is no air transfer between the freezer and fresh food compartments. By means of this separate air movement, the air in the freezer section does not mix with the air in the fresh food section, eliminating odour blending.

This duo-cycle air circulation also leads to a more homogenous air distribution for better preservation of foodstuff. Since the freezing air circulates only in the freezer compartment, food is frozen faster in comparison to conventional freezers. In addition, the separate air circulation leads to lower temperature fluctuation in the fresh food compartment for longer preservation of food. more efficient cooling technology leads to up to **50% energy preservation** in comparison to "A" class refrigerators. Furthermore, noise level is reduced to as low as **40 dBA** for a peaceful environment in your kitchen.

Custom cool
Blomberg introduces a special compartment for maximum flexibility. The custom cool unit can be adjusted to four different cooling temperatures by means of its additional isolation system. You can set the temperature to -7°C, -1°C, +1°C or +4°C depending on different food and beverage types.

custom cool

IN HARMONY WITH YOU

FUNCTIONAL

No frost cooling

No frost technology is a multi-directional air flow system featured in certain Blomberg fridge freezers and upright freezers. The system provides more stable and even temperature distribution in each compartment, allowing food to be stored anywhere in the refrigerator, and keeping fruit and vegetables fresher for longer. No frost cooling creates a permanently cold and dry environment, eliminating build-up of ice and bacteria in the freezer, and avoids unpleasant fridge odours. You will find food packs don't stick together. Best of all, you won't need to defrost your freezer any more.

4-star freezing

All Blomberg freezers have 4-star rating for an efficient freezing performance because only a 4-star freezer is intended to be used for freezing fresh food. 4-star freezers can freeze and store food at a minimum temperature of -18°C, and for up to 12 months.

Electronic controls

The electronic controls featured in certain Blomberg models allow accurate temperature settings. The **quick cool** and **fast freeze** functions enable you to boost and restore the temperature level of the fridge or the freezer quickly after placing large amounts of fresh food inside.

Furthermore, all electronic models have an integrated **alarm system** that will warn you if the door of the refrigerator is accidentally left ajar.

Biocare cooling

Biocare cooling system (BIOCC) is a new cooling technology featured in Blomberg side-by-side refrigerators. This is a concealed cool air circulation system designed to provide an efficient, evenly distributed air circulation inside the refrigerator. As a result, your food will stay fresher for longer. Furthermore, the concealed system gives your fridge interior a smooth, attractive appearance and allows full-length internal illumination for more efficient lighting.

Double compressor

Blomberg cooling range includes double-compressor fridge freezer models to help you save energy when you are on vacation. The double compressor allows you to switch off the fresh food compartment while the freezer remains running.

0-3°C super fresh zone

The super fresh zone that is featured in certain Blomberg cooling appliances, maintains the temperature of the compartment just above freezing point and keeps humidity at an optimum level, ensuring that fruit, vegetables, fish and meat retain their vitamin and nutritional values, subtle flavours and a fresh, attractive appearance for twice as long compared to a regular refrigerator.

IN HARMONY WITH YOU

PRACTICAL

Blue zone

Blomberg's exclusive blue light technology allows fruit and vegetables to continue photosynthesis while in the fridge. The blue zone is a special crisper illuminated with blue light, which is essential for healthy plant development. Through a constant supply of blue light rays, your Blomberg refrigerator will increase the vitamin value of fruit and vegetables so you can have them fresher and juicier for longer.

Fresh freeze zone

Blomberg developed an advanced freezing technology that freezes food at such an optimum rate that its cell structure does not deteriorate, and the nutrition value and flavours are preserved. As a consequence, when you defrost a piece of meat that has been frozen in the fresh freeze zone, it does not release its juice, and you can enjoy a fresher, tastier and healthier meal.

Easy open handle

Blomberg cooling products are equipped with easy-to-open, robust aluminium handles that not only make opening your refrigerator door easy but also gives it an elegant look.

Illumination with white LED

Certain models in the range feature illumination with white LED for a more aesthetic look inside your fridge and less energy consumption.

IN HARMONY WITH YOU

PRACTICAL

Glass shelves
The shelves within the Blomberg cooling range are made of safety glass, and are highly impact resistant. They help to prevent food and beverages spilling onto lower shelves, making cleaning easier. And, they can easily be placed on different levels to allow you maximum flexibility. For an even sleeker look inside your fridge, Blomberg introduces the optional glass door racks.

Twist and serve ice tray
With Blomberg's twist and serve ice cube tray, your ice will be ready in three simple steps: easy water fill, a simple twist and all you have to do is to slide the tray to take the ice out.

Maximum space
Flexi rack, a flexible suspended chrome bottle holder featured in certain refrigerators, is a practical accessory. It is located just below the glass shelves. It provides extra storage space for up to 3 bottles, and can easily be folded back to 1 piece when not needed. Furthermore, Blomberg also offers an optional soft opening storage box that can be placed below the door racks to create additional storage space.

Transparent and telescopic drawers
The front of the crisper and freezer drawers in Blomberg refrigerators are transparent, so that you can see the contents clearly without opening the drawers saving time and minimizing energy loss.

Telescopic drawers featured in certain models provide easier access to the refrigerator contents.

Water and ice dispensers
The integrated water and ice dispensers available with certain models allow you to obtain filtered chilled water or ice without having to open the door of your refrigerator (The dispenser is available with certain SBS models, and is optional with certain other models). The latch on the dispenser is extra sensitive to allow operation with even the lightest touch. In certain side-by-side models the water reservoir is connected to the tap water. In other models, it is easily removable for manual filling and cleaning.

Mini bar
The mini bar found on certain Blomberg side-by-side refrigerators allows you to reach beverages without having to open the fridge door, so you can serve drinks and cocktails without any loss of temperature. The open lid further serves as a small home bar of your own.

IN HARMONY WITH YOU

PRACTICAL

Maximum freezing space
Blomberg freezers feature special compartments offering a variety of storage solutions.

You can enjoy easy access to small packages in your freezer by means of the practical **door pockets** featured in Blomberg's seven-drawer upright freezers. Blomberg freezers have a useful **basket-in-basket**, which is a thin tray for freezing soft fruits such as berries. Blomberg also offers a **big drawer** for the storage of extra large items. With an exceptionally large volume, it is a practical storage solution for large families. And if the big drawer is not enough, you can remove the middle shelf between two drawers to create a **flexi-box** that will help you to store extra large items.

IN HARMONY WITH YOU

SAFE

Hygiene+ antibacterial carbon filter
Present in some fridges, is the photo catalyst carbon filter, which eliminates bacteria potentially present in the refrigerator, working in conjunction with the air-cooling systems of the no frost or static models (with built-in fans). This ensures permanently high levels of hygiene, protection from bacteria build-up, and reduced fridge odour. The carbon filter can be reactivated easily, with just one day's exposure to sunlight.

hygAIR ionizing technology
The exceptional hygAIR technology, inherent in select Blomberg refrigerators, is developed to bring the freshness of the pine forests to your kitchen. The hygAIR technology eliminates air borne bacteria and odour forming molecules, by producing natural negative ions inside the cabinet. These ions capture microorganisms, and transfer them out of the refrigerator via the defrost process. As a result, your food stays fresher for longer, and you can smell nature in your fridge.

Antibacterial door gaskets
The refrigerator door gaskets provide an ideal environment for bacteria formation creating a health hazard for you and your family.

For maximum hygiene inside your refrigerator, Blomberg coated the refrigerator door gaskets with an antibacterial seal that eliminates bacteria.

hygION silver coating
Blomberg refrigerators are equipped with a special coating on the interior walls, providing protection against bacteria, microorganisms and algae growth, and offering the safest possible storage environment for your food. By means of its natural antibacterial activity, this silver coating ensures maximum protection throughout the life of the refrigerator.

Antibacterial door handles
For hygiene outside your refrigerator, the handles of all Blomberg refrigerators are covered by an antibacterial seal, so bacteria will not remain on your refrigerator's handles for a healthy touch.

Quality tested
For long time expectancy, we test 100% of our refrigerators for performance, electrical security and gas safety before they leave our factory. We also perform random audit controls, long-term performance tests and accelerated function tests. For example, the door functionality test is performed 300.000 times, which corresponds to a 20-year period where the refrigerator door is opened 40 times a day. Furthermore, refrigerator components are tested for their durability under simulated conditions.

SIDE-BY-SIDE REFRIGERATORS

KQD 1360 X

4-Door Side-by-Side Refrigerator

605 lt total gross volume
Trio cycle no frost cooling
Electronic control

Fridge
- 385 lt net volume
- Fast cool function
- 0-3°C super fresh zone and blue zone
- Height adjustable glass shelves
- Chrome door rack accessory
- 2 transparent crispers
- Mini bar and water & ice dispenser
- Illumination with white LED

Flexi Zone
- 77 lt net volume
- Flexible temperature selection option from -24° to +10°C
- 2 transparent drawers and 1 shelf

Freezer ****
- 155 lt net volume
- Auto defrost
- Fast freeze function
- Automatic ice maker with water tap connection
- Fresh freeze zone
- 3 transparent drawers

Hygiene
- hygION antibacterial protection
- Hygiene+ antibacterial odour filter
- hygAIR ionizing technology
- Antibacterial seal

Technical Information
- Dimensions (HxWxD): 182x92x72 cm

Colour
KQD 1360 X: Fingerprint free stainless steel

KQD 1250 X

4-Door Side-by-Side Refrigerator

610 lt total gross volume
Trio cycle no frost cooling
Electronic control

Fridge
- 385 lt net volume
- Fast cool function
- 0-3°C super fresh zone and blue zone
- Height adjustable glass shelves
- Chrome door rack accessory
- 2 transparent crispers
- Illumination with white LED

Flexi Zone
- 77 lt net volume
- Flexible temperature selection option from -24° to +10°C
- 2 transparent drawers and 1 shelf

Freezer ****
- 155 lt net volume
- Auto defrost
- Fast freeze function
- Automatic ice maker
- Fresh freeze zone
- 3 transparent drawers

Hygiene
- hygION antibacterial protection
- Hygiene+ antibacterial odour filter
- hygAIR ionizing technology
- Antibacterial seal

Technical Information
- Dimensions (HxWxD): 182x92x72 cm

Colour
KQD 1250 X: Fingerprint free stainless steel

WKWD 1500 X

Side-by-Side Refrigerator with Wine Cooler

620 lt total gross volume
Trio cycle no frost cooling
Electronic control

Fridge
- 175 lt net volume
- Height adjustable glass shelves
- Glass door racks
- Chrome coated wine rack

0-3°C Super Fresh Zone
- 83 lt net volume
- 3 drawers

Wine Cooler
- 28 bottle (75 cc) capacity
- Wooden shelves
- Adjustable temperature range: 5-18°C

Freezer ****
- 74 lt net volume
- Auto defrost
- 2 full plastic transparent drawers
- 1 transparent flap

Additional Features
- Illumination with white LED

Hygiene
- hygION silver coating
- Antibacterial seal

Technical Information
- Dimensions (HxWxD): 171x121,5x60 cm

Colour
WKWD 1500 X: Stainless steel

KWD 1440 X

Side-by-Side Refrigerator

573 lt total gross volume
No frost
Electronic control

Fridge
- 383 lt net volume
- Fast cool function
- Biocare cooling
- 0-3°C super fresh zone
- Blue zone
- Height adjustable glass shelves
- Glass door racks
- Chrome coated door rack accessory
- Minibar
- Water and ice dispenser
- Chrome coated wine rack
- Illumination with white LED

Freezer ****
- 146 lt net volume
- Auto defrost
- Fresh freeze zone
- 3 full plastic transparent drawers

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- hygAIR ionizing technology
- Antibacterial seal

Technical Information
- Dimensions (HxWxD): 177,5x92,5x66,2 cm

Colour
KWD 1440 X: Fingerprint free stainless steel

KWD 1330 X

Side-by-Side Refrigerator

573 lt total gross volume
No frost
Electronic control

Fridge
- 383 lt net volume
- Fast cool function
- Biocare cooling
- 0-3°C super fresh zone
- Blue zone
- Height adjustable glass shelves
- Glass door racks
- Water and ice dispenser
- Chrome coated wine rack
- Illumination with white LED

Freezer ****
- 146 lt net volume
- Auto defrost
- Fresh freeze zone
- 3 full plastic transparent drawers

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- hygAIR ionizing technology
- Antibacterial seal

Technical Information
- Dimensions (HxWxD): 177,5x92,5x66,2 cm

Colour
KWD 1330 X: Fingerprint free stainless steel

SIDE-BY-SIDE REFRIGERATORS

KWS 1220 X

Side-by-Side Refrigerator

578 lt total gross volume
No frost
Electronic control

Fridge
- 375 lt net volume
- Fast cool function
- Biocare cooling
- 0-3°C super fresh zone
- Blue zone
- Height adjustable glass shelves
- Chrome coated door rack accessory
- Water dispenser
- Chrome coated wine rack
- Illumination with white LED

Freezer **
- 179 lt net volume
- Auto defrost
- 3 cartridge icemaker
- 2 full plastic transparent drawers
- 2 transparent flaps

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- Antibacterial seal

Technical Information
- Dimensions (HxWxD): 177,5x92,5x66,2 cm

Colour
KWS 1220 X: Fingerprint free stainless steel
KWS 1220: White

KWS 1110 X

Side-by-Side Refrigerator

586 lt total gross volume
No frost
Electronic control

Fridge
- 383 lt net volume
- Fast cool function
- Biocare cooling
- 0-3°C super fresh zone
- Blue zone
- Height adjustable glass shelves
- Chrome coated wine rack
- Optional illumination with white LED

Freezer **
- 179 lt net volume
- Auto defrost
- 3 cartridge icemaker
- 2 full plastic transparent drawers
- 2 transparent flaps

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- Antibacterial seal

Technical Information
- Dimensions (HxWxD): 177,5x92,5x66,2 cm

Colour
KWS 1110 X: Fingerprint free stainless steel
KWS 1110: White

FRIDGE FREEZERS

MKND 9860

Combi Fridge Freezer

475 lt total gross volume
Duo cycle no frost cooling
Touch sensitive electronic control

Fridge
- 312 lt net volume
- 0-3°C super fresh zone
- 2 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Soft opening storage box under door rack
- Chrome coated wine rack
- Inner illumination

Freezer **
- 125 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 transparent flap

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- hygAIR ionizing technology
- Antibacterial seal

Technical Information
- Reversible door
- Dimensions (HxWxD): 191x70x68 cm

Colour
MKND 9860: Black mirror with aluminum frame and handle

KND 9860

Combi Fridge Freezer

475 lt total gross volume
Duo cycle no frost cooling
Electronic control

Fridge
- 312 lt net volume
- 0-3°C super fresh zone
- 2 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Soft opening storage box under door rack
- Chrome coated wine rack
- Inner illumination

Freezer **
- 125 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 transparent flap

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- hygAIR ionizing technology
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 191x70x68 cm

Colour
KND 9860 X: Fingerprint free stainless steel
KND 9860: White

KND 9660 X

Combi Fridge Freezer

361 lt total gross volume
No frost
Electronic control

Fridge
- 244 lt net volume
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Chrome coated wine rack
- Inner illumination

Freezer **
- 68 lt net volume
- Auto defrost
- 3 full plastic transparent drawers

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- hygAIR ionizing technology
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 201x59,5x60 cm

Colour
KND 9660 X: Fingerprint free stainless steel
KND 9660: White

KNM 9660 X

Combi Fridge Freezer

361 lt total gross volume
No frost

Fridge
- 244 lt net volume
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Chrome coated wine rack
- Inner illumination

Freezer **
- 68 lt net volume
- Auto defrost
- 3 full plastic transparent drawers

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- hygAIR ionizing technology
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 201x59,5x60 cm

Colour
KNM 9660 X: Fingerprint free stainless steel
KNM 9660: White

FRIDGE FREEZERS

KND 9650 X

Combi Fridge Freezer

320 lt total gross volume
No frost
Electronic control

Fridge
- 205 lt net volume
- 1 telescopic crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Chrome coated wine rack
- Inner illumination

Freezer **
- 68 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 half width full plastic transparent drawer

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- hygAIR ionizing technology
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 184,5x59,5x60 cm

Colour
KND 9650 X: Fingerprint free stainless steel
KND 9650: White

KNM 9650 X

Combi Fridge Freezer

320 lt total gross volume
No frost
Electronic control w/o display

Fridge
- 205 lt net volume
- 1 telescopic crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Chrome coated wine rack
- Inner illumination

Freezer *
- 68 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 half width full plastic transparent drawer

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 184,5x59,5x60 cm

Colour
KNM 9650 X: Fingerprint free stainless steel
KNM 9650: White

KGM 9860 X

Combi Fridge Freezer

420 lt total gross volume
Semi no frost
Electronic control w/o display

Fridge
- 305 lt net volume
- Fan ventilation
- 2 transparent crispers
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Soft opening storage box under door rack
- Chrome coated wine rack
- Inner illumination

Freezer *
- 86 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 transparent flap

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 191x70x62,5 cm

Colour
KGM 9860 X: Fingerprint free stainless steel
KGM 9860: White

KGM 9690 X

Combi Fridge Freezer

402 lt total gross volume
Semi no frost
Electronic control w/o display

Fridge
- 230 lt net volume
- 2 transparent crispers
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Soft opening storage box under door rack
- Chrome coated wine rack
- Inner illumination

Freezer *
- 118 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 3 full plastic transparent drawers
- 1 transparent flap

Hygiene
- hygION silver caoting
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 191x70x60 cm

Colour
KGM 9690 X: Fingerprint free stainless steel
KGM 9690: White

KGM 9680 X

Combi Fridge Freezer

310 lt total gross volume
Semi no frost
Electronic control w/o display

Fridge
- 175 lt net volume
- 1 transparent crispers
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Optional Chrome coated wine rack
- Inner illumination

Freezer *
- 94 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 3 full plastic transparent drawers
- 1 half width full plastic transparent drawer

Hygiene
- hygION silver coating
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 190,5x59,5x60 cm

Colour
KGM 9680 X: Fingerprint free stainless steel
KGM 9680: White

KGM 9650 X

Combi Fridge Freezer

330 lt total gross volume
Semi no frost
Electronic control w/o display

Fridge
- 205 lt net volume
- Fan ventilation
- 1 transparent crispers
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Chrome coated wine rack
- Inner illumination

Freezer *
- 74 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 half width full plastic transparent drawer

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 184,5x59,5x60 cm

Colour
KGM 9650 X: Fingerprint free stainless steel
KGM 9650: White

FRIDGE FREEZERS

KGM 9640 X

Combi Fridge Freezer

300 lt total gross volume
Semi no frost
Electronic control w/o display

Fridge
- 175 lt net volume
- 1 transparent crispers
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Chrome coated wine rack
- Inner illumination

Freezer **
- 74 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 half width full plastic transparent drawer

Hygiene
- hygION silver coating
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 169x59,5x60 cm

Colour
KGM 9640: White

KOD 9650 X

Combi Fridge Freezer

340 lt total gross volume
Electronic control

Fridge
- 205 lt net volume
- Telescopic 0-3°C super fresh compartment
- 1 telescopic crisper
- Glass shelves
- Transparent door racks
- Chrome coated wine rack
- Inner illumination

Freezer **
- 74 lt net volume
- Manual defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 half width plastic transparent drawer

Hygiene
- hygION silver coating
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 184,5x59,5x60 cm

Colour
KOD 9650 X: Fingerprint free stainless steel
KOD 9650: White

KKD 9650 X

Combi Fridge Freezer

340 lt total gross volume
Electronic control
Double compressor

Fridge
- 205 lt net volume
- Fan ventilation
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Chrome coated wine rack
- Inner illumination

Freezer **
- 74 lt net volume
- Manual defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 half width plastic transparent drawer

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 184,5x59,5x60 cm

Colour
KKD 9650 X: Fingerprint free stainless steel
KKD 9650: White

KSM 9660 X

Combi Fridge Freezer

380 lt total gross volume

Fridge
- 244 lt net volume
- Fan ventilation (for A class only)
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Chrome coated wine rack
- Inner illumination

Freezer **
- 87 lt net volume
- Manual defrost
- 2 full plastic transparent drawers
- 1 transparent flap

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter (in models with fan)
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 201x59,5x60 cm

Colour
KSM 9660 X: Fingerprint free stainless steel
KSM 9660: White

KSM 9860 X

Combi Fridge Freezer

420 lt total gross volume

Fridge
- 305 lt net volume
- Fan ventilation
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Soft opening storage box under door rack
- Chrome coated wine rack
- Inner illumination

Freezer **
- 99 lt net volume
- Manual defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 transparent flap

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 191x70x63 cm

Colour
KSM 9860 X: Fingerprint free stainless steel
KSM 9860: White

KSM 9680 X

Combi Fridge Freezer

335 lt total gross volume

Fridge
- 175 lt net volume
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Chrome coated wine rack
- Inner illumination

Freezer **
- 110 lt net volume
- Manual defrost
- Twist & serve ice cube tray
- 3 full plastic transparent drawers
- 1 half width plastic transparent drawer

Hygiene
- hygION silver coating
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 190,5x59,5x60 cm

Colour
KSM 9680 X: Fingerprint free stainless steel
KSM 9680: White

FRIDGE FREEZERS

KSM 9650 X

Combi Fridge Freezer

340 lt total gross volume

Fridge
- 205 lt net volume
- Fan ventilation (for A+ class only)
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Chrome coated wine rack
- Inner illumination

Freezer **
- 74 lt net volume
- Manual defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 half width plastic transparent drawer

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon (in models with fan)
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 184,5x59,5x60 cm

Colour
KSM 9650 X: Fingerprint free stainless steel
KSM 9650: White

A++ | hygION silver coating | hygiene+ | fingerprint free

KSM 9640 X

Combi Fridge Freezer

310 lt total gross volume

Fridge
- 175 lt net volume
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Chrome coated wine rack
- Inner illumination

Freezer **
- 74 lt net volume
- Manual defrost
- Twist & serve ice cube tray
- 2 full plastic transparent drawers
- 1 half width plastic transparent drawer

Hygiene
- hygION silver coating
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 169x59,5x60 cm

Colour
KSM 9640 X: Fingerprint free stainless steel
KSM 9640: White

A+ | hygION silver coating | fingerprint free

KSM 9520 X

Combi Fridge Freezer

295 lt total gross volume

Fridge
- 178 lt net volume
- 1 transparent crisper
- Glass shelves
- Chrome coated wine rack
- Inner illumination

Freezer **
- 71 lt net freezer volume
- Manual defrost
- 3 full plastic transparent drawers

Hygiene
- hygION silver coating
- Antibacterial seal

Technical Information
- Reversible door
- Dimensions (HxWxD): 171x54x60 cm

Colour
KSM 9520 X: Fingerprint free stainless steel-black
KSM 9520: White-aluminum

A+ | hygION silver coating | fingerprint free

KSM 9510

Combi Fridge Freezer

240 lt total gross volume

Fridge
- 176 lt net volume
- 1 transparent crisper
- Glass shelves
- Chrome coated wine rack
- Inner illumination

Freezer **
- 36 lt net freezer volume
- Manual defrost
- 2 full plastic transparent drawers

Hygiene
- hygION silver coating
- Antibacterial seal

Technical Information
- Reversible door
- Dimensions (HxWxD): 152,5x54x60 cm

Colour
KSM 9510 X: Fingerprint free stainless steel-black
KSM 9510: White-aluminum

A+ | hygION silver coating | fingerprint free

DND 1970 X

Top Mount Fridge Freezer

610 lt total gross volume
No frost
Electronic control

Fridge
- 392 lt net volume
- 0-3°C super fresh zone
- 2 blue zones
- Custom cool unit
- Glass shelves
- Sliding chrome coated wine racks
- Illumination with white LED

Freezer **
- 143 lt net volume
- Auto defrost
- 2 cartridge icemaker
- Fresh freeze zone
- 1 plastic shelf
- 2 transparent door racks

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- hygAIR ionizing technology
- Antibacterial seal and handle

Technical Information
- Dimensions (HxWxD):183,5x84x74,5 cm

Colour
DND 1970 X: Fingerprint free stainless steel

A | no frost | custom cool | 0-3° superfresh zone | blue zone | fresh freeze | hygION silver coating | hygiene+ | hygair | fingerprint free

MDND 1880

Top Mount Fridge Freezer

540 lt total gross volume
Duo cycle no frost cooling
Touch sensitive electronic control

Fridge
- 409 lt net volume
- 0-3°C super fresh zone
- Height adjustable glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Sliding chrome coated wine racks
- Illumination with white LED

Freezer **
- 106 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 1 plastic shelf
- 2 transparent door racks

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- hygAIR ionizing technology
- Antibacterial seal

Technical Information
- Reversible door
- Dimensions (HxWxD): 191,5x70x76 cm

Colour
MDND 1880: Black mirror with aluminum frame and handle

A++ | no frost | duo cycle cooling | 0-3° superfresh zone | hygION silver coating | hygiene+ | hygair

FRIDGE FREEZERS

DND 9897 X

Top Mount Fridge Freezer

540 lt total gross volume
Duo cycle no frost cooling
Electronic control

Fridge
- 409 lt net volume
- 0-3°C super fresh zone
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Soft opening storage box under door rack
- Chrome coated wine rack
- Optional water dispenser
- Inner illumination

Freezer **
- 106 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 1 plastic shelf
- 2 transparent door racks

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- hygAIR ionizing technology
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 192x70x75,5

Colour
DND 9897 X: Fingerprint free stainless steel
DND 9897: White

DND 9890 X

Top Mount Fridge Freezer

500 lt total gross volume
Duo cycle no frost cooling
Electronic control

Fridge
- 355 lt net volume
- 0-3°C super fresh zone
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Soft opening storage box under door rack
- Flexi rack, flexible chrome coated wine rack
- Optional water dispenser
- Inner illumination

Freezer **
- 90 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 1 plastic shelf
- 2 transparent door racks

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- hygAIR ionizing technology
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 192x70x68 cm

Colour
DND 9890 X: Fingerprint free stainless steel
DND 9890: White

DNE 9887 X

Top Mount Fridge Freezer

540 lt total gross volume
Duo cycle no frost cooling
Electronic control w/o display

Fridge
- 409 lt net volume
- 0-3°C super fresh zone
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Soft opening storage box under door rack
- Chrome cooted wine rack
- Optional water dispenser
- Inner illumination

Freezer **
- 106 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 1 plastic shelf
- 2 transparent door racks

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 192x70x75,5 cm

Colour
DNE 9887 X: Fingerprint free stainless steel
DNE 9887: White

DNE 9880 X

Top Mount Fridge Freezer

500 lt total gross volume
Duo cycle no frost cooling
Electronic control w/o display

Fridge
- 355 lt net volume
- 0-3°C super fresh zone
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Soft opening storage box under door rack
- Flexi rack, flexible chrome coated wine rack
- Optional water dispenser
- Inner illumination

Freezer **
- 90 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 1 plastic shelf
- 2 transparent door racks

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 192x70x68 cm

Colour
DNE 9880 X: Fingerprint free stainless steel
DNE 9880: White

DNE 9860 X

Top Mount Fridge Freezer

465 lt total gross volume
Duo cycle no frost cooling
Electronic control w/o display

Fridge
- 325 lt net volume
- 0-3°C super fresh zone
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Soft opening storage box under door rack
- Flexi rack, flexible chrome coated wine rack
- Inner illumination

Freezer **
- 90 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 1 plastic shelf
- 2 transparent door racks

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 179x70x68 cm

Colour
DNE 9860 X: Fingerprint free stainless steel
DNE 9860: White

DNE 9840 X

Top Mount Fridge Freezer

430 lt total gross volume
Duo cycle no frost cooling
Electronic control w/o display

Fridge
- 295 lt net volume
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Soft opening storage box under door rack
- Flexi rack, flexible chrome coated wine rack
- Inner illumination

Freezer **
- 90 lt net volume
- Auto defrost
- Twist & serve ice cube tray
- 1 plastic shelf
- 2 transparent door racks

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 169x70x68 cm

Colour
DNE 9840 X: Fingerprint free stainless steel
DNE 9840: White

FRIDGE FREEZERS

DNM 9670 X

Top Mount Fridge Freezer

400 lt total gross volume
No frost

Fridge
- 291 lt net volume
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Soft opening storage box under door rack
- Chrome coated wine rack
- Inner illumination

Freezer **
- 79 lt net volume
- Auto defrost
- 1 ice cube tray
- 1 plastic shelf
- 1 transparent door rack

Hygiene
- hygION silver coating
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 185x59,5x68 cm

Colour
DNM 9670 X: Fingerprint free stainless steel
DNM 9670: White

DNM 9650 X

Top Mount Fridge Freezer

330 lt total gross volume
No frost

Fridge
- 238 lt net volume
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Chrome coated wine rack
- Inner illumination

Freezer **
- 64 lt net volume
- Auto defrost
- 1 ice cube tray
- 1 plastic shelf
- 1 transparent door rack

Hygiene
- hygION silver coating
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 175x59,5x63,5 cm

Colour
DNM 9650 X: Fingerprint free stainless steel
DNM 9650: White

DSM 9877 X

Top Mount Fridge Freezer

538 lt total gross volume

Fridge
- 412 lt net volume
- Fan ventilation (for A+)
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Chrome coated wine rack
- Inner illumination

Freezer **
- 112 lt net volume
- Manual defrost
- 1 ice cube tray
- 1 wire shelf

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter (in models with fan)
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 184,5x70x75,5

Colour
DSM 9877 X: Fingerprint free stainless steel
DSM 9877: White

DSM 9870 X

Top Mount Fridge Freezer

450 lt total gross volume

Fridge
- 330 lt net volume
- Fan ventilation (for T class)
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Chrome coated wine rack
- Inner illumination

Freezer **
- 102 lt net volume
- Manual defrost
- 1 ice cube tray
- 1 wire shelf

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter (in models with fan)
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 184,5x70x63 cm

Colour
DSM 9870 X: Fingerprint free stainless steel
DSM 9870: White

DSM 9850 X

Top Mount Fridge Freezer

410 lt total gross volume

Fridge
- 298 lt net volume
- Fan ventilation (for T&A+)
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Chrome coated wine rack
- Inner illumination

Freezer **
- 102 lt net volume
- Manual defrost
- 1 ice cube tray
- 1 wire shelf

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter (in models with fan)
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 172,5x70x63 cm

Colour
DSM 9850 X: Fingerprint free stainless steel
DSM 9850: White

DSM 9650 X

Top Mount Fridge Freezer

330 lt total gross volume

Fridge
- 245 lt net volume
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional soft opening storage box under door rack
- Chrome coated wine rack
- Inner illumination

Freezer **
- 73 lt net volume
- Manual defrost
- 1 ice cube tray
- 1 wire shelf

Hygiene
- hygION silver coating
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 175x59,5x60 cm

Colour
DSM 9650 X: Fingerprint free stainless steel
DSM 9650: White

FRIDGE FREEZERS

DSM 9630 X

Top Mount Fridge Freezer

300 lt total gross volume

Fridge
- 215 lt net volume
- 0-3°C superfresh zone (for A++ only)
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional soft opening storage box under door rack
- Chrome coated wine rack
- Inner illumination

Freezer **
- 73 lt net volume
- Manual defrost
- 1 ice cube tray
- 1 wire shelf

Hygiene
- hygION silver coating
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 162,5x59,5x60 cm

Colour
DSM 9630 X: Fingerprint free stainless steel
DSM 9630: White

DSM 9510*

Top Mount Fridge Freezer

250 lt total gross volume

Fridge
- 168 lt net volume
- 0-3°C superfresh zone (for A++ only)
- 1 transparent crispers
- Glass shelves
- Chrome coated wine rack
- Inner illumination

Freezer **
- 56 lt net freezer volume
- Manual defrost
- 1 shelf

Hygiene
- hygION silver coating
- Antibacterial seal

Technical Information
- Reversible door
- Dimensions (HxWxD): 145x54x60 cm

Colour
DSM 9510 X: Fingerprint free stainless steel-black
DSM 9510: White-aluminum

*A++ model code: DSM 1510

DSM 9500

Top Mount Fridge Freezer

176 lt total gross volume

Fridge
- 125 lt net volume
- 1 transparent crisper
- Glass shelves
- Chrome coated wine rack
- Inner illumination

Freezer **
- 45 lt net volume
- Manual defrost
- 1 shelf

Hygiene
- hygION silver coating
- Antibacterial seal

Technical Information
- Reversible door
- Dimensions (HxWxD): 121x54x58 cm

Colour
DSM 9500: White

LARDER FRIDGES

SOM 9650 X

Larder Fridge

370 lt total gross volume

Fridge
- 336 lt net volume (325 lt with superfresh zone)
- Telescopic 0-3°C superfresh zone (for A+ & A++ only)
- Fan ventilation (for T class)
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Optional water dispenser
- Chrome coated wine rack
- Inner illumination

Hygiene
- hygION silver coating
- Hygiene+ antibacterial carbon filter (for T class)
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 171x60,5x60 cm

Colour
SOM 9650 X: Fingerprint free stainless steel
SOM 9650: White

SOM 9750 X

Larder Fridge

325 lt total gross volume

Fridge
- 290 lt net volume (278 lt with superfresh zone)
- Telescopic 0-3°C superfresh zone (for A+ only)
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Chrome coated door rack accessory
- Chrome coated wine rack
- Inner illumination

Hygiene
- hygION silver coating
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 151x60,5x60 cm

Colour
SOM 9750 X: Fingerprint free stainless steel
SOM 9750: White

SSM 1350

Larder Fridge

315 lt total gross volume

Fridge
- 310 lt net volume
- Telescopic 0-3°C super fresh zone
- 1 transparent crisper
- Glass shelves
- Chrome coated door rack accessory
- Chrome coated wine rack
- Inner illumination

Hygiene
- hygION silver coating
- Antibacterial seal

Technical information
- Reversible door
- Dimensions (HxWxD): 177x54x60 cm

Colour
SSM 1350: White-aluminum

LARDER FRIDGES

SSM 9450

Larder Fridge

260 lt total gross volume

Fridge
- 256 lt net volume
- 2 transparent crispers
- Glass shelves
- Chrome coated wine rack
- Inner illumination

Hygiene
- hygION silver coating
- Antibacterial seal

Technical information
- Reversible door
- Dimensions (HxWxD): 145x54x60 cm

Colour
SSM 9450: White-aluminum

SSM 9550

Larder Fridge

210 lt total gross volume

Fridge
- 204 lt net volume
- 2 transparent crispers
- Glass shelves
- Chrome coated wine rack
- Inner illumination

Hygiene
- hygION silver coating
- Antibacterial seal

Technical information
- Reversible door
- Dimensions (HxWxD): 121x54x57 cm

Colour
SSM 9550: White-aluminum

SSM 9640 X

Single Door Fridge

350 lt total gross volume

Fridge
- 279 lt net volume
- 1 transparent crisper
- Glass shelves
- Transparent door racks
- Optional water dispenser
- Chrome coated wine rack
- Inner illumination

Freezer **
- 27 lt net volume
- Manual defrost
- 1 ice cube tray

Hygiene
- hygION silver coating
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 171x59,5x60 cm

Colour
SSM 9640 X: Fingerprint free stainless steel
SSM 9640: White

SSM 9540

Single Door Fridge

200 lt total gross volume

Fridge
- 164 lt net fridge volume
- 2 transparent crispers
- Glass shelves
- Chrome coated wine rack
- Inner illumination

Freezer **
- 20 lt net volume
- Manual defrost
- 1 ice cube tray

Hygiene
- hygION silver coating
- Antibacterial seal

Technical information
- Reversible door
- Dimensions (HxWxD): 121x54x57 cm

Colour
SSM 9540: White-aluminum

UPRIGHT FREEZERS

FNT 9670 X

Upright Freezer

260 lt total gross volume
No frost
Electronic control

Freezer **
- 210 lt net volume
- Twist & serve ice cube tray
- Auto defrost
- 4 full plastic transparent drawers including big drawer
- 1 half width full plastic transparent drawer
- 2 transparent flaps
- Basket in basket

Hygiene
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD):171x60,5x60 cm

Colour
FNT 9670 X: Fingerprint free stainless steel
FNT 9670: White

FNT 9660 X

Upright Freezer

210 lt total gross volume
No frost
Electronic control

Freezer **
- 174 lt net volume
- Twist & serve ice cube tray
- Auto defrost
- 3 full plastic transparent drawers including big drawer
- 1 half width full plastic transparent drawer
- 2 transparent flaps
- Basket in basket

Hygiene
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 151x60,5x60 cm

Colour
FNT 9660 X: Fingerprint free stainless steel
FNT 9660: White

UPRIGHT FREEZERS

FNT 1580 X

Upright Freezer

220 lt total gross volume
No frost
Electronic control w/o display

Freezer **
- 196 lt net volume
- 6 full plastic transparent drawers including big drawer
- 2 transparent flaps

Hygiene
- Antibacterial seal

Technical information
- Reversible door
- Dimensions (HxWxD): 177x54x60 cm

Colour
FNT 1580 X: Fingerprint free stainless steel-black
FNT 1580: White-aluminum

A | noFrost | fingerprint free

FNT 9550

Upright Freezer

190 lt total gross volume
No frost
Electronic control w/o display

Freezer **
- 157 lt net volume
- 4 full plastic transparent drawers
- 1 transparent flap

Hygiene
- Antibacterial seal

Technical information
- Reversible door
- Dimensions (HxWxD): 145x54x60 cm

Colour
FNT 9550: White-aluminum

A | noFrost | fingerprint free

FSM 9670 X

Upright Freezer

270 lt total gross volume

Freezer **
- 223 lt net volume
- Twist & serve ice cube tray
- Manual defrost
- 5 full plastic transparent drawers including big drawer
- 1 half width full plastic transparent drawer
- 2 transparent flaps
- Basket in basket

Hygiene
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 171x60,5x60 cm

Colour
FSM 9670 X: Fingerprint free stainless steel
FSM 9670: White

A++ | fingerprint free

FSM 9660 X

Upright Freezer

240 lt total gross volume
Electronic control w/o display

Freezer **
- 190 lt net volume
- Twist & serve ice cube tray
- Manual defrost
- 4 full plastic transparent drawers including big drawer
- 1 half width full plastic transparent drawer
- 1 transparent flap
- Basket in basket

Hygiene
- Antibacterial seal and handle

Technical Information
- Reversible door
- Dimensions (HxWxD): 151x60,5x60 cm

Colour
FSM 9660 X: Fingerprint free stainless steel
FSM 9660: White

A+ | fingerprint free

FSM 1580

Upright Freezer

250 lt total gross volume

Freezer **
- 214 lt net volume
- 6 full plastic transparent drawers including big drawer
- 2 transparent flaps

Hygiene
- Antibacterial seal

Technical information
- Reversible door
- Dimensions (HxWxD): 177x54x60 cm

Colour
FSM 1580: White-aluminum

A | fingerprint free

FSM 9550

Upright Freezer

210 lt total gross volume

Freezer **
- 175 lt net volume
- 4 full plastic transparent drawers
- 1 transparent flap

Hygiene
- Antibacterial seal

Technical information
- Reversible door
- Dimensions (HxWxD): 145x54x60 cm

Colour
FSM 9550: White-aluminum

A | fingerprint free

TABLE TOPS

TSM 1551

Table Top Larder Fridge

135 lt total gross volume

Fridge
- 130 lt net volume
- Transparent crisper
- Glass shelves

Hygiene
- hygION silver coating
- Antibacterial seal

Technical information
- Dimensions (HxWxD): 85x54,5x60 cm

Colour
TSM 1551: White

TSM 1541

Table Top Fridge

120 lt total gross volume

Fridge
- 101 lt net fridge volume
- Transparent crisper
- Glass shelves

Freezer **
- 13 lt net volume
- 1 ice cube tray

Hygiene
- hygION silver coating
- Antibacterial seal

Technical information
- Dimensions (HxWxD): 85x54,5x60 cm

Colour
TSM 1541: White

FTM 1531

Table Top Freezer

135 lt total gross volume

Freezer **
- 85 lt net volume
- 3 full plastic transparent drawers
- 1 ice cube tray

Hygiene
- Antibacterial seal

Technical information
- Dimensions (HxWxD): 85x54,5x60 cm

Colour
FTM 1531: White

FNE 1531

Table Top Freezer

90 lt total gross volume
No frost
Electronic control w/o display

Freezer **
- 75 lt net volume
- 2 full plastic transparent drawers
- 1 transparent flap
- 1 ice cube tray

Hygiene
- Antibacterial seal

Technical information
- Dimensions (HxWxD): 85x54,5x60 cm

Colour
FNE 1531: White

CHEST FREEZERS

FRM 1970

Chest Freezer

369 lt total gross volume

Freezer
- 350 lt net volume
- 4 baskets
- Interior light
- Lock and key

Hygiene
- Antibacterial seal

Technical Information
- Dimensions (HxWxD): 86x155,5x72,5 cm

Colour
FRM 1970: White

FRM 1950

Chest Freezer

288 lt total gross volume

Freezer
- 284 lt net volume
- 3 baskets
- Interior light
- Lock and key

Hygiene
- Antibacterial seal

Technical Information
- Dimensions (HxWxD): 86x128,5x72,5 cm

Colour
FRM 1950: White

FRM 1940

Chest Freezer

232 lt total gross volume

Freezer
- 230 lt net volume
- 2 baskets
- Interior light
- Lock and key

Hygiene
- Antibacterial seal

Technical Information
- Dimensions (HxWxD): 86x110,1x72,5 cm

Colour
FRM 1940: White

FRM 1920

Chest Freezer

136 lt total gross volume

Freezer
- 129 lt net volume
- 1 basket
- Interior light
- Lock and key

Hygiene
- Antibacterial seal

Technical Information
- Dimensions (HxWxD): 86x75x72,5 cm

Colour
FRM 1920: White

WASHING MACHINES

Blomberg's new washing machines bring a new dimension to laundry care. The range introduces the world's most energy efficient washing machine, with 30% less energy consumption than "A" class; and the smartest wash programme which sets the most suitable washing parameters by means of special sensors.

Discover this new dimension in laundry care.

IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Minimum energy consumption
Blomberg washing machines have been designed to achieve outstanding fabric care and wash results using the least possible amount of detergent, water and electricity. Every Blomberg washing machine achieves A washing performance and consumes less energy than "A" class standards. Certain 8 kg washing machines consume **30% or 20% less energy** than "A" class machines (depending on the model). The rest of the range all consumes **10% less energy** than an "A" class washing machine.

Blomberg also offers energy-efficient wash programmes. Available with certain models is **Active 40°**, a special programme for cottons that consumes **30% less energy** than standard programmes.

Automatic water adjustment system
All Blomberg washing machines are equipped with the automatic water adjustment system, which enables your machine to adjust its water intake based on the amount of the laundry for conservation of water resources.

Energy

Manufacturer	Blomberg
Model	WNF 8427 A
More efficient A B C D E F G Less efficient	A
Energy consumption kWh/cycle *(Based on standart test results for 60ºC cotton cycle)* Actual consumption will depend on how the appliance is used	1.04
Washing performance A: higher G: lower	A B C D E F G
Spin drying performance A: higher G: lower Spin speed (rpm)	A B C D E F G 1200
Capacity (cotton) kg	8
Water consumption l	59
Noise (dB(A) re 1 pW) Washing	
Spinning	

Further information is contained in product brochures

Norm EN 60456
Washing machine label 0 Directive 95/12/EC

IN HARMONY WITH THE FUTURE

ADVANCED TECHNOLOGY

smarTwash

smarTwash automatic programme

smarTwash automatic programme is an innovation that makes laundry care as simple as possible. You no longer have to worry about programme selection because your washing machine will automatically set all washing parameters by itself. All you have to do is to set the soil level of your clothes and leave the rest to the smartest wash programme.

smarTwash is featured in Blomberg's 8 kg washing machines with text LCD control panel. These machines have special sensors that detect the load amount and the textile type. By means of these sensors, the machine automatically adjusts the optimum water temperature, sets the duration of the wash programme, and decides the number of rinses and the spin speed.

Night mode

For increased energy saving and total peace and quiet in your home, Blomberg introduces the night mode. In this setting, the washing machine extends the washing duration and omits the spin cycle, so you can get a good night's sleep while your clothes are cleaned. And when you wake up, you can set the spin cycle yourself.

mini programmes

Mini 14'

Mini 14' programme has been developed to maximize your free time. In this setting your machine will clean a 2 kg load of lightly soiled clothes in only 14 minutes!

IN HARMONY WITH YOU

PRACTICAL

Smart controls

All Blomberg washing machines have ergonomically positioned control panels, and fully electronic controls and intelligent programmes operated via a single dial, for simple programme selection. Washing with an LCD controlled machine makes laundry care easy; just press "start" and go. The machine helps you by suggesting the correct temperature and spin speed according to the selected programme and you can either accept the suggestion or choose your own settings.

Large drum capacity

8 kg Blomberg washing machines have a generous **64-litre drum capacity** enabling you to wash large loads and bulky items like comforters. For the best washing conditions and energy performance, your washing machine will also automatically adjust itself according to the load size. The automatic water adjustment system calculates the volume of your laundry and measures exactly how much water to use, so not a drop is wasted, and you can wash a small load as economically as a large one.



8kg **large**drum capacity

Space saving solution

For households with limited space, Blomberg offers the new **slim line** washing machines with 5 and 6 kg options. Despite their large capacity, these machines have shorter depths to occupy as little space as possible. By increasing the diameter of the drum, Blomberg technicians managed to enlarge the capacity of the machine without increasing its total volume.



5kg **space**saving solution

6kg **space**saving solution

IN HARMONY WITH YOU

PRACTICAL

Smart programmes
Blomberg washing machines offer a variety of wash programmes for different kinds of textiles. In addition to the common programmes for cottons, synthetics, and mixed fabrics, Blomberg offers special programmes for special needs.

Night mode

Lingerie

smarTwash

Hand wash

Wool

Refresh

Bedding

Mini

Shirts

Sportswear

Hygiene

Viscose

Dark wash

Jeans

Large porthole
To make the loading and unloading of bulky items easy, all Blomberg 7 and 8 kg washing machines have 34 cm extra large doors that have a 165° opening.

Aquaround™ plus
Blomberg's premium models feature a special water recirculation system. Aquaround™ plus system sprays the water in the tub onto the laundry from the top by means of a separate pump to minimize detergent loss.

aquaround plus

Aquaround direct water jet system provides direct connection into the drum from the detergent drawer. This system provides better soaking of clothes for better cleaning.

aquaround

IN HARMONY WITH YOU

SAFE

Durable heater
Certain Blomberg washing machines are equipped with a special nickel-coated heater. This heater is hundred times more durable than regular heaters. Thus, it prolongs the life time of your washing machine. The heater also eliminates the need for scaling arising from hard water, and consequently saves you energy and time while heating the water.

durable heater

aquAvoid plus
aquAvoid plus is an anti-leak system designed to protect your home against flooding. In case of leakage, the system automatically shuts off the water supply from the tap in seconds, protecting your furniture from water damage. Certain Blomberg washing machines are equipped with aquAvoid security system, which cuts off the water intake to the machine, in case of leakage from the internal hose.

aquAvoid plus

Warning indicators
For maximum security Blomberg washing machines have a child-resistant control panel. Once the **child lock** is activated, any alteration to the selected settings is ignored, so little fingers can't upset your wash. Also you will be warned by your washing machine if you have forgotten to turn on the tap.

Hygiene 30-90°C
Approved by the German test industry VDE, Blomberg washing machines offer exclusive hygiene programmes that kill 99,9% of bacteria at wash temperatures as low as 30°C for the total hygiene of your clothes.

VDE
Quality Tested
gute Bedienbarkeit
hohe Waschqualität
Hygiene geprüft
ID. 40027478

Quality tested
For long life expectancy, we test 100% of our washing machines before they leave our factory. For maximum durability, 2% of all machines undergo a thorough audit test. Every machine is tested for safety and functionality.

Furthermore, Blomberg washing machines are tested continuously for life cycle durability on various programmes. In addition, customer conditions are simulated for up to 5.000 hours which correspond to 10 years usage.

WASHING MACHINES

WNF 9422 AC

Full Electronic Washing Machine

9 kg load capacity
Variable spin speed up to 1200 rpm
Mini LCD control

Programmes
- 12 programmes of which: Bedding, wool, hand wash, dark wash, hygiene, shirts, lingerie, mini

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 9422 AC: White-silver with chrome door



WNF 8543 AC

Full Electronic Washing Machine

8 kg load capacity
Variable spin speed up to 1400 rpm
LCD control

Programmes
- 16 programmes of which: smarTwash, bedding, wool, hand wash, dark wash, hygiene, sportswear, shirts, lingerie, night mode, refresh, jeans, mini

Functions
- Prewash / Extra rinse / Easy iron / Soil level

Main Features
- 20% less energy consumption than “A” class
- smarTwash, full automatic programme
- 18 h time delay and remaining time
- No spin, rinse hold selection
- Aquaround™ plus water recirculation system
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 8543 S : Silver-black
WNF 8543 A : White-silver
WNF 8543 AC : White-silver with chrome door



WNF 8524 A

Full Electronic Washing Machine

8 kg load capacity
Variable spin speed up to 1200 rpm
LCD control

Programmes
- 16 programmes of which: smarTwash, bedding, wool, hand wash, dark wash, hygiene, sportswear, shirts, lingerie, night mode, refresh, jeans, mini

Functions
- Prewash / Extra rinse / Easy iron / Soil level

Main Features
- 20% less energy consumption than “A” class
- smarTwash, full automatic programme
- 18 h time delay and remaining time
- No spin, rinse hold selection
- Aquaround™ plus water recirculation system
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 8524 A: White-silver



WNF 8504 A

Full Electronic Washing Machine

8 kg load capacity
Variable spin speed up to 1000 rpm
LCD control

Programmes
- 16 programmes of which: smarTwash, bedding, wool, hand wash, dark wash, hygiene, sportswear, shirts, lingerie, night mode, refresh, jeans, mini

Functions
- Prewash / Extra rinse / Easy iron / Soil level

Main Features
- 20% less energy consumption than “A” class
- smarTwash, full automatic programme
- 18 h time delay and remaining time
- No spin, rinse hold selection
- Aquaround™ plus water recirculation system
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 8504 A: White-silver



WNF 8447 S

Full Electronic Washing Machine

8 kg load capacity
Variable spin speed up to 1400 rpm
Mini LCD control

Programmes
- 16 programmes of which: Bedding, hygiene, active 40°, mini 14', viscose, hand wash, dark wash, wool, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 30% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 8447 S: Silver-black
WNF 8447 A: White-silver

WNF 8427 A

Full Electronic Washing Machine

8 kg load capacity
Variable spin speed up to 1200 rpm
Mini LCD control

Programmes
- 16 programmes of which: Bedding, hygiene, active 40°, mini 14', viscose, hand wash, dark wash, wool, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 30% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 8427 A: White-silver



WASHING MACHINES

WNF 8428 A

Full Electronic Washing Machine

8 kg load capacity
Variable spin speed up to 1200 rpm
Mini LCD control

Programmes
- 16 programmes of which: Bedding, hygiene, active 40°, mini 14', viscose, hand wash, dark wash, wool, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 30% less energy consumption than "A" class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 8428 A: White-silver

WNF 8426 Z

Full Electronic Washing Machine

8 kg load capacity
Variable spin speed up to 1200 rpm
Mini LCD control

Programmes
- 12 programmes of which: Bedding, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than "A" class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Aquaround™ water recirculation system
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 8426 Z: Piano black

WNF 8426 SQ

Full Electronic Washing Machine

8 kg load capacity
Variable spin speed up to 1200 rpm
Mini LCD control

Programmes
- 12 programmes of which: Bedding, hygiene, super eco 40°, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than "A" class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Aquaround™ water recirculation system
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 8426 SQ: Silver-black
WNF 8426 AQ: White-silver



WNF 8407 A

Full Electronic Washing Machine

8 kg load capacity
Variable spin speed up to 1000 rpm
Mini LCD control

Programmes
- 16 programmes of which: Bedding, hygiene, active 40°, mini 14', viscose, hand wash, dark wash, wool, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 30% less energy consumption than "A" class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 8407 A: White-silver

WNF 8406 AQ

Full Electronic Washing Machine

8 kg load capacity
Variable spin speed up to 1000 rpm
Mini LCD control

Programmes
- 12 programmes of which: Bedding, hygiene, super eco 40°, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than "A" class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Aquaround™ water recirculation system
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 8406 AQ: White-silver

WNF 8406

Full Electronic Washing Machine

8 kg load capacity
Variable spin speed up to 1000 rpm
Mini LCD control

Programmes
- 12 programmes of which: Bedding, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than "A" class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Aquaround™ water recirculation system
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x60 cm

Colour
WNF 8406: White

WASHING MACHINES

WNF 7466 S

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 1600 rpm
Mini LCD control

Programmes
- 12 programmes of which:
  Intensive, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Aquaround™ water recirculation system
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7466 S: Silver-black
WNF 7466 A: White-silver

WNF 7446 A

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 1400 rpm
Mini LCD control

Programmes
- 12 programmes of which:
  Intensive, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Aquaround™ water recirculation system
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7446 A: White-silver

WNF 7426 A

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 1200 rpm
Mini LCD control

Programmes
- 12 programmes of which:
  Intensive, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Aquaround™ water recirculation system
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7426 A: White-silver

WNF 7406

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 1000 rpm
Mini LCD control

Programmes
- 12 programmes of which:
  Intensive, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Aquaround™ water recirculation system
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™ plus
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7406: White

WNF 7361 S

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 1600 rpm
Digital display

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than “A” class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7361 S: Silver-black
WNF 7361 A: White-silver

WNF 7341 A

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 1400 rpm
Digital display

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than “A” class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7341 A: White-silver

WASHING MACHINES

WNF 7321 A

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 1200 rpm
Digital display

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than "A" class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7321 A: White-silver

WNF 7301

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 1000 rpm
Digital display

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than "A" class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7301: White

WNF 7241

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 1400 rpm
LED control

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash

Main Features
- 10% less energy consumption than "A" class
- 3 / 6 / 9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7241: White

WNF 7221

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 1200 rpm
LED control

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash

Main Features
- 10% less energy consumption than "A" class
- 3 / 6 / 9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7221: White

WNF 7201

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 1000 rpm
LED control

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash

Main Features
- 10% less energy consumption than "A" class
- 3 / 6 / 9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7201: White

WNF 7281

Full Electronic Washing Machine

7 kg load capacity
Variable spin speed up to 800 rpm
LED control

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash

Main Features
- 10% less energy consumption than "A" class
- 3 / 6 / 9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x54 cm

Colour
WNF 7281: White

WASHING MACHINES

WNF 6461 A

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 1600 rpm
Mini LCD control

Programmes
- 12 programmes of which:
  Intensive, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6461 A: White-silver

WNF 6441 A

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 1400 rpm
Mini LCD control

Programmes
- 12 programmes of which:
  Intensive, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6441 A: White-silver

WNF 6421

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 1200 rpm
Mini LCD control

Programmes
- 12 programmes of which:
  Intensive, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6421: White

WNF 6401

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 1000 rpm
Mini LCD control

Programmes
- 12 programmes of which:
  Intensive, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6401: White

WNF 6341 A

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 1400 rpm
Digital display

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than “A” class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6341 A: White-silver

WNF 6321

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 1200 rpm
Digital display

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than “A” class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6321: White

WASHING MACHINES

WNF 6300

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 1000 rpm
Digital display

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than "A" class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6300: White

WNF 6380

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 800 rpm
Digital display

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than "A" class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6380: White

WNF 6221

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 1200 rpm
LED control

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash

Main Features
- 10% less energy consumption than "A" class
- 3 / 6 / 9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6221: White

WNF 6200

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 1000 rpm
LED control

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash

Main Features
- 10% less energy consumption than "A" class
- 3 / 6 / 9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6200: White

WNF 6280

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 800 rpm
LED control

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash

Main Features
- 10% less energy consumption than "A" class
- 3 / 6 / 9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6280: White

WNF 6100

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 1000 rpm
LED control

Programmes
- 16 programmes of which:
  Wool, active 40°, mini 30°, hand wash, delicate

Functions
- Prewash / Extra rinse / Rinse hold

Main Features
- 10% less energy consumption than "A" class
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6100: White

WASHING MACHINES

WNF 6180

Full Electronic Washing Machine

6 kg load capacity
Variable spin speed up to 800 rpm
LED control

Programmes
- 16 programmes of which:
  Wool, active 40°, mini 30°, hand wash, delicate

Functions
- Prewash / Extra rinse / Rinse hold

Main Features
- 10% less energy consumption than “A” class
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x50 cm

Colour
WNF 6180: White

WNF 5441 A

Full Electronic Washing Machine

5 kg load capacity
Variable spin speed up to 1400 rpm
Mini LCD control

Programmes
- 12 programmes of which:
  Intensive, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x45 cm

Colour
WNF 5441 A: White-silver

WNF 5421 A

Full Electronic Washing Machine

5 kg load capacity
Variable spin speed up to 1200 rpm
Mini LCD control

Programmes
- 12 programmes of which:
  Intensive, hygiene, dark wash, hand wash, wool, lingerie, shirts

Functions
- Prewash / Quick wash / Extra rinse / Easy iron

Main Features
- 10% less energy consumption than “A” class
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x45 cm

Colour
WNF 5421 A: White-silver

WNF 5341

Full Electronic Washing Machine

5 kg load capacity
Variable spin speed up to 1400 rpm
Digital display

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than “A” class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x45 cm

Colour
WNF 5341: White

WNF 5321

Full Electronic Washing Machine

5 kg load capacity
Variable spin speed up to 1200 rpm
Digital display

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than “A” class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x45 cm

Colour
WNF 5321: White

WNF 5300

Full Electronic Washing Machine

5 kg load capacity
Variable spin speed up to 1000 rpm
Digital display

Programmes
- 11 programmes of which:
  Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than “A” class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x45 cm

Colour
WNF 5300: White

WASHING MACHINES

WNF 5380

Full Electronic Washing Machine

5 kg load capacity
Variable spin speed up to 800 rpm
Digital display

Programmes
- 11 programmes of which: Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash / Extra rinse

Main Features
- 10% less energy consumption than "A" class
- 19 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x45 cm

Colour
WNF 5380: White

WNF 5221

Full Electronic Washing Machine

5 kg load capacity
Variable spin speed up to 1200 rpm
LED control

Programmes
- 11 programmes of which: Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash

Main Features
- 10% less energy consumption than "A" class
- 3 / 6 / 9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- aquAvoid™
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x45 cm

Colour
WNF 5221: White

WNF 5200

Full Electronic Washing Machine

5 kg load capacity
Variable spin speed up to 1000 rpm
LED control

Programmes
- 11 programmes of which: Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash

Main Features
- 10% less energy consumption than "A" class
- 3 / 6 / 9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x45 cm

Colour
WNF 5200: White

WNF 5280

Full Electronic Washing Machine

5 kg load capacity
Variable spin speed up to 800 rpm
LED control

Programmes
- 11 programmes of which: Mini 14', dark wash, hand wash, wool, shirts, sportswear

Functions
- Prewash / Quick wash

Main Features
- 10% less energy consumption than "A" class
- 3 / 6 / 9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x45 cm

Colour
WNF 5280: White

WNF 5100

Full Electronic Washing Machine

5 kg load capacity
Variable spin speed up to 1000 rpm
LED control

Programmes
- 16 programmes of which: Wool, active 40°, mini 30°, hand wash, delicate

Functions
- Prewash / Extra Rinse / Rinse hold

Main Features
- 10% less energy consumption than "A" class
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x45 cm

Colour
WNF 5100: White

WNF 5180

Full Electronic Washing Machine

5 kg load capacity
Variable spin speed up to 800 rpm
LED control

Programmes
- 16 programmes of which: Wool, active 40°, mini 30°, hand wash, delicate

Functions
- Prewash / Extra Rinse / Rinse hold

Main Features
- 10% less energy consumption than "A" class
- No spin, rinse hold selection
- Automatic water adjustment system
- 30 cm porthole diameter

Safety
- Child lock
- Warning indicators: Child lock, tap closed

Product Dimensions
- HxWxD: 84x60x45 cm

Colour
WNF 5180: White

TOP LOADERS

The Blomberg top loader family is designed to save you space and time.

The range includes both washers and dryers for a complete laundry care, and models that can hold up to 6 kg.

IN HARMONY WITH YOU

PRACTICAL

Electronic control
The Blomberg top loader range is equipped with electronic controls for an easier laundry care. The numerical display shows the remaining time, and allows for better time and energy management via the 24-hour time delay option. Model WAT 1530 is equipped with an LCD, which shows additional information including cycle status and end of cycle time.



LCD display

Supple-open™
The drum of your Blomberg top loader appliances has a convenient release button on the top to allow for an easy opening. With a simple push on the button, the drum automatically opens.

suppleopen

Comforstop™
When the washing is complete, the drum always stops in the right position so that the release button is on the top, and the drum has direct access to the filter through the back of the tank.

comforstop

Drip dry
For your very delicate laundry Blomberg top loaders introduce a 100 rpm spin cycle option. Drip dry removes just enough water to avoid dripping, making the care of extra sensitive garments a little easier.

Easy ironing
The easy ironing programme prepares your laundry for quicker and easier ironing by minimizing creasing.

Automatic water adjustment system
Blomberg top loaders are produced with the environment in mind. The automatic water adjustment system adjusts the water quantity and the washing cycle according to the laundry load for optimum water and energy consumption.

Time savers
Mini 30' programme will wash 2,5 kg of laundry only in 30 minutes at 40°C saving you time and energy. In addition, you can wash a full load in only 40 minutes at 40°C with the mini 40' programme.

Gentle cycles
For your delicate laundry Blomberg top loaders offer special programmes: delicate, wool and handwash. Your laundry is gently washed with slow and even drum movement and at suitable spinning cycles, for maximum protection of your clothes.

SAFE

Safety features
The Blomberg top loader range security features include overflow safety, foam detection and child lock for safe washing and drying. Furthermore, the machines are equipped with the **aquAvoid** system that cuts off the water supply from the tap in case of leakage from the hose.

aquAvoid

TOP LOADERS

WT 5330

Top Loader Washing Machine

6 kg load capacity
Variable spin speed up to 1300 rpm
Digital display

Programmes
- 16 programmes of which: Delicate, wool, hand wash, mini 30'

Functions
- Intensive / Prewash / Extra rinse / Easy iron

Main Features
- 19 h time delay and remaining time
- No spin, rinse hold option selection
- Automatic water adjustment system
- Automatic variable capacity
- Comforstop™ for easy unloading
- Supple-open™ for smooth drum opening
- Eco control

Safety
- aquAvoid™
- Overflow safety
- Foam detection

Product Dimensions
- HxWxD: 85x45x60 cm

Colour
WT 5330: White

AAB

WAT 1530

Top Loader Washing Machine

5 kg load capacity
Variable spin speed up to 1300 rpm
Mini LCD control

Programmes
- Multi programmes of which: Delicate, wool, hand wash, mini 30'

Functions
- Prewash / Extra rinse / Easy iron / Intensive

Main Features
- 24 h time delay and remaining time
- No spin, rinse hold option selection
- Drip dry
- Automatic water adjustment system
- Comforstop™ for easy unloading
- Supple-open™ for smooth drum opening
- Unclogable draining pump with object trap

Safety
- aquAvoid™
- Overflow safety
- Foam detection
- Child lock
- Closed tap indication

Product Dimensions
- HxWxD: 85x40x60 cm

Colour
WAT 1530: White

AAB

WAT 1320

Top Loader Washing Machine

5 kg load capacity
Variable spin speed up to 1200 rpm
Digital display

Programmes
- 15 programmes of which: Delicate, wool, hand wash, mini 30'

Functions
- Prewash / Extra rinse / Easy iron

Main Features
- 19 h time delay and remaining time
- No spin, rinse hold option selection
- Drip dry
- Automatic water adjustment system
- Comforstop™ for easy unloading
- Supple-open™ for smooth drum opening
- Unclogable draining pump with object trap

Safety
- aquAvoid™
- Overflow safety
- Foam detection

Product Dimensions
- HxWxD: 85x40x60 cm

Colour
WAT 1320: White

AAB

WAT 1300

Top Loader Washing Machine

5 kg load capacity
Variable spin speed up to 1000 rpm
Digital display

Programmes
- 15 programmes of which: Delicate, wool, hand wash, mini 30'

Functions
- Prewash / Extra rinse / Easy iron

Main Features
- 19 h time delay and remaining time
- No spin, rinse hold option selection
- Drip dry
- Automatic water adjustment system
- Comforstop™ for easy unloading
- Supple-open™ for smooth drum opening
- Unclogable draining pump with object trap

Safety
- aquAvoid™
- Overflow safety
- Foam detection

Product Dimensions
- HxWxD: 85x40x60 cm

Colour
WAT 1300: White

AAC

WAT 1308

Top Loader Washing Machine

5 kg load capacity
Variable spin speed up to 800 rpm
Digital display

Programmes
- 15 programmes of which: Delicate, wool, hand wash, mini 30'

Functions
- Prewash / Extra rinse / Easy iron

Main Features
- 19 h time delay and remaining time
- No spin, rinse hold option selection
- Drip dry
- Automatic water adjustment system
- Comforstop™ for easy unloading
- Supple-open™ for smooth drum opening
- Unclogable draining pum with object trap

Safety
- aquAvoid™
- Overflow safety
- Foam detection

Product Dimensions
- HxWxD: 85x40x60 cm

Colour
WAT 1308: White

AAC

WDT 5431

Top Loader Washer Dryer

5 kg load and 2,5 kg drying capacity
Variable spin speed up to 1300 rpm
Digital display

Programmes
- Multi programmes of which: Delicate, wool, hand wash, mini 30'

Functions
- Intensive / Prewash / Extra rinse / Easy iron

Main Features
- 19 h time delay and remaining time
- No spin, rinse hold option selection
- Automatic water adjustment system
- Automatic variable capacity
- Comforstop™ for easy unloading

Safety
- aquAvoid™
- Overflow safety
- Foam detection

Product Dimensions
- HxWxD: 85x45x60 cm

Colour
WDT 5431: White

BAB

TKT 5353

Top Loader Condenser Dryer

5 kg load capacity
Digital display

Programmes
- 11 programmes of which: Delicate, refresh, intensive

Main Features
- 3 / 6 / 9 h time delay
- Automatic sensor drying
- Bi-directional drum action
- Auto cool down phase
- Auto anti-creasing cycle
- Comforstop™ for easy unloading

Safety
- End of cycle buzzer
- Warning indicators: water tank full, clean filter

Product Dimensions
- HxWxD: 85x45x60 cm

Colour
TKT 5353: White

C

DRYERS

As the pioneer name in heat pump drying technology Blomberg dryers continue to provide laundry care at super “A” energy levels. Moreover, Blomberg heat pump dryers allow you to dry even your most delicate laundry including wools and silks.

Perfectly complimenting Blomberg washing machines in aesthetics, and functionality, Blomberg tumble dryers will bring harmony to laundry care.

IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Minimum energy consumption
Blomberg heat pump dryers are the proof of Blomberg's dedication to preservation of natural resources. While conventional dryers have maximum B energy efficiency, Blomberg's heat pump and eco heat pump dryers consume **30% less energy** than "A" class. Furthermore, all Blomberg conderser dryers have "B" class energy efficiency.



Energy

	Blomberg
Manufacturer Model	TKF 7459
More efficient A B C D E F G Less efficient	A
Energy consumption kWh/program (On basis of the standard test results for DRY Cottons drying programme) Actual consumption will depend on how the appliance	2.25
Capacity (Cotton) kg	7.0
With air circulation With condenser	←
Noise (dB(A) re 1 pW)	

Further information is contained in product brochures.
Standart EN 611 21: 2005

IN HARMONY WITH THE FUTURE

ADVANCED TECHNOLOGY

Heat pump technology
Blomberg dryer range features an innovative dryer with heat pump technology. Heat pump systems have been widely used in air conditioning for many years. This technology transports energy from one environment to another, for more efficient heating.

heatpump

A heat pump drier is a combination of a condensing drier and an air conditioner. The evaporator in the heat pump system does the work of the condenser, drying the saturated air. The condenser in the heat pump system is used to heat the air that dries the laundry. This closed loop system is a very energy-efficient way to dry laundry and condense the water from it. By means of this energy-efficient heat exchange system, the air temperature inside the drum is considerably lower compared to conventional dryers.

By means of this system heat pump dryers consume minimum amount of energy. Blomberg's heat pump and eco heat pump dryers consume **30% less energy** than "A" class.

wool&silk drying

Furthermore, by maintaining a relatively low temperature and with an advanced drum movement, Blomberg heat pump dryers allow you to dry **woollens and silks**. Since the laundry's average temperature is kept around 55°C – almost half the temperature of the air used in conventional air-vented and condenser dryers – heat pump dryers are safer and gentler to your laundry than standard dryers. Lower temperature means there's a much lower risk of hot air injury when you open the dryer to put extra items in during the cycle. The cabinet temperature is also much lower allowing better drying efficiency at lower temperatures in similar programme times.



IN HARMONY WITH YOU

PRACTICAL

Identical look

Since a wash is not complete until clothes are thoroughly dried, Blomberg offers a range of dryers that are the perfect partners to the washing machines, both aesthetically and ergonomically. The LCD control panels of Blomberg washing machines and dryers are the same for ease of use and harmonious look, and they make laundry care easy by informing you the stage of the drying cycle.

Flexible placement

Blomberg dryers come in vented and condensation versions. The air-vented dryer works with an external vent that transfers the warm moist air out the machine. When an air vent is not practical or possible, Blomberg offers the condenser dryer. Condenser dryers take the hot moist air from the laundry, turning moisture back to water, which is either collected in a container or pumped away to a drain by means of mains drain option. Since they do not require an external vent, these dryers can be placed in the kitchen or in any ventilated room, giving you maximum flexibility.

Blomberg washers and dryers can be stacked on top of each other or installed side by side. The door of heat pump dryers is reversible for easy transfer of laundry when the machines are placed next to each other.

Large capacity and door

Blomberg dryers have a generous **8 kg capacity** enabling you to dry large loads in one cycle. The 39,5 cm large door and 150° wide door opening facilitate the loading of even the bulkiest items.

Smart programmes

Blomberg dryers offer a variety of programmes for different kinds of textiles. In addition to the common programmes for cottons, synthetics, and mixed fabrics, Blomberg offers special programmes for special needs.

Silk

Sportswear

Wool

Shirts

Viscose

Jeans

Lingerie

Mini

Time saving programmes

Since your time is precious, Blomberg always explores ways to give you more free time. In Blomberg's new dryer series programme durations have been improved by 20%. Blomberg has 30 and 35 minute fast programme options. Combined with our mini 14' washing programme, your clothes will be ready in less than 50 minutes! Furthermore, Blomberg offers 15 and 30-minute programmes for shirts.

Easy access to fluff filter

The fluff filter collects the fluff that is produced when clothes are dried. It is located on the front of the machine allowing easy access. With its wide handle, it is easily removed and cleaned, and its large surface area improves the drying performance of your machine.

Anti-crease

The anti-crease cycle separates and smooths your loundry after the drying cycle by means of a gentle drum action, so it's wrinkle-free and ready to wear.

IN HARMONY WITH YOU

PRACTICAL

Auto cool-down
At the end of the drying cycle, the heating automatically stops to ensure less creasing of the laundry, and to cool down the machine.

Bi-directional drum action
The bi-directional drum action ensures that your laundry dries evenly.

Special drum paddles
The special drum paddles with their unique form ensure more homogenous drying as well as less creasing. Moreover, you will not be facing any tangling problems especially for bulky items, such as bed sheets.

Sensor drying
All Blomberg tumble dryers feature a combination of moisture and temperature sensors, which automatically determine when the clothes are dry, preventing damage from over-drying. The moisture sensor ensures that the fabrics are evenly dried and indicates the humidity level, allowing you to reach the right dryness level for different types of fabric, from extra to iron-dry.

Easy-to-reach condenser
Blomberg's new condenser cover provides easy access to the condenser for increased ergonomics and ease of use.

Interior drum light
All Blomberg tumble dryers are equipped with an interior light, so even the smallest items of laundry won't be left inside.

IN HARMONY WITH YOU

SAFE

Child lock
All Blomberg dryers feature a child lock option. Once it is activated, any alteration to the selected settings is ignored, so little fingers can't upset your laundry.

Warning indicators
Blomberg dryers have a series of warning indicators. The **clean filter** indicator will remind you when the time for cleaning comes. **Water tank full** indicator will be on when the container needs to be emptied. Your dryer will also remind you when it is time to **clean the condenser**. The **end of cycle buzzer** will warn you when the programme ends. You have the option of stopping the buzzer by pressing the buzzer button.

Easy service
Blomberg dryers provide quick access to the dryer motor for easy service. The service assistant can reach the motor only by dismantling the right side wall.

Quality tested
In the production line; every drier goes through a functionality test, electrical safety test and quality checks before leaving the factory. Also, in the quality assurance laboratory, a minimum of 3% of the daily production is audited for electrical safety, functionality and appearance. The temperature and energy consumption performance of audited machines are collected and analyzed by computer-based data acquisition systems. Furthermore, driers undergo a random inspection from 50 to 200 cycles on a daily basis.

DRYERS

TKF 7459 Z

Heat Pump Dryer

7 kg load capacity
Mini LCD control

Programmes
- 16 programmes of which:
  Wool and silk drying, viscose, refresh, lingerie, shirts 30', jeans, sportswear

Main Features
- 30% less energy consumption than "A" class
- Wool programme for 1,5 kg load
- Stainless steel drum
- Automatic sensor drying
- 1-24 h time delay and remaining time
- Reversible and large door for easy loading/unloading
- Interior drum light
- Bi-directional drum action
- Auto cool-down
- Auto anti-creasing cycle option
- Mains drain option
- 3-level drying

Safety
- Child lock
- End of cycle buzzer
- Warning indicators: Child lock, clean filter, water-tank full

Product Dimensions
- HxWxD: 85x60x59 cm

Colour
TKF 7459 Z: Piano black
TKF 7459 S: Silver-black
TKF 7459 A: White-silver

TKF 7449 S

Heat Pump Dryer

7 kg load capacity
Mini LCD control

Programmes
- 16 programmes of which:
  Wool and silk refresh, viscose, refresh, lingerie, shirts 30', jeans, sportswear

Main Features
- 30% less energy consumption than "A" class
- Wool programme for 1,5 kg load
- Stainless steel drum
- Automatic sensor drying
- 1-24 h time delay and remaining time
- Reversible and large door for easy loading/unloading
- Interior drum light
- Bi-directional drum action
- Auto cool-down
- Auto anti-creasing cycle option
- Mains drain option
- 3-level drying

Safety
- Child lock
- End of cycle buzzer
- Warning indicators: Child lock, clean filter, water-tank full

Product Dimensions
- HxWxD: 85x60x59 cm

Colour
TKF 7449 S: Silver-black
TKF 7449 A: White-silver

TKF 8439 A

Condenser Dryer

8 kg load capacity
Mini LCD control

Programmes
- 16 programmes of which:
  Wool refresh, viscose, refresh, lingerie, shirts 15', jeans, sportswear, mini 35'

Main Features
- Stainless steel drum
- Automatic sensor drying
- 1-24 h time delay and remaining time
- Large door for easy loading/unloading
- Interior drum light
- Bi-directional drum action
- Auto cool-down
- Auto anti-creasing cycle option
- Mains drain option
- 3-level drying

Safety
- Child lock
- End of cycle buzzer
- Warning indicators: Child lock, clean filter, water-tank full

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
TKF 8439 S: Silver-black
TKF 8439 A: White-silver

TKF 8239

Condenser Dryer

8 kg load capacity
LED control

Programmes
- 16 programmes of which:
  Delicate, refresh, shirts, jeans, mini 45'

Main Features
- Stainless steel drum
- Automatic sensor drying
- 3 / 6 / 9 h time delay
- Large door for easy loading/unloading
- Interior drum light
- Bi-directional drum action
- Auto cool-down
- Auto anti-creasing cycle
- Mains drain option

Safety
- Child lock
- End of cycle buzzer
- Warning indicators: Clean filter, water-tank full

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
TKF 8239: White

TAF 7239

Air-Vented Dryer

7 kg load capacity
LED control

Programmes
- 16 programmes of which:
  Delicate, refresh, shirts, jeans, mini 30'

Main Features
- Stainless steel drum
- Automatic sensor drying
- 3 / 6 / 9 h time delay
- Large door for easy loading/unloading
- Interior drum light
- Bi-directional drum action
- Auto cool-down
- Auto anti-creasing cycle
- Vent hose included

Safety
- Child lock
- End of cycle buzzer
- Warning indicators: Clean filter

Product Dimensions
- HxWxD: 84x60x53 cm

Colour
TAF 7239: White

DISHWASHERS

Blomberg has redefined dishwashing standards by reducing water consumption to 7 litres, programme duration to 20 minutes, noise level to 39 decibels, and dishwashing to a single touch!

Discover the Blomberg dishwasher range where innovation exceeds expectation.

IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Maximum energy efficiency
All Blomberg dishwashers have "**A**" ratings for energy consumption, washing performance and drying level.

Furthermore, GSN 9585 XB will wash 15 place settings using **10% less energy** than "A" rated machines.

Minimum water consumption
Blomberg features the world's least water consuming dishwasher. Only with **7-litre water consumption**, Blomberg dishwasher GSN 9582 A will clean 12 place settings with "A" washing and drying performance.

Energy

Manufacturer Model	Blomberg GSN 9585 XB
More efficient A B C D E F G	A
Less efficient	
Energy consumption kWh/cycle *(Based on test results for manufacturer's standart cycle using cold fill)* Actual consumption will depend on how the appliance is used	0.97
Cleaning performance A: higher G: lower	A B C D E F G
Drying performance A: higher G: lower	A B C D E F G
Standard Place Settings Water consumption l / cycle	12 9
Noise (dB(A) re 1 pW)	-

Further information is contained in product brochures

Norm EN 50242
Dishwasher label Directive 97/17/CE

IN HARMONY WITH THE FUTURE

ADVANCED TECHNOLOGY

smarTouch™ dishwasher
SmarTouch™ dishwasher is an innovation that reduces dishwashing to a single touch. You no longer have to think about programme selection because smarTouch™ does all the thinking for you. All you have to do is to touch its single button and go!

singleTouch control

By means of 11 different sensors, smarTouch™ applies the best available wash programme. Dirt sensor analyzes the dirt level of dishes. Based on the soil level, it applies the most suitable option from 5 different wash programmes. Load sensor measures the amount of dishes and optimizes the amount of water intake, with average 10-litre consumption. Water hardness sensor determines the water hardness level for automatic regeneration. And, with 42 dBA noise level and its elegant slim touch control panel, smarTouch™ brings peace and elegance to the kitchen.

Brushless DC™ motor
Brushless DC™ motor is an electronic controlled innovative pump technology, designed for the most efficient use of natural resources and of your time.

brushless DCmotor

What really sets the brushless DC™ motor apart?

- "A" washing performance for your 15 place settings with **10% less energy consumption**
- "A" washing performance for your 12 place settings with **7 litres of water consumption**
- "A" washing performance for your 12 place settings in **55 minutes**
- "A" washing performance for your 12 place settings with **39 dBA noise level**

7lt water consumption

39 dBA silent wash

In other words, just the fact that it is one of the fastest, quietest, and the most energy- and water-efficient dishwashers in the world.

IN HARMONY WITH YOU

PRACTICAL

Smart controls

All Blomberg dishwashers are equipped with easy-to-operate fully electronic controls. The logitronic display featured in brushless DC™ motor dishwashers have a dynamic memory that keeps track of the last programme used, and reminds you next time you operate the machine. The LC display will inform you of the remaining time and the stage of the wash cycle, helping you to plan your time more efficiently.

logitronic display

Turbo fan drying

Turbo fan drying is an active ventilation system with increased air circulation. By means of this technology not only does your dishwasher achieve better drying performance but also leaves the dishes cool enough to touch at the end of the drying cycle by the use of a fan.

Detergent compatible

Blomberg dishwashers are compatible with all kinds of liquid, powder and tablet detergents. Regardless of your choice of detergent, your dishwasher will give the same outstanding performance. Furthermore, Blomberg detergent containers are user friendly and have cross opening lids for an easy refill.

Special functions

Blomberg dishwashers feature special functions designed to make life in the kitchen easier. Since your time is valuable, the brushless DC™ motor introduces the **fast** function, which shortens wash durations by up to 25%. The **night** option reduces the noise level by 30% so that you can relax in complete silence while your dishes are cleaned. **Crystal dry** dries glasses brilliantly even at shorter programmes while the **ALLin1** function will deliver optimum performance with ALLin1 tablet detergents.

Auto wash

Using an advanced technology, Blomberg's sensor management system automatically monitors the soil level of the dishes and adapts the cycle temperature and time accordingly. Simply select the auto programme and your dishwasher will apply the most suitable wash programme with minimum water and energy consumption for conservation of our environment.

autowash system

Multi level wash

Blomberg dishwashers use a multi level wash system for immaculately clean dishes. In this system two spray arms, placed in the bottom and the middle of the dishwasher, work in coordination with the showerhead at the top spraying water from every direction to reach even the most remote parts of your dishes.

Half load

Now there's no need to wait for both baskets to be fully loaded to start your dishwasher. The half-load option offers complete load flexibility. No matter where you place your dishes, the half load function will wash them thoroughly optimizing water consumption according to the dish load. The Brushless DC motor™ dishwashers have automatic half load, so your dishwasher automatically adjusts its water intake based on the amount of dishes to preserve natural resources.

Salt and rinse aid indicators

In dishwashers, salt is used to adjust the water hardness level in order to avoid etching marks on delicate glassware. And, for sparkling dishes and glasses, rinse aid puts the finishing touch. All Blomberg dishwashers have salt and rinse aid indicators that will inform you when it is time for a refill.

Fingerprint free

Blomberg free standing dishwasher range features models with fingerprint free clad inox or stainless steel panels for easy cleaning. GTN 9220 E has LED indicators on the front to inform you of the stage of the washing cycle.

fingerprint free

Mix wash™

Mix wash™ is a dual water pressure programme available with logitronic dishwashers. By means of this programme, the dishwasher applies a gentle pressure in the upper basket for delicate glass and china wear, while using a 60% higher water pressure in the lower basket for heavily soiled pots and pans during the same wash cycle.

Time saving

We continually try to minimize the durations of wash cycles to maximize your free time. Therefore, Blomberg offers some of the shortest programmes in the market. **Super mini 20'** is a 20-minute programme for lightly soiled 6 place settings. **Mini 30'** cleans lightly soiled 12 place settings in 30 minutes. **A express 55' and 58'** programmes deliver "A" washing performance for 15 and 12 place settings in 55 and 58 minutes, respectively.

mini20' A express55'

Furthermore, to enable you to clean maximum dish load in one single cycle, Blomberg dishwasher range features 60 cm wide **15-place setting**, and unique **45 cm wide 10-place setting** models.

10/15place settings

Inner illumination

Blomberg dishwasher models GTN 9220 E and MGTN 9225 are equipped with interior LED light that is activated with door opening to allow you to see your dishes even in the dark.

inner illumination

IN HARMONY WITH YOU

EASY TO LOAD

Removable 3rd basket
Blomberg logitronic dishwashers feature a third basket to create extra space for your cutlery and espresso cups. What makes this basket special is the fact that it still allows you to place tall stemware on the sides of the upper dishwasher basket. Furthermore, it can be completely and easily removed should you prefer to place tall objects in the middle of the upper basket as well.

Flexible upper basket
Blomberg dishwashers all have a height-adjustable upper basket, which can be raised to make room for pans, platters and baking trays in the bottom basket or lowered to hold tall glasses. Available in some models is **smartRACK**, which allows you to adjust the basket height in one simple action even when the basket is fully loaded.

The **special glass holder** is designed to accommodate all types of tall glasses and long champagne flutes. In addition, the upper basket features **height adjustable shelves for mugs** that can be positioned at two separate levels depending on your needs.

Extra knife rack
An extra knife rack is placed right below the upper basket to optimize space utilization in your dishwasher. Available with certain models, the knife rack provides extra space for your cutlery, and slides in and out easily.



Special cutlery baskets
Special Blomberg cutlery basket designs come in divisible or sliding forms. You can divide your cutlery basket into three sections, so any or all of them can be removed when not required or placed in the upper basket for more flexible loading options. The sliding cutlery basket slides easily along the tilting tines in the lower basket, so you can place it anywhere you like.

Practical lower basket
To maximize space in the lower basket Blomberg dishwashers are equipped with **folding tines** that are easily folded down for easy placement of large pots and pans. The **multipurpose tray** can be used to wash extra long utensils or to create extra space for glasses and cups. Finally, the special **bottle holder** allows you to wash tall bottles and vases and baby bottles.

SILENT

Noise level as low as 39 dBA
By utilizing three layers of insulation including bituminous material, cotton insulation and full length coated side walls, Blomberg dishwashers are among the quietest in the market. Featuring one of the quietest noise levels in the market with 39 dBA, you won't even notice that your dishwasher is on.

39 dBA
silent wash

IN HARMONY WITH YOU

SAFE

Stainless steel tank
Blomberg dishwashers have stainless steel tubs that not only protect the machines from heat and corrosion, but also sanitize your dishes with the highest wash temperatures available.

Key lock
Blomberg dishwashers feature a key lock to prevent children from changing the programme settings for an uninterrupted wash cycle.

Flow through heater
The heater of your Blomberg dishwasher is concealed to provide a safer and more convenient alternative to the conventional exposed heater. This allows plastic dishware to be placed on both top and bottom baskets without the risk of damage.

Antibacterial seal
Food and dirt particles collected on the bottom of the dishwasher tub leads to bacteria formation creating a health hazard for you and your family. To maximize the hygiene of your dishwasher, Blomberg coated the dishwasher door with an antibacterial seal that eliminates bacteria.

Hygiene+
Approved by the German laboratory LGA, Blomberg dishwashers offer an exclusive programme, hygiene+ 70°C, that kills 99,9% of bacteria to give you greater peace of mind while washing children's feeding bowls.

Tested and approved by LGA Laboratory in Germany

IN HARMONY WITH YOUR KITHCEN

ELEGANT DESIGN

aquAvoid™ plus
aquAvoid™ plus is an anti-leak system featured in Blomberg dishwashers to protect your home against flooding. In case of leakage, the system automatically shuts off the water supply from the tap in seconds, protecting your furniture from water damage. Certain Blomberg dishwashers are equipped with aquAvoid security system which cuts off the water intake to the machine, in case of leakage from the internal hose.

DMFS
DMFS (double motion float system) is an enhanced anti-leak system designed to provide maximum security against water damage with minimum service cost. It is an intelligent mechanism, available with all Blomberg dishwashers, that detects the source of excess water collection. In this system, there are two float agents. In minor amounts of water collection, the first agent activates the drain pump, and the machine continues to run until the cycle is complete eliminating an unnecessary visit by the serviceman. If there is an operational problem, the second float agent is involved, which alerts the aquAvoid™ plus system to turn off the water supply and shuts off the machine.

Quality tested
For long time expectancy, we test 100% of our dishwashers for 20 minutes before they leave our factory. For maximum durability, some machines are even tested for 2 hours. Every machine is tested for safety, function and noise.

Furthermore, Blomberg dishwashers are kept continuously on test in our factory for 24 hours a day on 50°C programme for up to 3.000 washes, which correspond to 10 years usage.

Mirror dishwasher
Blomberg dishwasher range offers a unique dishwasher with a black mirror look. With its elegant shiny black surface this dishwasher will be the centre of attention in your kitchen. For a more elegant and harmonious look Blomberg offers matching fridge freezers MDND 1880 and MKND 9860.

DISHWASHERS

smarTouch™

60 cm Electronic Dishwasher

12 place settings
Touch control LCD

Programmes
- Automatic programme selection from 5 wash temperatuers

Main Features
- 42 dBA noise level
- Brushless DC™ motor
- Sensor management
- Remaining time
- Programme follower
- Turbo fan drying
- Salt and rinse aid indicators
- Auto half load
- Automatic water softener

Interior Design
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Glass holder
- Knife rack
- Foldable plate supports in the lower basket
- Multi purpose tray
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal
- Key lock
- Warning: tap closed, door open, water leakage, filter blocked

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
Available in fingerprint free stainless steel and white

GSN 9585 XB

60 cm Electronic Dishwasher

15 place settings
Logitronic display

Programmes
- 10 wash programmes:
  Prewash, super mini 20', mini 30' 35°, delicate 40°, eco 50°, A express 55', intensive 70°, hygiene+ 70°, auto 40-65°, mix wash™

Special Functions
- Night / Fast / Time delay / Crystal dry / ALLin1

Main Features
- 10% less energy consumption than "A" class
- 42 dBA noise level
- Brushless DC™ motor
- Sensor management
- 18 h time delay and remaining time
- Programme follower
- Turbo fan drying
- Salt and rinse aid indicators
- Auto half load

Interior Design
- Removable 3rd basket
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Glass holder
- Foldable plate supports in the lower basket
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal
- Key lock
- Warning indicators: tap closed, door open, water leakage

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GSN 9585 XB: Fingerprint free stainless steel-black
GSN 9585 A: White-aluminum

GSN 9582 A

60 cm Electronic Dishwasher

12 place settings
Logitronic display

Programmes
- 10 wash programmes:
  Prewash, super mini 20', mini 30' 35°, delicate 40°, eco 50°, A express 58', intensive 70°, hygiene+ 70°, auto 40-65°, mix wash™

Special Functions
- Night / Fast / Time delay / Crystal dry / ALLin1

Main Features
- 7 lt water consumption
- 39 dBA noise level
- Brushless DC™ motor
- Sensor management
- 18 h time delay and remaining time
- Programme follower
- Turbo fan drying
- Salt and rinse aid indicators
- Auto half load

Interior Design
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Glass holder
- Foldable plate supports in the lower basket
- Sliding cutlery basket
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal
- Key lock
- Warning indicators: tap closed, door open, water leakage

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GSN 9582 A: White-aluminum

GSN 9580 A

60 cm Electronic Dishwasher

12 place settings
Logitronic display

Programmes
- 10 wash programmes:
  Prewash, super mini 20', mini 30' 35°, delicate 40°, eco 50°, A express 58', intensive 70°, hygiene+ 70°, auto 40-65°, mix wash™

Special Functions
- Night / Fast / Time delay / Crystal dry / ALLin1

Main Features
- 9 lt water consumption
- 39 dBA noise level
- Brushless DC™ motor
- Sensor management
- 18 h time delay and remaining time
- Programme follower
- Turbo fan drying
- Salt and rinse aid indicators
- Auto half load

Interior Design
- Removable 3rd basket
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Glass holder
- Foldable plate supports in the lower basket
- Sliding cutlery basket
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal
- Key lock
- Warning indicators: tap closed, door open, water leakage

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GSN 9580 XB: Fingerprint free stainless steel-black
GSN 9580 A: White-aluminum

GSN 9581 A

60 cm Electronic Dishwasher

12 place settings
Logitronic display

Programmes
- 10 wash programmes:
  Prewash, super mini 20', mini 30' 35°, delicate 40°, eco 50°, A express 58', intensive 70°, hygiene+ 70°, auto 40-65°, mix wash™

Special Functions
- Half load / Time delay / Crystal dry / ALLin1

Main Features
- 9 lt water consumption
- 42 dBA noise level
- Brushless DC™ motor
- Sensor management
- 18 h time delay and remaining time
- Programme follower
- Turbo fan drying
- Salt and rinse aid indicators
- Auto half load

Interior Design
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Knife rack
- Foldable plate supports in the lower basket
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal
- Key lock
- Warning indicators: tap closed, door open, water leakage

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GSN 9581 A: White-aluminum

GSN 9485 XB

60 cm Electronic Dishwasher

15 place settings
LCD control

Programmes
- 9 wash programmes:
  Prewash, super mini 20', mini 30' 35°, delicate 40°, eco 50°, A express 58', intensive 70°, hygiene+ 70°, auto 40-65°

Special Functions
- Half load / Time delay / Crystal dry / ALLin1

Main Features
- 24 h time delay and remaining time
- Programme follower
- Turbo fan drying
- Salt and rinse aid indicators

Interior Design
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Glass holder
- Knife rack
- Foldable plate supports in the lower basket
- Multipurpose tray
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal
- Key lock

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GSN 9485 XB: Fingerprint free stainless steel-black
GSN 9485 A: White-aluminum

DISHWASHERS

GSN 9475 XB

60 cm Electronic Dishwasher

15 place settings
LCD control

Programmes
- 7 wash programmes:
  Prewash, mini 30' 35°, delicate 40°, eco 50°, A express 58', intensive 70°, auto 40-65°

Special Functions
- Half load / Time delay / Crystal dry / ALLin1

Main Features
- 24 h time delay and remaining time
- Programme follower
- Turbo fan drying
- Salt and rinse aid indicators

Interior Design
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Glass holder
- Knife rack
- Foldable plate supports in the lower basket
- Multipurpose tray
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal
- Key lock

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GSN 9475 XB: Fingerprint free stainless steel-black
GSN 9475 A: White-aluminum

AAA ALL[IN]

GSN 9430 A

60 cm Electronic Dishwasher

12 place settings
LCD control

Programmes
- 6 wash programmes:
  Super mini 20', mini 30' 35°, delicate 40°, eco 50°, A express 58', intensive 70°

Special Functions
- Half load / Time delay / ALLin1

Main Features
- 24 h time delay and remaining time
- Programme follower
- Salt and rinse aid indicators

Interior Design
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Foldable plate supports in the lower basket
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal
- Key lock

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GSN 9430 A: White-aluminum

AAA ALL[IN]

GSN 9420 A

60 cm Electronic Dishwasher

12 place settings
LCD control

Programmes
- 5 wash programmes:
  Super mini 20', mini 30' 35°, eco 50°, A express 58', intensive 70°

Special Functions
- Half load / Time delay / ALLin1

Main Features
- 24 h time delay and remaining time
- Programme follower
- Salt and rinse aid indicators

Interior Design
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Foldable plate supports in the lower basket
- Metal filter

Safety
- aquAvoid™
- DMFS double motion float system
- Antibacterial seal
- Key lock

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GSN 9420 A: White-aluminum

AAA ALL[IN]

MGTN 9225

60 cm Electronic Dishwasher

15 place settings
LED control

Programmes
- 5 wash programmes:
  Prewash, mini 30' 35°, eco 50°, A express 58', intensive 70°

Special Functions
- Half load

Main Features
- Programme follower
- Salt and rinse aid indicators

Interior Design
- Inner illumination with door opening
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Glass holder
- Knife rack
- Foldable plate supports in the lower basket
- Multi purpose tray
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
MGTN 9225: Black mirror

60 AAA ALL[IN]

GTN 9380 E

60 cm Electronic Dishwasher

12 place settings
Digital display

Programmes
- 8 wash programmes:
  Prewash, mini 30' 35°, delicate 40°, eco 50°, A express 58', intensive 70°, hygiene+ 70°, auto 40-65°

Special Functions
- Half load / Time delay

Main Features
- 24 h time delay
- Salt and rinse aid indicators
- Turbo fan drying

Interior Design
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Glass holder
- Knife rack
- Foldable plate supports in the lower basket
- Multi purpose tray
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal

Product Dimensions
- HxWxD: 85x60x57 mm

Colour
GTN 9380 E: Fingerprint free stainless steel

AAA ALL[IN]

GTN 9220 E

60 cm Electronic Dishwasher

12 place settings
LED control

Programmes
- 5 wash programmes:
  Prewash, mini 30' 35°, eco 50°, A express 58', intensive 70°

Special Functions
- Half load

Main Features
- Programme follower
- Salt and rinse aid indicators

Interior Design
- Inner illumination with door opening
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Glass holder
- Knife rack
- Foldable plate supports in the lower basket
- Multipurpose tray
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GTN 9220 E: Fingerprint free stainless steel

AAA ALL[IN]

DISHWASHERS

GSN 9220 XSP

60 cm Electronic Dishwasher

12 place settings
LED control

Programmes
- 5 wash programmes:
  Prewash, mini 30' 35°, eco 50°, A express 58', intensive 70°

Special Functions
- Half load

Main Features
- Programme follower
- Salt and rinse aid indicators

Interior Design
- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Glass holder
- Foldable plate supports in the lower basket
- Multipurpose tray
- Bottle holder
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GSN 9220 XSP: Fingerprint free stainless steel
GSN 9220 SP: White

AAA ALL[IN]

GSN 9120

60 cm Electronic Dishwasher

12 place settings
Knob control

Programmes
- 5 wash programmes:
  Prewash, mini 30' 35°, eco 50°, A express 58', intensive 70°

Special Functions
- Half load / Time delay

Main Features
- 3 / 6 / 9 h time delay
- Programme follower
- Salt and rinse aid indicators

Interior Design
- Unloaded adjustable upper basket
- Height adjustable shelves for mugs
- Foldable plate supports in the lower basket
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GSN 9120: White

AAA ALL[IN]

GSN 9121

60 cm Electronic Dishwasher

12 place settings
Knob control

Programmes
- 5 wash programmes:
  Prewash, mini 30' 35°, eco 50°, A express 58', intensive 70°

Special Functions
- Half load / Time delay

Main Features
- 3 / 6 / 9 h time delay
- Programme follower
- Salt and rinse aid indicators

Interior Design
- Unloaded adjustable upper basket
- Height adjustable shelves for mugs
- Metal filter

Safety
- aquAvoid™
- DMFS double motion float system
- Antibacterial seal

Product Dimensions
- HxWxD: 85x60x57 cm

Colour
GSN 9121: White

AAA ALL[IN]

GSS 9480 X

45 cm Electronic Dishwasher

10 place settings
LCD control

Programmes
- 9 wash programmes:
  Prewash, super mini 20', mini 30' 35°, delicate 40°, eco 50°, A express 58', intensive 70°, hygiene+ 70°, auto 55-65°

Special Functions
- Half load / Time delay / ALLin1

Main Features
- 24 h time delay and remaining time
- Programme follower
- Salt and rinse aid indicators

Interior Design
- Unloaded adjustable upper basket
- Upper rack shelves for mugs
- Foldable plate supports in the lower basket
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal
- Key lock

Product Dimensions
- HxWxD: 85x45x57 mm

Colour
GSS 9480 X: Fingerprint free stainless steel

AAA ALL[IN]

GSS 9470 X

45 cm Electronic Dishwasher

10 place settings
LCD control

Programmes
- 7 wash programmes:
  Prewash, mini 30' 35°, delicate 40°, eco 50°, A express 58', intensive 70°, auto 55-65°

Special Functions
- Half load / Time delay / ALLin1

Main Features
- 24 h time delay and remaining time
- Programme follower
- Salt and rinse aid indicators

Interior Design
- Unloaded adjustable upper basket
- Upper rack shelves for mugs
- Foldable plate supports in the lower basket
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal
- Key lock

Product Dimensions
- HxWxD: 85x45x57 mm

Colour
GSS 9470 X: Fingerprint free stainless steel

AAA ALL[IN]

GSS 9220

45 cm Electronic Dishwasher

10 place settings
LED control

Programmes
- 5 wash programmes:
  Prewash, mini 30' 35°, eco 50°, A express 58', intensive 70°

Special Functions
- Half load

Main Features
- Programme follower
- Salt and rinse aid indicators

Interior Design
- Unloaded adjustable upper basket
- Upper rack shelves for mugs
- Foldable plate supports in the lower basket
- Metal filter

Safety
- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal

Product Dimensions
- HxWxD: 85x45x57 mm

Colour
GSS 9220 X: Fingerprint free stainless steel
GSS 9220: White

AAA ALL[IN]

COOKERS

Kitchens today are multifunctional. They serve as a place for cooking, dining and meeting with family and friends. To make this environment as attractive as possible, Blomberg cookers have been specially created to add a stylish touch to the smartest kitchen.

Blomberg cooker range comes in a choice of inspirational and interactive styles, all designed to help you to get the best results, so you can prepare delicious meals with joy and ease.

IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Minimum energy consumption
Preservation of natural resources is a priority for Blomberg, where not only our production facilities are environment-conscious, but also all our products. The energy efficiency of all Blomberg appliances is rated and reported according to the European Union directives. The EU energy label states the energy efficiency class of appliances on a scale from A to G, A being the most energy efficient. Naturally, all Blomberg electric cookers have **"A" energy efficiency**, saving you money on electric bills.

Energy

Manufacturer	Blomberg
Model	HKN 1430 A
More efficient	A
Less efficient	
Energy consumption kWh	
Heating function: Conventional	0.88
Heating function: Forced air convection	0.79
(Based on standard load)	
Usable volume litres	55
Size	
Small	
Medium	←
Large	
Noise (dB(A) re 1 pW)	-

Further information is contained in product brochures

Norm EN 50304
Electric Ovens Energy Label Directive

IN HARMONY WITH THE FUTURE

ADVANCED TECHNOLOGY

Range cookers
Blomberg cooker range now holds 90 cm wide range cooker models for professional cooks, big families and large kitchens.

The range cookers have an authentic look that will give your kitchen a unique look, and they have special features that will make cooking all the more fun. Easily detachable side racks and easy-to-clean enamel cavity make cleaning easy. Last but not least, the flame failure safety system has been specially designed for your maximum safety.

IN HARMONY WITH YOU

PRACTICAL

Programmable electronic timer
Blomberg cookers feature electronic timers that show the time of day and allow you to pre-set the start time, duration or end of cooking. When the set cooking time ends, the oven switches itself off automatically, and warns you with an audio signal.

Extendable cooking zone
Blomberg cookers feature a wide array of ceramic glass cook top options, including extendable elements to accommodate big items like large saucepans.

3D cooking
3D cooking is an advanced convection system that uses an additional heating element, which surrounds the cooking fan located at the back of the oven, for a three-dimensional cooking effect. Through constant air circulation, food is cooked more uniformly throughout. Furthermore, it is possible to cook three different dishes at the same time without mixing their flavours or aromas.

3D cooking

Telescopic shelf systems
Blomberg ovens have been carefully designed with ergonomic features for increased safety. The telescopic shelf systems, with extending arms, provide safer and easier access to the cooking tray, and an integrated stop mechanism guarantees your safety.

Easy-glide storage drawer
The robustly designed storage drawer is ideal for the storage of oven accessories. Furthermore, with its side rollers and easy-glide mechanism it is easy to use.

Electronic ignition integrated into the knob
Igniting Blomberg gas burners is much quicker and easier with the integrated knob ignition system. Simply press and turn the dial for instant auto ignition and you are ready to cook.

knob ignition

IN HARMONY WITH YOU

EASY TO CLEAN

Easy Clean grey enamel
Top-of-the-range Blomberg oven cavities are coated with exclusive, long lasting, non-porous enamel, which is attractive and makes cleaning extremely easy – a damp cloth is all you need!

easy clean

Blomberg also coats the baking trays with Easy Clean grey enamel, to help to keep your oven looking new and clean.

Side racks and tilting grill
Blomberg ovens feature side racks and a tilting grill; both designed to make cleaning easy and effortless. They are also supported by easily removable wire racks that, together with the tilting grill, allow easy access to the cavity ceiling and the oven sidewalls.

Catalytic panels
Catalytic panels have been mounted on the back or sides of your Blomberg oven cavity to absorb cooking grease and reduce food odours, ending the need for aggressive cleaning materials and harsh chemicals.



Glass inner surface
A full glass inner surface of the oven door is a special feature in top-of-the-range Blomberg cooking appliances. The oven doors feature three layers of glass to minimise the exterior temperature of the oven while also reducing heat loss. These layers, incorporated in a single sheet of glass, allow easy cleaning and can be safely used to place plates and dishes on. The oven door can also be easily removed for a quick reach to the oven cavity.

SAFE

Residual heat indicators
Residual heat indicators on the ceramic glass cook top warn you if the cooking zone is not cool enough to touch safely.

Flame failure safety device
Blomberg gas cooking burners are equipped with a flame failure safety device. If flame accidentally extinguishes, the flame safety device will cut the gas supply automatically preventing any leakage of gas.

flame failure

COOKING FUNCTIONS

Blomberg cookers offer a wide choice of heating methods providing ideal cooking options for all types of food.

Bottom heater
Only the bottom heater is in operation. This function is ideal for slow cooking and for baking pizza and pastries where the base needs more crisping than the top.

Conventional
The top and bottom heaters are in operation. The bottom heater will cook the base and the middle of the food while the top heater is used for browning. This function is ideal for stews, casseroles, pastries and meats.

Low grill
The mid part of the grill is in operation. This is an energy-efficient function designed to grill a small amount of food with minimum energy consumption.

Grill
The full grill is in operation. This function is ideal for grilling and browning larger quantities of food.

Fan cooking
The circular heater and the fan motor operate together. The heat in the oven is distributed evenly in the centre. In this setting, you can cook 2 or 3 different foods that require the same or similar temperature settings.

Grill+fan
The full grill and fan motor operate together. This function is ideal for lean meats and fish.

Defrost
The fan motor is in operation. This function is ideal for defrosting delicate foods like cakes and pastries.

Conventional+fan
The bottom and top heaters operate together with the fan motor. This function is ideal for using the whole oven, with particular focus on browning and base heat.

Low grill+fan
The mid part of the grill and the fan motor operate together. This function is ideal for perfect browning of food placed on the top shelf and warming food in lower shelves.

3D cooking
Top, bottom and central heaters operate together with the fan motor. This function allows you to cook 3 separate dishes at the same time without blending their flavours or aromas.

COOKERS

BGG 15120 SX

90 cm Gas Cooker

Gas oven
Gas hob

Oven
- Ringer timer
- 90 lt oven cavity
- Gas oven
- Gas grill
- Turnspit
- Black enamel oven interior
- Removable side racks
- Oven lamp
- Full width glass inner door
- Flame failure safety device
- Flop down bottom compartment

Hob
- 5 gas burners:
  2 semi rapid burners: 2000 W
  1 rapid burner: 2900 W
  1 economy burner: 1000 W
  1 wok burner: 3600 W
- Cast iron burner caps
- Cast iron pan support
- Flame failure safety device

Additional Features
- Glass top lid

Accessories
- Standard cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x90x60 cm

Colour
BGG 15120 SX: Inox
BGG 15120 SW: White

flame failure

HKN 1435 X

60 cm Multifunction Cooker

Multifunction oven
Vitroceramic hob

Oven
- Digital timer
- 55 lt oven cavity
- 8 cooking functions: Bottom heater conventional, grill, defrost, low grill+fan, conventional+fan, fan cooking, 3D
- Door closed grill
- Easy Clean grey enamel oven interior
- Catalytic back wall
- Side racks
- Oven lamp
- Full width glass inner door
- Triple glazed door

Hob
- 4 vitroceramic zones:
  Ø 120 / 210 mm – 750 / 2200 W (duo)
  Ø 140 mm – 1200 W
  Ø 180 mm – 1800 W
  Ø 170 / 265mm – 1500 / 2400 W (extended)

Additional Features
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Telescopic wire shelf

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
HKN 1435 X: Stainless steel-black
HKN 1430 A: White-silver

A 3D 3Dcooking easy clean

HKN 81420 E

60 cm Multifunction Cooker

Multifunction oven
Vitroceramic hob

Oven
- Digital timer
- 58 lt oven cavity
- 7 cooking functions: Conventional, low grill, defrost, bottom heater+fan, top heater+fan, grill+fan, conventional+fan
- Door closed grill
- Black enamel oven interior
- Oven lamp
- Triple glazed door

Hob
- 4 vitroceramic zones:
  Ø 180 mm – 1700 W
  Ø 140 mm – 1200 W
  Ø 140 mm – 1200 W
  Ø 180 mm – 1700 W

Additional Features
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
HKN 81420 E: Stainless steel
HKN 81420: White

A

HKN 81120

60 cm Multifunction Cooker

Multifunction oven
Vitroceramic hob

Oven
- Minute minder
- 58 lt oven cavity
- 7 cooking functions: Conventional, low grill, defrost, bottom heater+fan, top heater+fan, grill+fan, conventional+fan
- Door closed grill
- Black enamel oven interior
- Oven lamp
- Full width glass inner door
- Triple glazed door

Hob
- 4 vitroceramic zones:
  Ø 180 mm – 1700 W
  Ø 140 mm – 1200 W
  Ø 140 mm – 1200 W
  Ø 180 mm – 1700 W

Additional Features
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
HKN 81120: White

A

HMN 81020

60 cm Multifunction Cooker

Multifunction oven
Electric hob

Oven
- 58 lt oven cavity
- 7 cooking functions: Conventional, low grill, defrost, bottom heater+fan, top heater+fan, grill+fan, conventional+fan
- Door closed grill
- Black enamel oven interior
- Oven lamp
- Full width glass inner door
- Triple glazed door

Hob
- 4 hot plates:
  Ø 145 mm – 1000 W
  Ø 180 mm – 1500 W
  Ø 180 mm – 2000 W (rapid)
  Ø 145 mm – 1000 W

Additional Features
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
HMN 81020 E: Stainless steel
HGN 81020: White

A

HGN 1435 X

60 cm Multifunction Cooker

Multifunction oven
Gas hob

Oven
- Digital timer
- 55 lt oven cavity
- 8 cooking functions: Bottom heater conventional, grill, defrost, low grill+fan, conventional+fan, fan cooking, 3D
- Door closed grill
- Easy Clean grey enamel oven interior
- Catalytic back wall
- Removable catalytic side walls
- Side racks
- Oven lamp
- Full width glass inner door
- Triple glazed door

Hob
- 4 gas burners:
  2 semi rapid burners: 2000 W
  Rapid burner: 2900 W
  Economy burner: 1000 W
- Enamel burner caps
- Enamel pan supports
- Electronic ignition integrated into the knob
- Flame failure safety device

Additional Features
- Glass top lid
- Easy glide storage drawer
- Adjustable feet

Accessories
- Deep cooking tray
- Baking tray
- Telescopic wire shelf

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
HGN 1435 X: Stainless steel-black
HGN 1430 A: White-silver

A 3D 3Dcooking easy clean knob ignition flame failure

COOKERS

HGN 81420 E

60 cm Multifunction Cooker

Multifunction oven
Gas hob

Oven
- Digital timer
- 58 lt oven cavity
- 7 cooking functions: Conventional, low grill, defrost, bottom heater+fan, top heater+fan, grill+fan, conventional+fan
- Door closed grill
- Black enamel oven interior
- Oven lamp
- Full width glass inner door

Hob
- 4 gas burners:
  2 semi rapid burners: 2000 W
  1 rapid burner: 2900 W
  1 economy burner: 1000 W
- Enamel burner caps
- Enamel pan supports
- Electronic ignition integrated into the knob
- Flame failure safety device

Additional Features
- Glass top lid
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
HGN 81420 E: Stainless steel
HGN 81420: White

A

knob ignition

flame failure

HGN 81120

60 cm Multifunction Cooker

Multifunction oven
Gas hob

Oven
- Ringer timer
- 58 lt oven cavity
- 7 cooking functions: Conventional, low grill, defrost, bottom heater+fan, top heater+fan, grill+fan, conventional+fan
- Door closed grill
- Black enamel oven interior
- Oven lamp
- Full width glass inner door

Hob
- 4 gas burners:
  2 semi rapid burners: 2000 W
  1 rapid burner: 2900 W
  1 economy burner: 1000 W
- Enamel burner caps
- Enamel pan supports
- Push button ignition for burners

Additional Features
- Glass top lid
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
HGN 81120: White

A

GGN 81100

60 cm Gas Cooker

Gas oven
Gas hob

Oven
- Ringer timer
- 54 lt oven cavity
- Gas oven
- Gas grill
- Black enamel oven interior
- Oven lamp
- Full width glass inner door

Hob
- 4 gas burners:
  2 semi rapid burners: 2000 W
  1 rapid burner: 2900 W
  1 economy burner: 1000 W
- Enamel burner caps
- Enamel pan supports
- Electronic ignition integrated into the knob*

Additional Features
- Glass top lid
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
GGN 81100 E: Stainless steel
GGN 81100: White

*GGN 81100 is equipped with push button ignition for burners and oven.

knob ignition

GGN 81000

60 cm Gas Cooker

Gas oven
Gas hob

Oven
- 55 lt oven cavity
- Gas oven
- Black enamel oven interior
- Oven lamp
- Full width glass inner door

Hob
- 4 gas burners:
  2 semi rapid burners: 2000 W
  1 rapid burner: 2900 W
  1 economy burner: 1000 W
- Enamel burner caps
- Enamel pan supports
- Push button ignition for burners

Additional Features
- Glass top lid
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
GGN 81000: White

HKS 81420

50 cm Multifunction Cooker

Multifunction oven
Vitroceramic hob

Oven
- Digital timer
- 47 lt oven cavity
- 7 cooking functions
- Door closed grill
- Black enamel oven interior
- Oven lamp
- Full width glass inner door

Hob
- 4 vitrceramic zones:
  Ø180 mm – 700 / 1700 W (duo)
  Ø140 mm – 1200 W
  Ø140 mm – 1200 W
  Ø180 mm – 1700 W

Additional Features
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
HKN 81420 E: Stainless steel
HKN 81420: White

A

HKS 81120

50 cm Multifunction Cooker

Multifunction oven
Vitroceramic hob

Oven
- Minute minder
- 47 lt oven cavity
- 7 cooking functions: Conventional, low grill, defrost, bottom heater+fan, top heater+fan, grill+fan, conventional+fan
- Door closed grill
- Black enamel oven interior
- Oven lamp
- Full width glass inner door
- Triple glazed door

Hob
- 4 vitroceramic zones:
  Ø180 mm – 700 / 1700 W (duo)
  Ø 140 mm – 1200 W
  Ø 140 mm – 1200 W
  Ø 180 mm – 1700 W

Additional Features
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x60x60 cm

Colour
HKS 81120: White

A

COOKERS

HMS 81120

50 cm Multifunction Cooker

Multifunction oven
Electric hob

Oven
- Minute minder
- 50 lt oven cavity
- 7 cooking functions: Conventional, low grill, defrost, bottom heater+fan, top heater+fan, grill+fan, conventional+fan
- Door closed grill
- Black enamel oven interior
- Oven lamp
- Full width glass inner door

Hob
- 4 hot plates:
  Ø 180 mm – 2000 W (rapid)
  Ø 145 mm – 1000 W
  Ø 145 mm – 1000 W
  Ø 180 mm – 1500 W

Additional Features
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x50x60 cm

Colour
HMS 81120: White

A

HGS 81120

50 cm Multifunction Cooker

Multifunction oven
Gas hob

Oven
- Minute minder
- 49 lt oven cavity
- 7 cooking functions: Conventional, low grill, defrost, bottom heater+fan, top heater+fan, grill+fan, conventional+fan
- Grill
- Black enamel oven interior
- Oven lamp
- Full width glass inner door
- Triple glazed door

Hob
- 4 gas burners:
  2 semi rapid burners: 2000 W
  1 rapid burner: 2900 W
  1 economy burner: 1000 W
- Enamel burner caps
- Enamel pan supports
- Electronic ignition integrated into the knob*

Additional Features
- Glass top lid
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x50x60 cm

Colour
HGS 81120 E: Stainless steel
HGS 81120: White

*HGS 81120 is equipped with push button ignition for burners.

A

knob
ignition

GGS 81100

50 cm Gas Cooker

Gas oven
Gas hob

Oven
- Ringer time
- 46 lt oven cavity
- Gas oven
- Gas grill
- Turnspit
- Black enamel oven interior
- Oven lamp
- Full width glass inner door

Hob
- 4 gas burners:
  2 semi rapid burners: 2000 W
  1 rapid burner: 2900 W
  1 economy burner: 1000 W
- Enamel burner caps
- Enamel pan supports
- Electronic ignition integrated into the knob*

Additional Features
- Glass top lid
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Deep cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x50x60 cm

Colour
GGS 81100 E: Stainless steel
GGS 81100: White

*GGS 81100 is equipped with push button ignition for burners and oven.

A

knob
ignition

GGS 81000

50 cm Gas Cooker

Gas oven
Gas hob

Oven
- 55 lt oven cavity
- Gas oven
- Black enamel oven interior
- Oven lamp
- Full width glass inner door

Hob
- 4 gas burners:
  2 semi rapid burners: 2000 W
  1 rapid burner: 2900 W
  1 economy burner: 1000 W
- Enamel burner caps
- Enamel pan supports
- Push button ignition for burners

Additional Features
- Glass top lid
- Easy glide storage drawer
- Adjustable feet

Accessories
- Standard cooking tray
- Wire shelf

Product Dimensions
- HxWxD: 85x50x60 cm

Colour
GGS 81000: White

Technical Details

SIDE-BY-SIDE REFRIGERATORS

MODEL CODE	KQD 1360	KQD 1250	WKWD 1500	KWD 1440
Type	4-Door Side-by-Side Refrigerator	4-Door Side-by-Side Refrigerator	Side-by-Side Refrigerator with Wine Cooler	Side-by-Side Refrigerator
Height, cm	182	182	171	177
Control system	Electronic control	Electronic control	Electronic control	Electronic control
Cooling system	Trio cycle no frost	Trio cycle no frost	No frost	No frost
CAPACITIES				
Total gross volume, lt	605	610	620	573
Total net volume, lt	540	540	249	529
Fridge net volume, lt	385	385	175	383
Freezer net volume, lt	155	155	74	146
FRIDGE FEATURES				
Auto defrost	●	●	●	●
Fast cool function	●	●	●	●
Biocare cooling	-	-	-	●
0-3°C super fresh zone	●	●	●	●
Blue zone	●	●	-	●
Number of height adjustable glass shelves	3	3	3	4
Number of chrome coated wine racks	-	-	2	1
Number / type of door racks	8 / plastic	8 / plastic	3 / glass	4
Chrome coated door rack accessory	●	●	●	●
Number of transparent crispers	2	2	1	1
Minibar	●	-	-	●
Water dispenser	-	-	-	-
Ice dispenser	-	●	-	-
Water and ice dispenser	●	-	-	●
Inner illumination	White LED	White LED	White LED	●
FLEXI ZONE				
Total net volume, lt	77	77	-	-
Number of drawers	2	2	-	-
Number of shelves	1	1	-	-
Adjustable temperature range	-24°C - +10°C	-24°C - +10°C	-	-
FREEZER FEATURES				
Star rating	4	4	4	4
Fast freeze function	●	●	●	●
Fresh freeze zone	●	●	-	●
Auto defrost	●	●	-	●
Number of drawers	3 (+2 flexi zone)	3 (+2 flexi zone)	2	3
Number of flaps	-	-	1	-
Number / type of shelves	-	-	-	2 / glass
Twist & serve ice cube tray	-	-	-	-
Icemaker and icebox	●	●	-	-
Inner illumination	-	-	-	White LED
WINE COOLER FEATURES				
Bottle capacity	-	-	28 bottle (75 cc)	-
Wooden shelves	-	-	●	-
Adjustable temperature range: 5-18°C	-	-	●	-
Illumination with white LED	-	-	●	-
HYGIENE				
hygION antibacterial protection	●	●	●	●
Hygiene* antibacterial odour filter	●	●	-	●
hygAIR ionizing technology	●	●	-	●
Antibacterial seal	●	●	●	●
PERFORMANCE				
Energy efficiency class	A	A	A*	A+ / A / A / A
Climate class	SN-T	SN-T	SN	SN-T / SN / SN / T
Energy consumption, kWh/year	528	528	631	424 / 529 / 529 / 529
Cooling gas	R600a	R600a	R600a	R134a / R134a / R600a / 600a
TECHNICAL INFORMATION				
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	43	43	42	46
Double compressor	-	-	●	-
Fan ventilation	●	●	●	●
Freezing capacity, kg/24 h	13	13	6	13
Temperature rise time, h	15	15	15	8
DIMENSIONS				
Product dimensions ** (HxWxD), mm	1820x920x720	1820x920x720	1710x1215x600	1775x925x662
Dimensions (HxWxD), mm	1915x990x775	1915x990x775	1780x665x680 (x2)	1890x990x775
BUILD DETAILS				
Handle type	External	External	External	External
COLOUR OPTIONS				
White	-	-	-	-
X: Stainless steel	-	-	●	●
X: Fingerprint free stainless steel	●	●	-	-

MODEL CODE	KWD 1330	KWS 1220	KWS 1110
Type	Side-by-Side Refrigerator	Side-by-Side Refrigerator	Side-by-Side Refrigerator
Height, cm	177	177	177
Control system	Electronic control	Electronic control	Electronic control
Cooling system	No frost	No frost	No frost
CAPACITIES			
Total gross volume, lt	573	578	586
Total net volume, lt	529	554	562
Fridge net volume, lt	383	375	383
Freezer net volume, lt	146	179	179
FRIDGE FEATURES			
Auto defrost	●	●	●
Fast cool function	●	●	●
Biocare cooling	●	●	●
0-3°C super fresh zone	●	●	●
Blue zone	●	●	●
Number of height adjustable glass shelves	4	4	4
Number of chrome coated wine racks	1	1	1
Number / type of door racks	5 / plastic	4 / plastic	5 / plastic
Chrome coated door rack accessory	-	●	-
Number of transparent crispers	1	1	1
Minibar	-	-	-
Water dispenser	-	●	-
Ice dispenser	-	-	-
Water and ice dispenser	●	-	-
Inner illumination	●	●	●
FLEXI ZONE			
Total net volume, lt	-	-	-
Number of drawers	-	-	-
Number of shelves	-	-	-
Adjustable temperature range	-	-	-
FREEZER FEATURES			
Star rating	4	4	4
Fast freeze function	●	●	●
Fresh freeze zone	●	-	-
Auto defrost	●	●	●
Number of drawers	3	2	2
Number of flaps	-	2	2
Number / type of shelves	2 / glass	1 / glass	1 / glass
Twist & serve ice cube tray	-	●	●
Icemaker and icebox	-	-	-
Inner illumination	●	●	●
WINE COOLER FEATURES			
Bottle capacity	-	-	-
Wooden shelves	-	-	-
Adjustable temperature range: 5-18°C	-	-	-
Illumination with white LED	-	-	-
HYGIENE			
hygION antibacterial protection	●	●	●
Hygiene* antibacterial odour filter	●	●	●
hygAIR ionizing technology	●	-	-
Antibacterial seal	●	●	●
PERFORMANCE			
Energy efficiency class	A* / A / A / A	A* / A / A	A* / A / A
Climate class	SN-T / SN / SN / T	SN-T / SN-T/ SN / T	SN-T / SN-T
Energy consumption, kWh/year	424 / 529 / 529 / 529	454 / 556 / 556 / 556	458 / 560
Cooling gas	R134a / R134a / R600 / R600a	R134a / R134a / R600a / R600a	R134a / R134a
TECHNICAL INFORMATION			
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50
Noise level, dBA	46	46	46
Double compressor	-	-	-
Fan ventilation	●	●	●
Freezing capacity, kg/24 h	13	13	13
Temperature rise time, h	8	8	8
DIMENSIONS			
Product dimensions ** (HxWxD), mm	1775x925x662	1775x925x662	1775x925x662
Dimensions (HxWxD), mm	1890x990x775	1890x990x775	1890x990x775
BUILD DETAILS			
Handle type	External	External	External
COLOUR OPTIONS			
White	-	●	●
X: Stainless steel	●	-	-
X: Fingerprint free stainless steel	-	●	●

* The energy rating reflects the performance of the combi fridge freezer unit.
** Dimensions including door, excluding handles

* The energy rating reflects the performance of the combi fridge freezer unit.
** Dimensions including door, excluding handles

REFRIGERATORS

MODEL CODE	MKND 9860	KND 9860	KND 9660	KNM 9660	KND 9650
Type	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer
Height, cm	191	191	201	201	184,5
Control system	Touch sensitive electronic control	Electronic control	Electronic control	Mechanic	Electronic control
Cooling system	Duo cycle no frost	Duo cycle no frost	No frost	No frost	No frost
CAPACITIES					
Total gross volume, lt	475	475	361	361	320
Total net volume, lt	437	437	312	312	273
Fridge net volume, lt	312	312	244	244	205
Freezer net volume, lt	125	125	68	68	68
FRIDGE FEATURES					
Auto defrost	●	●	●	●	●
0-3°C super fresh zone	●	●	-	-	-
Blue zone	-	-	-	-	-
Custom cool unit	-	-	-	-	-
Number of height adjustable glass shelves	2	2	4	4	3
Number of chrome coated wine racks	1	1	1	1	1
Number of door racks	4	4	5	5	3
Chrome coated rack accessory	●	●	●	●	●
Number of transparent crispers	2	2	1	1	1
Soft opening storage box under door rack	●	●	-	-	-
Water dispenser	Optional	Optional	Optional	Optional	Optional
Inner illumination	●	●	●	●	●
FREEZER FEATURES					
Star rating	4	4	4	4	4
Fast freeze function	●	●	●	-	●
Fresh freeze zone	-	-	-	-	-
Auto defrost	●	●	●	●	●
Number of drawers	2	2	2	2	3
Number of flaps	1	1	1	1	-
Number / type of shelves	-	-	-	-	-
Number of door racks	-	-	-	-	-
Twist & serve ice cube tray	●	●	-	-	●
Ice cube tray	-	-	●	●	-
Inner illumination	-	-	-	-	-
HYGIENE					
hygION antibacterial protection	●	●	●	●	●
Hygiene+ antibacterial odour filter	●	●	●	●	●
hygAIR ionizing technology	●	●	●	-	●
Antibacterial seal	●	●	●	●	●
Antibacterial handle	-	●	●	●	●
PERFORMANCE					
Energy efficiency class	A+	A+	A	A	A / A
Climate class	SN-T	SN-T	SN-T	SN-T	SN / T
Energy consumption, kWh/year	394	394	366	366	346 / 346
Cooling gas	R600a	R600a	R600a	R600a	R600a / R600a
TECHNICAL INFORMATION					
Supply voltage, V/Hz	230 / 50	230 / 50	220-240 / 50	220-240 / 50	230 / 50
Noise level, dBA	40	40	41	41	43
Double compressor	-	-	-	-	-
Fan ventilation	-	-	-	-	-
Freezing capacity, kg/24 h	6	6	8	8	8 / 6
Temperature rise time, h	24	24	15	15	15 / 8
DIMENSIONS					
Product dimensions (HxWxD), mm	1910x700x680	1910x700x680	2010x595x600	2010x595x600	1845x595x600
Packed dimensions (HxWxD), mm	1960x760x760	1960x760x760	2050x642x680	2050x642x680	1935x665x680
BUILD DETAILS					
Reversible door	●	●	●	●	●
Handle type	External	External	External	External	External
COLOUR OPTIONS					
White	-	●	●	●	●
X: Fingerprint free stainless steel	-	●	●	●	●
Black mirror with aluminum frame and handle	●	-	-	-	-

MODEL CODE	KNM 9650	KGM 9860	KGM 9690	KGM 9680	KGM 9650
Type	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer
Height, cm	184,5	191	191	190,5	184,5
Control system	Electronic control w/o display	Electronic control w/o display	Electronic control w/o display	Electronic control w/o display	Electronic control w/o display
Cooling system	No frost	Semi no frost	Semi no frost	Semi no frost	Semi no frost
CAPACITIES					
Total gross volume, lt	320	420	402	310	330
Total net volume, lt	273	391	348	269	279
Fridge net volume, lt	205	305	230	175	205
Freezer net volume, lt	68	86	118	94	74
FRIDGE FEATURES					
Auto defrost	●	●	●	●	●
0-3°C super fresh zone	-	-	-	-	-
Blue zone	-	-	-	-	-
Custom cool unit	-	-	-	-	-
Number of height adjustable glass shelves	3	2	3	3	3
Number of chrome coated wine racks	1	1	1	1	1
Number of door racks	3	3	4	3	4
Chrome coated rack accessory	●	●	●	●	●
Number of transparent crispers	1	2	2	1	1
Soft opening storage box under door rack	-	●	-	-	-
Water dispenser	Optional	Optional	Optional	Optional	Optional
Inner illumination	●	●	●	●	●
FREEZER FEATURES					
Star rating	4	4	4	4	4
Fast freeze function	-	-	-	-	-
Fresh freeze zone	-	-	-	-	-
Auto defrost	●	●	●	●	●
Number of drawers	3	2	3	3	3
Number of flaps	-	1	1	1	0
Number / type of shelves	-	-	-	-	-
Number of door racks	-	-	-	-	-
Twist & serve ice cube tray	●	●	●	●	●
Ice cube tray	-	-	-	-	-
Inner illumination	-	-	-	-	-
HYGIENE					
hygION antibacterial protection	●	●	●	●	●
Hygiene+ antibacterial odour filter	●	●	-	-	●
hygAIR ionizing technology	-	-	-	-	-
Antibacterial seal	●	●	●	●	●
Antibacterial handle	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A / B	A / B	A / A	A	A
Climate class	SN / T	SN / T	SN / T	SN	SN
Energy consumption, kWh/year	346 / 420	535 / 637	391 / 391	345	335
Cooling gas	R600a / R600a	R600a / R134a	R600a / R600a	R600a	R600a
TECHNICAL INFORMATION					
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	43	40 / 41	41 / 42	41	41
Double compressor	-	●	-	-	-
Fan ventilation	-	●	-	-	●
Freezing capacity, kg/24 h	7 / 6	4	6	6	6
Temperature rise time, h	15 / 9	17	18	13	15
DIMENSIONS					
Product dimensions (HxWxD), mm	1845x595x600	1910x700x625	1910x700x600	1905x595x600	1845x595x600
Packed dimensions (HxWxD), mm	1935x665x680	1980x770x705	1980x770x680	1952x665x680	1935x665x680
BUILD DETAILS					
Reversible door	●	●	●	●	●
Handle type	External	External	External	External	External
COLOUR OPTIONS					
White	●	●	●	●	●
X: Fingerprint free stainless steel	●	●	●	●	●
Black mirror with aluminum frame and handle	-	-	-	-	-

REFRIGERATORS

MODEL CODE	KGM 9640	KOD 9650	KKD 9650	KSM 9660	KSM 9860
Type	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer
Height, cm	169	184,5	184,5	201	191
Control system	Electronic control w/o display	Electronic control	Electronic control	Mechanic	Mechanic
Cooling system	Semi no frost	Static	Static	Static	Static
CAPACITIES					
Total gross volume, lt	300	340	340	380	420
Total net volume, lt	249	279	279	331	404
Fridge net volume, lt	175	205	205	244	305
Freezer net volume, lt	74	74	74	87	99
FRIDGE FEATURES					
Auto defrost	●	●	●	●	●
0-3°C super fresh zone	-	●	-	-	-
Blue zone	-	-	-	-	-
Custom cool unit	-	-	-	-	-
Number of height adjustable glass shelves	2	2	3	4	3
Number of chrome coated wine racks	1	1	1	1	1
Number of door racks	3	2	4	5	4
Chrome coated rack accessory	●	●	●	●	●
Number of transparent crispers	1	1	1	1	1
Soft opening storage box under door rack	-	-	-	-	-
Water dispenser	-	-	-	Optional	Optional
Inner illumination	●	●	●	●	●
FREEZER FEATURES					
Star rating	4	4	4	4	4
Fast freeze function	-	-	-	-	-
Fresh freeze zone	-	-	-	-	-
Auto defrost	●	-	-	-	-
Number of drawers	3	3	3	2	2
Number of flaps	0	0	0	1	1
Number / type of shelves	-	-	-	-	-
Number of door racks	-	-	-	-	-
Twist & serve ice cube tray	●	●	●	-	●
Ice cube tray	-	-	-	●	-
Inner illumination	-	-	-	-	-
HYGIENE					
hygION antibacterial protection	●	●	●	●	●
Hygiene^{+} antibacterial odour filter	-	-	●	●	●
hygAIR ionizing technology	-	-	-	-	-
Antibacterial seal	●	●	●	●	●
Antibacterial handle	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A	A	A	A^{+} / A	A
Climate class	SN	SN	SN	SN-ST / SN	SN
Energy consumption, kWh/year	323	321	321	281 / 350	386
Cooling gas	R600a	R600a	R600a	R600a	R600a
TECHNICAL INFORMATION					
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	42	40	40	40/41	40
Double compressor	-	●	●	-	-
Fan ventilation	-	-	●	● (A class only)	●
Freezing capacity, kg/24 h	6	9	9	5	4
Temperature rise time, h	15	21	21	18	17
DIMENSIONS					
Product dimensions (HxWxD), mm	1690x595x600	1845x595x600	1845x595x600	2010x595x600	1910x700x630
Packed dimensions (HxWxD), mm	1780x665x680	1935x665x680	1935x665x680	2050x642x680	1980x770x705
BUILD DETAILS					
Reversible door	●	●	●	●	●
Handle type	External	External	External	External	External
COLOUR OPTIONS					
White	●	●	●	●	●
X: Fingerprint free stainless steel	-	●	●	●	●
Black mirror with aluminum frame and handle	-	-	-	-	-

MODEL CODE	KSM 9680	KSM 9650	KSM 9640	KSM 9520	KSM 9510
Type	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer
Height, cm	190,5	184,5	169	171	152,5
Control system	Mechanic	Mechanic	Mechanic	Mechanic	Mechanic
Cooling system	Static	Static	Static	Static	Static
CAPACITIES					
Total gross volume, lt	335	340	310	295	240
Total net volume, lt	285	279	249	244 / 242	212
Fridge net volume, lt	175	205	175	178	176
Freezer net volume, lt	110	74	74	66 / 64	36
FRIDGE FEATURES					
Auto defrost	●	●	●	●	●
0-3°C super fresh zone	-	-	-	-	-
Blue zone	-	-	-	-	-
Custom cool unit	-	-	-	-	-
Number of height adjustable glass shelves	3	3	2	3	3
Number of chrome coated wine racks	1	1	1	1	1
Number of door racks	3	4	3	3	3
Chrome coated rack accessory	●	●	●	-	-
Number of transparent crispers	1	1	1	1	1
Soft opening storage box under door rack	-	-	-	-	-
Water dispenser	Optional	Optional	-	-	-
Inner illumination	●	●	●	●	●
FREEZER FEATURES					
Star rating	4	4	4	4	4
Fast freeze function	-	-	-	-	-
Fresh freeze zone	-	-	-	-	-
Auto defrost	-	-	-	-	-
Number of drawers	3	3	3	3	2
Number of flaps	1	0	0	0	0
Number / type of shelves	-	-	-	-	-
Number of door racks	-	-	-	-	-
Twist & serve ice cube tray	●	●	●	-	-
Ice cube tray	-	-	-	●	●
Inner illumination	-	-	-	-	-
HYGIENE					
hygION antibacterial protection	●	●	●	●	●
Hygiene^{+} antibacterial odour filter	-	● (A^{+} only)	-	-	-
hygAIR ionizing technology	-	-	-	-	-
Antibacterial seal	●	●	●	●	●
Antibacterial handle	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A	A^{++} / A^{+} / A / A	A^{+} / A	A^{+}/A	A^{+}/A
Climate class	SN	SN-T / SN-ST / SN / T	SN / SN	SN-ST / SN	SN / SN
Energy consumption, kWh/year	342	192 / 257 / 325 / 320	236 / 309	242 / 300	274 / 209
Cooling gas	R600a	R600a / R600a / R600a / R600a	R600a / R600a	R600a / R600a	R600a / R600a
TECHNICAL INFORMATION					
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	41	41 / 42 / 41 / 42	41	41 / 40	41 / 39
Double compressor	-	-	-	-	-
Fan ventilation	-	● (A^{+} only)	-	-	-
Freezing capacity, kg/24 h	5	4/4/4/5	4	4	2
Temperature rise time, h	19	21/21/21/14	21	18 / 20	16
DIMENSIONS					
Product dimensions (HxWxD), mm	1905x595x600	1845x595x600	1690x595x600	1710x540x600	1525x540x600
Packed dimensions (HxWxD), mm	1952x665x680	1935x665x680	1780x665x680	1790x575x680	1595x575x680
BUILD DETAILS					
Reversible door	●	●	●	●	●
Handle type	External	External	External	External	External
COLOUR OPTIONS					
White	●	●	●	●	●
X: Fingerprint free stainless steel	●	●	●	●	●
Black mirror with aluminum frame and handle	-	-	-	-	-

REFRIGERATORS

MODEL CODE	DND 1970	MDND 1880	DND 9897	DND 9890	DNE 9887
Type	Top Mount Fridge Freezer	Top Mount Fridge Freezer	Top Mount Fridge Freezer	Top Mount Fridge Freezer	Top Mount Fridge Freezer
Height, cm	183,5	191,5	189	189	189
Control system	Electronic control	Touch sensitive electronic control	Electronic control	Electronic control	Electronic control w/o display
Cooling system	No frost	Duo cycle no frost	No frost	No frost	No frost
CAPACITIES					
Total gross volume, lt	610	540	540	500	540
Total net volume, lt	535	515	515	445	515
Fridge net volume, lt	392	409	409	355	409
Freezer net volume, lt	143	106	106	90	106
FRIDGE FEATURES					
Auto defrost	●	●	●	●	●
0-3°C super fresh zone	●	●	●	●	●
Blue zone	2	-	-	-	-
Custom cool unit	●	-	-	-	-
Number of height adjustable glass shelves	2	4	3	3	3
Number of chrome coated wine racks	2 / sliding	3 / sliding	1	3 / flexi rack	1
Number of door racks	4	5	5	5	5
Chrome coated rack accessory	-	●	●	●	●
Number of transparent crispers	2	2	2	2	2
Soft opening storage box under door rack	-	-	●	●	●
Water dispenser	-	-	Optional	Optional	Optional
Inner illumination	White LED	●	●	●	●
FREEZER FEATURES					
Star rating	4	4	4	4	4
Fast freeze function	●	●	●	●	-
Fresh freeze zone	●	-	-	-	-
Auto defrost	●	●	●	●	●
Number of drawers	-	-	-	-	-
Number of flaps	-	-	-	-	-
Number / type of shelves	1 / plastic	1 / plastic	1 / plastic	1 / plastic	1 / plastic
Number of door racks	2	2	2	2	2
Twist & serve ice cube tray	●	●	●	●	●
Ice cube tray	-	-	-	-	-
Inner illumination	White LED	●	●	●	●
HYGIENE					
hygION antibacterial protection	●	●	●	●	●
Hygiene^{+} antibacterial odour filter	●	●	●	●	●
hygAIR ionizing technology	●	●	●	●	-
Antibacterial seal	●	●	●	●	●
Antibacterial handle	●	-	●	●	●
PERFORMANCE					
Energy efficiency class	A	A^{++}	A^{+}	A^{+}	A^{+}
Climate class	T	SN-T	SN-T	SN-T	SN-T
Energy consumption, kWh/year	525	296	415	357	415
Cooling gas	R600a	R600a	R600a	R600a	R600a
TECHNICAL INFORMATION					
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	43	40	40	40	40
Double compressor	-	-	-	-	-
Fan ventilation	●	●	●	●	●
Freezing capacity, kg/24 h	10	8	8	6	8
Temperature rise time, h	17	16	16	15	16
DIMENSIONS					
Product dimensions (HxWxD), mm	1835x840x745	1920x700x760	1920x700x755	1920x700x680	1920x700x755
Packed dimensions (HxWxD), mm	1905x910x775	1970x760x860	1963x770x840	1963x770x770	1963x 770x 840
BUILD DETAILS					
Reversible door	●	●	●	●	●
Handle type	External	External	External	External	External
COLOUR OPTIONS					
White	-	-	●	●	●
X: Fingerprint free stainless steel	●	-	●	●	●
Black mirror with aluminum frame and handle	-	●	-	-	-

MODEL CODE	DNE 9880	DNE 9860	DNE 9840	DNM 9670	DNM 9650
Type	Top Mount Fridge Freezer	Top Mount Fridge Freezer	Top Mount Fridge Freezer	Top Mount Fridge Freezer	Top Mount Fridge Freezer
Height, cm	189	189	169	185	175
Control system	Electronic control w/o display	Electronic control w/o display	Electronic control w/o display	Mechanic	Mechanic
Cooling system	No frost	No frost	No frost	No frost	No frost
CAPACITIES					
Total gross volume, lt	500	465	430	400	330
Total net volume, lt	445	415	385	370	302
Fridge net volume, lt	355	325	295	291	238
Freezer net volume, lt	90	90	90	79	64
FRIDGE FEATURES					
Auto defrost	●	●	●	●	●
0-3°C super fresh zone	●	●	-	-	-
Blue zone	-	-	-	-	-
Custom cool unit	-	-	-	-	-
Number of height adjustable glass shelves	3	2	2	4	3
Number of chrome coated wine racks	3 / flexi rack	3 / flexi rack	3 / flexi rack	1	1
Number of door racks	5	4	4	4	3
Chrome coated rack accessory	●	●	●	●	●
Number of transparent crispers	2	2	1	2	1
Soft opening storage box under door rack	●	●	●	-	-
Water dispenser	Optional	-	-	-	-
Inner illumination	●	●	●	●	●
FREEZER FEATURES					
Star rating	4	4	4	4	4
Fast freeze function	-	-	-	-	-
Fresh freeze zone	-	-	-	-	-
Auto defrost	●	●	●	●	●
Number of drawers	-	-	-	-	-
Number of flaps	-	-	-	-	-
Number / type of shelves	1 / plastic	1 / plastic	1 / plastic	1 / plastic	1 / plastic
Number of door racks	2	2	2	1	1
Twist & serve ice cube tray	●	●	●	-	-
Ice cube tray	-	-	-	●	●
Inner illumination	●	-	-	-	-
HYGIENE					
hygION antibacterial protection	●	●	●	●	●
Hygiene^{+} antibacterial odour filter	●	●	●	-	-
hygAIR ionizing technology	-	-	-	-	-
Antibacterial seal	●	●	●	●	●
Antibacterial handle	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A^{+}	A^{+}	A^{+}	A	B
Climate class	SN-T	SN-T	SN-T	T	T
Energy consumption, kWh/year	357	345	333	402	489
Cooling gas	R600a	R600a	R600a	R600a	R134a
TECHNICAL INFORMATION					
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	40	40	40	42	42
Double compressor	-	-	-	-	-
Fan ventilation	●	●	●	●	●
Freezing capacity, kg/24 h	6	6	6	4	4
Temperature rise time, h	15	15	15	6.5	6.5
DIMENSIONS					
Product dimensions (HxWxD), mm	1920x700x680	1790x700x680	1690x700x680	1850x595x680	1750x595x635
Packed dimensions (HxWxD), mm	1963x770x770	1860x770x770	1760x770x770	1900x668x764	1820x670x715
BUILD DETAILS					
Reversible door	●	●	●	●	●
Handle type	External	External	External	External	External
COLOUR OPTIONS					
White	●	●	●	●	●
X: Fingerprint free stainless steel	●	●	●	●	●
Black mirror with aluminum frame and handle	-	-	-	-	-

REFRIGERATORS

MODEL CODE	DSM 9877	DSM 9870	DSM 9850	DSM 9650	DSM 9630
Type	Top Mount Fridge Freezer	Top Mount Fridge Freezer	Top Mount Fridge Freezer	Top Mount Fridge Freezer	Top Mount Fridge Freezer
Height, cm	184,5	184,5	172,5	175	162,5
Control system	Mechanic	Mechanic	Mechanic	Mechanic	Mechanic
Cooling system	Static	Static	Static	Static	Static
CAPACITIES					
Total gross volume, lt	538	450	410	330	300
Total net volume, lt	524	432	400	318	284 (A^{++}) / 288
Fridge net volume, lt	412	330	298	245	215
Freezer net volume, lt	112	102	102	73	69 (A^{++}) / 73
FRIDGE FEATURES					
Auto defrost	●	●	●	●	●
0-3°C super fresh zone	-	-	-	-	● (A^{++} only)
Blue zone	-	-	-	-	-
Custom cool unit	-	-	-	-	-
Number of height adjustable glass shelves	4	4	3	3	3
Number of chrome coated wine racks	1	1	1	1	1
Number of door racks	4	4	3	3	3
Chrome coated rack accessory	●	●	●	●	●
Number of transparent crispers	2	1	1	1	1
Soft opening storage box under door rack	-	-	-	-	-
Water dispenser	-	-	-	-	-
Inner illumination	●	●	●	●	●
FREEZER FEATURES					
Star rating	4	4	4	4	4
Fast freeze function	-	-	-	-	-
Fresh freeze zone	-	-	-	-	-
Auto defrost	-	-	-	-	-
Number of drawers	-	-	-	-	-
Number of flaps	-	-	-	-	-
Number / type of shelves	1 / wire	1 / wire	1 / wire	1 / wire	1 / wire
Number of door racks	-	-	-	-	-
Twist & serve ice cube tray	-	-	-	-	-
Ice cube tray	●	-	●	-	●
Inner illumination	-	-	-	-	-
HYGIENE					
hygION antibacterial protection	●	●	●	●	●
Hygiene^{+} antibacterial odour filter	● (models with fan)	● (models with fan)	-	-	-
hygAIR ionizing technology	-	-	-	-	-
Antibacterial seal	●	●	●	●	●
Antibacterial handle	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A^{+} / B	A^{+} / A^{+} / A / A	A^{+} / A^{+} / A / A	A^{+} / A / B	A^{++} / A^{+} / A / B
Climate class	T / T	SN / T / SN / T	SN / T / SN / T	SN-ST / SN / T	SN-T / SN / SN / T
Energy consumption, kWh/year	384 / 610	306 / 342 / 401 / 360	293 / 329 / 385 / 350	217 / 338 / 510	207 / 248 / 325 / 443
Cooling gas	R600a / R600a	R600a / R600a / R600a / R600a	R600a / R600a / R600a	R600a / R600a / R134a	R600a / R600a / R600a / R134a
TECHNICAL INFORMATION					
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	42 / 42	41 / 42 / 40 / 42	41 / 42 / 41 / 41	41 / 41 / 42	37 / 41 / 41 / 41
Double compressor	-	-	-	-	-
Fan ventilation	● (for A^{+} class)	● (for T class)	● (for T&A^{+} class)	-	-
Freezing capacity, kg/24 h	6	4,5 / 5,5 / 4,5 / 5,5	5.5	4 / 4,5 / 4,5	5 / 4 / 4 / 4,5
Temperature rise time, h	22	24 / 20 / 23 / 18	20 / 21 / 20 / 20	23 / 23 / 17	25 / 24 / 23 / 19,5
DIMENSIONS					
Product dimensions (HxWxD), mm	1845x700x755	1845x700x630	1725x700x630	1750x595x600	1625x595x600
Packed dimensions (HxWxD), mm	1910x770x820	1910x770x705	1790x770x705	1815x665x680	1690x665x680
BUILD DETAILS					
Reversible door	●	●	●	●	●
Handle type	External	External	External	External	External
COLOUR OPTIONS					
White	●	●	●	●	●
X: Fingerprint free stainless steel	●	●	●	●	●
Black mirror with aluminum frame and handle	-	-	-	-	-

MODEL CODE	DSM 9510*	DSM 9500	SOM 9650	SOM 9750	SSM 1350
Type	Top Mount Fridge Freezer	Top Mount Fridge Freezer	Larder Fridge	Larder Fridge	Larder Fridge
Height, cm	145	121	171	151	177
Control system	Mechanic	Mechanic	Mechanic	Mechanic	Mechanic
Cooling system	Static	Static	Static	Static	Static
CAPACITIES					
Total gross volume, lt	250	176	370	325	315
Total net volume, lt	224	170	325 (A^{++}) / 336	278 (A^{+}) / 290	310
Fridge net volume, lt	168	125	325 (A^{++}) / 336	278 (A^{+}) / 290	310
Freezer net volume, lt	56	45	-	-	
FRIDGE FEATURES					
Auto defrost	●	●	●	●	●
0-3°C super fresh zone	● (A^{++} only)	-	● (for A^{++} & A^{+})	● (for A^{+})	●
Blue zone	-	-	-	-	-
Custom cool unit	-	-	-	-	-
Number of height adjustable glass shelves	3	2	4	3	5
Number of chrome coated wine racks	1	1	1	1	1
Number of door racks	3	3	4	4	5
Chrome coated rack accessory	●	●	●	●	●
Number of transparent crispers	1	1	1	1	1
Soft opening storage box under door rack	-	-	-	-	-
Water dispenser	-	-	Optional	-	-
Inner illumination	●	●	●	●	●
FREEZER FEATURES					
Star rating	4	4	-	-	-
Fast freeze function	-	-	-	-	-
Fresh freeze zone	-	-	-	-	-
Auto defrost	-	-	-	-	-
Number of drawers	-	-	-	-	-
Number of flaps	-	-	-	-	-
Number / type of shelves	1 / wire	1 / wire	-	-	-
Number of door racks	-	-	-	-	-
Twist & serve ice cube tray	-	-	-	-	-
Ice cube tray	●	●	-	-	-
Inner illumination	-	-	-	-	-
HYGIENE					
hygION antibacterial protection	●	●	●	●	●
Hygiene^{+} antibacterial odour filter	-	-	● (T class only)	-	-
hygAIR ionizing technology	-	-	-	-	-
Antibacterial seal	●	●	●	●	●
Antibacterial handle	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A^{++} / A^{+} / A / B	A / B	A^{++} / A^{+} / A / A	A^{+} / A	A
Climate class	SN-T / SN / SN / T	SN / T	SN-T / SN-ST / SN / T	SN-ST / SN-T	SN
Energy consumption, kWh/year	185 / 221 / 286 / 395	260 / 356	115 / 158 / 177 / 176	153 / 170	174
Cooling gas	R600a / R600a / R600a / R134a	R600a / R134a	R600a / R600a / R600a / R134a	R600a / R600a	R600a
TECHNICAL INFORMATION					
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	38 / 39 / 39 / 41	39 / 41	40 / 38 / 39 / 39	39	39
Double compressor	-	-	-	-	-
Fan ventilation	-	-	● (T class only)	-	-
Freezing capacity, kg/24 h	4	4	-	-	-
Temperature rise time, h	20	19	-	-	-
DIMENSIONS					
Product dimensions (HxWxD), mm	1450x540x600	1210x540x580	1710x605x600	1510x605x600	1770x540x600
Packed dimensions (HxWxD), mm	1505x575x680	1280x575x590	1810x665x680	1600x665x680	1830x575x680
BUILD DETAILS					
Reversible door	●	●	●	●	●
Handle type	External	External	External	External	External
COLOUR OPTIONS					
White	●	●	●	●	●
X: Fingerprint free stainless steel	●	-	●	●	●
Black mirror with aluminum frame and handle	-	-	-	-	-

*A^{++} model code: DSM 1510

REFRIGERATORS

MODEL CODE	SSM 9450	SSM 9550	SSM 9640	SSM 9540	FNT 9670
Type	Larder Fridge	Larder Fridge	Single Door Fridge	Single Door Fridge	Upright Freezer
Height, cm	145	121	171	121	171
Control system	Mechanic	Mechanic	Mechanic	Mechanic	Electronic control
Cooling system	Static	Static	Static	Static	No frost
CAPACITIES					
Total gross volume, lt	260	210	350	200	260
Total net volume, lt	256	204	300	184	210
Fridge net volume, lt	256	204	279	164	-
Freezer net volume, lt	-	-	27	20	210
FRIDGE FEATURES					
Auto defrost	●	●	●	●	-
0-3°C super fresh zone	-	-	-	-	-
Blue zone	-	-	-	-	-
Custom cool unit	-	-	-	-	-
Number of height adjustable glass shelves	4	3	3	3	-
Number of chrome coated wine racks	1	1	1	1	-
Number of door racks	5	4	4	2	-
Chrome coated rack accessory	-	-	-	-	-
Number of transparent crispers	1	1	1	2	-
Soft opening storage box under door rack	-	-	-	-	-
Water dispenser	-	-	Optional	-	-
Inner illumination	●	●	●	●	-
FREEZER FEATURES					
Star rating	-	-	4	4	4
Fast freeze function	-	-	-	-	●
Fresh freeze zone	-	-	-	-	-
Auto defrost	-	-	-	-	●
Number of drawers	-	-	-	-	5
Number of flaps	-	-	-	-	2
Number / type of shelves	-	-	-	-	-
Number of door racks	-	-	-	-	-
Twist & serve ice cube tray	-	-	-	-	●
Ice cube tray	-	-	●	●	-
Inner illumination	-	-	-	-	-
HYGIENE					
hygION antibacterial protection	●	●	●	●	-
Hygiene^{+} antibacterial odour filter	-	-	-	-	-
hygAIR ionizing technology	-	-	-	-	-
Antibacterial seal	●	●	●	●	●
Antibacterial handle	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A^{+} / A / A	A	A^{+} / A	A	A^{+} / A / B
Climate class	SN / SN / T	SN	SN / T	SN	SN-T / SN / T
Energy consumption, kWh/year	132 / 167 / 167	160	237 / 310	255	279 / 297 / 406
Cooling gas	R600a / R600a / R600a	R600a	R600a / R600a	R600a	R600a / R600a / R600a
TECHNICAL INFORMATION					
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	39	39	40	40	43
Double compressor	-	-	-	-	-
Fan ventilation	-	-	-	-	●
Freezing capacity, kg/24 h	-	-	2	3	20 / 20 / 15
Temperature rise time, h	-	-	17/15	16	11 / 10 / 06
DIMENSIONS					
Product dimensions (HxWxD), mm	1450x540x600	1210x540x570	1710x595x600	1210x540x570	1710x605x600
Packed dimensions (HxWxD), mm	1530x575x680	1305x575x650	1810x665x680	1305x575x650	1810x665x680
BUILD DETAILS					
Reversible door	●	●	●	●	●
Handle type	External	External	External	External	External
COLOUR OPTIONS					
White	●	●	●	●	●
X: Fingerprint free stainless steel	-	●	●	●	●
Black mirror with aluminum frame and handle	-	-	-	-	-

MODEL CODE	FNT 9660	FNT 1580	FNT 9550	FSM 9670	FSM 9660
Type	Upright Freezer	Upright Freezer	Upright Freezer	Upright Freezer	Upright Freezer
Height, cm	151	177	145	171	151
Control system	Electronic control	Electronic control w/o display	Electronic control w/o display	Mechanic	Electronic control w/o display
Cooling system	No frost	No frost	No frost	Static	Static
CAPACITIES					
Total gross volume, lt	210	220	190	270	240
Total net volume, lt	174	196	157	223	190
Fridge net volume, lt	-	-	-	-	-
Freezer net volume, lt	174	196	157	223	190
FRIDGE FEATURES					
Auto defrost	-	-	-	-	-
0-3°C super fresh zone	-	-	-	-	-
Blue zone	-	-	-	-	-
Custom cool unit	-	-	-	-	-
Number of height adjustable glass shelves	-	-	-	-	-
Number of chrome coated wine racks	-	-	-	-	-
Number of door racks	-	-	-	-	-
Chrome coated rack accessory	-	-	-	-	-
Number of transparent crispers	-	-	-	-	-
Soft opening storage box under door rack	-	-	-	-	-
Water dispenser	-	-	-	-	-
Inner illumination	-	-	-	-	-
FREEZER FEATURES					
Star rating	4	4	4	4	4
Fast freeze function	●	●	●	●	●
Fresh freeze zone	-	-	-	-	-
Auto defrost	●	-	-	-	-
Number of drawers	4	6	4	6	5
Number of flaps	2	2	1	2	1
Number / type of shelves	-	-	-	-	-
Number of door racks	-	-	-	-	-
Twist & serve ice cube tray	●	-	-	●	●
Ice cube tray	-	●	●	-	-
Inner illumination	-	-	-	-	-
HYGIENE					
hygION antibacterial protection	-	-	-	-	-
Hygiene^{+} antibacterial odour filter	-	-	-	-	-
hygAIR ionizing technology	-	-	-	-	-
Antibacterial seal	●	●	●	●	●
Antibacterial handle	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A / B	A	A	A^{++} / A^{+} / A/B	A^{+} / A / B
Climate class	SN / T	SN	SN / T	SN-T / SN-ST / SN / T	SN-T / SN / T
Energy consumption, kWh/year	273 / 344	288	262 / 262	186 / 250 / 280 / 372	243 / 263 / 342
Cooling gas	R600a / R134a	R600a	R600a	R600a / R600a / R600a / R134a	R600a / R600a / R134a
TECHNICAL INFORMATION					
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	43	42	41	41 / 41 / 41 / 43	41 / 41 / 43
Double compressor	-	-	-	-	-
Fan ventilation	●	●	●	-	-
Freezing capacity, kg/24 h	16	10	10	19 / 22 / 22 / 19,5	19 / 15 / 16
Temperature rise time, h	11 / 9	15	17	12,5 / 22 / 22 / 12,5	14 / 20 / 14
DIMENSIONS					
Product dimensions (HxWxD), mm	1510x605x600	1770x540x600	1450x540x600	1710x605x600	1510x605x600
Packed dimensions (HxWxD), mm	1600x665x680	1830x575x680	1530x575x680	1810x665x680	1600x665x680
BUILD DETAILS					
Reversible door	●	●	●	●	●
Handle type	External	External	External	External	External
COLOUR OPTIONS					
White	●	●	●	●	●
X: Fingerprint free stainless steel	●	●	●	●	●
Black mirror with aluminum frame and handle	-	-	-	-	-

REFRIGERATORS

MODEL CODE	FSM 1580	FSM 9550	TSM 1551	TSM 1541	FTM 1531	FNE 1531
Type	Upright Freezer	Upright Freezer	Table Top Larder Fridge	Table Top Fridge	Table Top Freezer	Table Top Freezer
Height, cm	177	145	84	85	85	85
Control system	Mechanic	Mechanic	Mechanic	Mechanic	Mechanic	Electronic control w/o display
Cooling system	Static	Static	Static	Static	Static	No frost
CAPACITIES						
Total gross volume, lt	250	210	135	120	135	90
Total net volume, lt	214	175	130	114	85	75
Fridge net volume, lt	-	-	130	101	-	-
Freezer net volume, lt	214	175	-	13	85	75
FRIDGE FEATURES						
Auto defrost	-	-	●	●	-	-
0-3°C super fresh zone	-	-	-	-	-	-
Blue zone	-	-	-	-	-	-
Custom cool unit	-	-	-	-	-	-
Number of height adjustable glass shelves	-	-	3	2	-	-
Number of chrome coated wine racks	-	-	-	-	-	-
Number of door racks	-	-	3	3	-	-
Chrome coated rack accessory	-	-	-	-	-	-
Number of transparent crispers	-	-	1	1	-	-
Soft opening storage box under door rack	-	-	-	-	-	-
Water dispenser	-	-	-	-	-	-
Inner illumination	-	-	●	●	-	-
FREEZER FEATURES						
Star rating	4	4	-	4	4	4
Fast freeze function	●	●	-	-	●	●
Fresh freeze zone	-	-	-	-	-	-
Auto defrost	-	-	-	-	-	-
Number of drawers	6	4	-	-	3	2
Number of flaps	2	1	-	-	-	1
Number / type of shelves	-	-	-	-	-	-
Number of door racks	-	-	-	-	-	-
Twist & serve ice cube tray	-	-	-	-	-	-
Ice cube tray	●	●	-	●	●	●
Inner illumination	-	-	-	-	-	-
HYGIENE						
hygION antibacterial protection	-	-	●	●	-	-
Hygiene+ antibacterial odour filter	-	-	-	-	-	-
hygAIR ionizing technology	-	-	-	-	-	-
Antibacterial seal	●	●	●	●	●	●
Antibacterial handle	●	●	●	●	●	●
PERFORMANCE						
Energy efficiency class	A	A / A	A^+ / A	A^{++} / A^+ / A / A	A^+ / A / A	A
Climate class	SN	SN / T	SN-T / SN	SN-T / SN / SN / T	SN-T / SN / T	SN
Energy consumption, kWh/year	276	254	116 / 151	126 / 169 / 221 / 221	181 / 204	204
Cooling gas	R600a	R600a / R600a	R600a / R600a	R600a / R600a / R600a / R600a	R600a / R600a / R600a	R600a
TECHNICAL INFORMATION						
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	41	38	39	37	39	39
Double compressor	-	-	-	-	-	-
Fan ventilation	-	-	-	-	-	-
Freezing capacity, kg/24 h	11	11 / 12	-	2	10,5 / 10,5 / 8	10.5
Temperature rise time, h	20	25 / 13	-	10 / 10 / 10 / 8	13 / 16,5 / 16,5	16.5
DIMENSIONS						
Product dimensions (HxWxD), mm	1770x540x600	1450x540x600	850x545x600	850x545x600	850x545x600	850x545x600
Packed dimensions (HxWxD), mm	1830x575x680	1530x575x680	885x575x665	885x575x665	885x575x665	885x575x665
BUILD DETAILS						
Reversible door	●	●	●	●	●	●
Handle type	External	External	External	External	External	External
COLOUR OPTIONS						
White	●	●	●	●	●	●
X: Fingerprint free stainless steel	●	●	-	-	-	-
Black mirror with aluminum frame and handle	-	-	-	-	-	-

CHEST FREEZER

MODEL CODE	FRM 1970	FRM 1950	FRM 1940	FRM 1920
Type	Chest Freezer	Chest Freezer	Chest Freezer	Chest Freezer
Control system	Mechanic	Mechanic	Mechanic	Mechanic
Cooling system	Static	Static	Static	Static
CAPACITIES				
Total gross volume, lt	369	288	232	136
Freezer net volume, lt	350	284	230	129
FREEZER FEATURES				
Star rating	4	4	4	4
Number of baskets	4	3	2	1
Inner illumination	●	●	●	●
Lock and key	●	●	●	●
ENERGY EFFICIENCY				
Energy efficiency class	A^{++} / A^+	A^{++} / A^+	A^{++} / A^+	A^{++} / A^+
Climate class	SN-T / SN-T	SN-T / SN-T	SN-T / SN-T	SN-T / SN-T
Energy consumption, kWh/year	213 / 299	189 / 265	169 / 237	132 / 186
Cooling gas	R600a / R600a	R600a / R600a	R600a / R600a	R600a / R600a
TECHNICAL INFORMATION				
Supply voltage, V/Hz	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50
Noise level, dBA	40	41	41	40
Freezing capacity, kg/24 h	22	17	12	7
Temperature rise time, h	67	67	67	67
DIMENSIONS				
Product dimensions (HxWxD), mm	860x1555x725	860x1285x725	860x1101x725	860x750x725
Packed dimensions (HxWxD), mm	909x1616x742	909x1350x742	909x1162x742	909x814x742
BUILD DETAILS				
Handle type	External	External	External	External
COLOUR OPTIONS				
White	●	●	●	●

WASHING MACHINE

MODEL CODE	WNF 9422	WNF 8543	WNF 8524	WNF 8504	WNF 8447	WNF 8427
Type	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine
MAIN FEATURES						
Load capacity, kg	9	8	8	8	8	8
Drum volume, lt	64	64	64	64	64	64
Control type	Mini LCD	LCD	LCD	LCD	Mini LCD	Mini LCD
Maximum spin speed, rpm	1200	1400	1200	1000	1400	1200
Spin speed options	Variable	Variable	Variable	Variable	Variable	Variable
No spin	●	●	●	●	●	●
Rinse hold	●	●	●	●	●	●
Time delay	24 h	18 h	18 h	18 h	24 h	24 h
Remaining time	●	●	●	●	●	●
Aquaround™ plus	-	●	●	●	-	-
Aquaround™	-	-	-	-	-	-
Automatic water adjustment system	●	●	●	●	●	●
Durable heater	●	●	●	●	●	●
Drum material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Tank material	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
Porthole diameter, cm	34	34	34	34	34	34
Door opening,[1]	165	165	165	165	165	165
Door hinge	Left hand	Left hand	Left hand	Left hand	Left hand	Left hand
Cold fill	●	●	●	●	●	●
PROGRAMMES						
Number of programmes	12	16	16	16	16	16
smarTwash	-	●	●	●	-	-
Night mode	-	●	●	●	-	-
Refresh	-	●	●	●	-	-
Hand wash	●	●	●	●	●	●
Dark wash	●	●	●	●	●	●
Bedding	●	●	●	●	●	●
Wool	●	●	●	●	●	●
Hygiene	●	●	●	●	●	●
Lingerie	●	●	●	●	-	-
Viscose	-	-	-	-	●	●
Jeans	-	●	●	●	-	-
Sportswear	-	●	●	●		
Shirts	●	●	●	●	●	●
Active 40°	-	-	-	-	●	●
Mini 14'	-	-	-	-	●	●
Mini	●	●	●	●	●	●
Mini 30°	-	-	-	-	-	-
Super eco 40°	-	-	-	-	-	-
Intensive	-	-	-	-	-	-
Delicate	-	-	-	-	●	●
Cotton	●	-	-	-	●	●
Rinse	●	●	●	●	●	●
Spin + Pump	●	-	-	-	●	●
Spin	-	●	●	●	-	-
Pump	-	●	●	●	-	-
Synthetics	●	-	-	-	●	●
Cotton eco	-	-	-	-	●	●
Cotton 90°	-	-	-	-	-	-
Cotton 60°	-	-	-	-	-	-
Cotton 40°	-	-	-	-	-	-
Cotton cold	-	-	-	-	-	-
Synthetic 60°	-	-	-	-	-	-
Synthetic 40°	-	-	-	-	-	-
Synthetic 30°	-	-	-	-	-	-
Synthetic cold	-	-	-	-	-	-
Delicate 30°	-	-	-	-	-	-
Wool 40°	-	-	-	-	-	-
Wool cold	-	-	-	-	-	-
FUNCTIONS						
Prewash	●	●	●	●	●	●
Quick wash	●	-	-	-	●	●
Extra rinse	●	●	●	●	●	●
Easy iron	●	●	●	●	●	●
Soil level	-	●	●	●	-	-
Rinse hold	-	-	-	-	-	-
SAFETY						
aquAvoid plus	●	●	●	●	●	●
aquAvoid	-	-	-	-	-	-
Child lock	●	●	●	●	●	●
Door lock	●	●	●	●	●	●
Warning indicators:						
Child lock	●	●	●	●	●	●
Tap closed	●	●	●	●	●	●
PERFORMANCE						
Energy efficiency class	A*	A**	A**	A**	A***	A***
Washing performance	A	A	A	A	A	A
Spin drying performance	B	B	B	C	B	B
Energy consumption (Cotton 60°), kWh	1,53	1,20	1,20	1,20	1,04	1,04
Water consumption (Cotton 60°), lt	68	59	59	59	59	59
Annual energy consumption, (200 cycles) kWh/Year	306	240	240	240	208	208
Annual water consumption, (200 cycles) kWh/Year	13600	11800	11800	11800	11800	11800
Standard cycle duration (Cotton 60°+drying), min	155	149	149	149	149	149
TECHNICAL INFORMATION						
Brushless DC™ motor	●	●	-	-	●	●
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Total power, W	2200	2200	2200	2200	2200	2200
Amperage, A	10	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●	●
Water pressure range, N/cm^2	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100
Water connection,	Cold	Cold	Cold	Cold	Cold	Cold
Cable length, cm	150	150	150	150	150	150
Maximumum possible height from floor to water connection, cm	75	75	75	75	75	75
CE / VDE approval	●	●	●	●	●	●
DIMENSIONS						
Product dimensions (HxWxD), mm	840x600x600	840x600x600	840x600x600	840x600x600	840x600x600	840x600x600
Packed dimensions (HxWxD), mm	880x650x660	880x650x660	880x650x660	880x650x660	880x650x660	880x650x660
Height with worktop, mm	840	840	840	840	840	840
Height without worktop, mm	820	820	820	820	820	820
Unpacked weight, kg	75	75	75	74	75	75
Packed weight, kg	76	76	76	75	76	76
COLOUR OPTIONS						
White cabinet - white panel	-	-	-	-	-	-
A: White cabinet - silver panel	●	●	●	●	●	●
S: Silver cabinet - black panel	-	●	-	-	●	-
Z: Piano black cabinet - piano black panel	-	●	-	-	-	-
C: Chrome door	●	●	-	-	-	-

* 10% less energy consumption than "A" class
** 20% less energy consumption than "A" class
*** 30% less energy consumption than "A" class

MODEL CODE	WNF 8428	WNF 8426	WNF 8426 Q	WNF 8407	WNF 8406 Q	WNF 8406
Type	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine
MAIN FEATURES						
Load capacity, kg	8	8	8	8	8	8
Drum volume, lt	64	64	64	64	64	64
Control type	Mini LCD	Mini LCD	Mini LCD	Mini LCD	Mini LCD	Mini LCD
Maximum spin speed, rpm	1200	1200	1200	1000	1000	1000
Spin speed options	Variable	Variable	Variable	Variable	Variable	Variable
No spin	●	●	●	●	●	●
Rinse hold	●	●	●	●	●	●
Time delay	24 h	24 h	24 h	24 h	24 h	24 h
Remaining time	-	●	●	●	●	●
Aquaround™ plus	-	-	-	-	-	-
Aquaround™	-	●	●	-	●	●
Automatic water adjustment system	●	●	●	●	●	●
Durable heater	●	●	●	●	●	●
Drum material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Tank material	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
Porthole diameter, cm	34	34	34	34	34	34
Door opening,[1]	165	165	165	165	165	165
Door hinge	Left hand	Left hand	Left hand	Left hand	Left hand	Left hand
Cold fill	●	●	●	●	●	●
PROGRAMMES						
Number of programmes	16	12	12	16	12	12
smarTwash	-	-	-	-	-	-
Night mode	-	-	-	-	-	-
Refresh	-	-	-	-	-	-
Hand wash	●	●	●	●	●	●
Dark wash	●	●	-	●	-	●
Bedding	●	●	●	●	●	●
Wool	●	●	●	●	●	●
Hygiene	●	●	●	●	●	●
Lingerie	-	●	●	-	●	●
Viscose	●	-	-	●	-	-
Jeans	-	-	-	-	-	-
Sportswear				-		-
Shirts	●	●	●	●	●	●
Active 40°	●	-	-	●	-	-
Mini 14'	●	-	-	●	-	-
Mini	●	●	●	●	●	●
Mini 30°	-	-	-	-	-	-
Super eco 40°	-	-	●	-	●	-
Intensive	-	-	-	-	-	-
Delicate	●	-	-	●	-	-
Cotton	●	●	●	●	●	●
Rinse	●	●	●	●	●	●
Spin + Pump	●	●	●	●	●	●
Spin	-	-	-	-	-	-
Pump	-	-	-	-	-	-
Synthetics	●	●	●	●	●	●
Cotton eco	●	-	-	●	-	-
Cotton 90°	-	-	-	-	-	-
Cotton 60°	-	-	-	-	-	-
Cotton 40°	-	-	-	-	-	-
Cotton cold	-	-	-	-	-	-
Synthetic 60°	-	-	-	-	-	-
Synthetic 40°	-	-	-	-	-	-
Synthetic 30°	-	-	-	-	-	-
Synthetic cold	-	-	-	-	-	-
Delicate 30°	-	-	-	-	-	-
Wool 40°	-	-	-	-	-	-
Wool cold	-	-	-	-	-	-
FUNCTIONS						
Prewash	●	●	●	●	●	●
Quick wash	●	●	●	●	●	●
Extra rinse	●	●	●	●	●	●
Easy iron	●	●	●	●	●	●
Soil level	-	-	-	-	-	-
Rinse hold	-	-	-	-	-	-
SAFETY						
aquAvoid plus	-	●	●	●	●	●
aquAvoid	●	-	-	-	-	-
Child lock	●	●	●	●	●	●
Door lock	●	●	●	●	●	●
Warning indicators:						
Child lock	●	●	●	●	●	●
Tap closed	●	●	●	●	●	●
PERFORMANCE						
Energy efficiency class	A***	A*	A*	A***	A*	A*
Washing performance	A	A	A	A	A	A
Spin drying performance	B	B	B	C	C	C
Energy consumption (Cotton 60°), kWh	1,04	1,36	1,36	1,04	1,36	1,36
Water consumption (Cotton 60°), lt	59	59	59	59	59	59
Annual energy consumption, (200 cycles) kWh/Year	208	272	272	208	272	272
Annual water consumption, (200 cycles) kWh/Year	11800	11800	11800	11800	11800	11800
Standard cycle duration (Cotton 60°+drying), min	149	150	150	149	148	148
TECHNICAL INFORMATION						
Brushless DC™ motor	●	-	-	●	-	-
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Total power, W	2200	2200	2200	2200	2200	2200
Amperage, A	10	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●	●
Water pressure range, N/cm^2	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100
Water connection,	Cold	Cold	Cold	Cold	Cold	Cold
Cable length, cm	150	150	150	150	150	150
Maximumum possible height from floor to water connection, cm	75	75	75	75	75	75
CE / VDE approval	●	●	●	●	●	●
DIMENSIONS						
Product dimensions (HxWxD), mm	840x600x600	840x600x600	840x600x600	840x600x600	840x600x600	840x600x600
Packed dimensions (HxWxD), mm	880x650x660	880x650x660	880x650x660	880x650x660	880x650x660	880x650x660
Height with worktop, mm	840	840	840	840	840	840
Height without worktop, mm	820	820	820	820	820	820
Unpacked weight, kg	75	75	75	74	74	74
Packed weight, kg	76	76	76	75	75	75
COLOUR OPTIONS						
White cabinet - white panel	-	-	-	-	-	●
A: White cabinet - silver panel	●	●	●	-	●	-
S: Silver cabinet - black panel	-	●	●	-	-	-
Z: Piano black cabinet - piano black panel	-	-	-	●	-	-
C: Chrome door	-	-	-	-	-	-

* 10% less energy consumption than "A" class
** 20% less energy consumption than "A" class
*** 30% less energy consumption than "A" class

WASHING MACHINE

MODEL CODE	WNF 7466	WNF 7446	WNF 7426	WNF 7406	WNF 7361
Type	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine
MAIN FEATURES					
Load capacity, kg	7	7	7	7	7
Drum volume, lt	55	55	55	55	55
Control type	Mini LCD	Mini LCD	Mini LCD	Mini LCD	Digital display
Maximum spin speed, rpm	1600	1400	1200	1000	1600
Spin speed options	Variable	Variable	Variable	Variable	Variable
No spin	●	●	●	●	●
Rinse hold	●	●	●	●	-
Time delay	24 h	24 h	24 h	24 h	19 h
Remaining time	●	●	●	●	●
Aquaround™ plus	-	-	-	-	-
Aquaround™	●	●	●	●	-
Automatic water adjustment system	●	●	●	●	●
Durable heater	●	●	●	●	●
Drum material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Tank material	Plastic	Plastic	Plastic	Plastic	Plastic
Porthole diameter, cm	34	34	34	34	34
Door opening,[1]	165	165	165	165	165
Door hinge	Left hand	Left hand	Left hand	Left hand	Left hand
Cold fill	●	●	●	●	●
PROGRAMMES					
Number of programmes	12	12	12	12	11
smarTwash	-	-	-	-	-
Night mode	-	-	-	-	-
Refresh	-	-	-	-	-
Hand wash	●	●	●	●	●
Dark wash	●	●	●	●	●
Bedding	-	-	-	-	-
Wool	●	●	●	●	●
Hygiene	●	●	●	●	-
Lingerie	●	●	●	●	-
Viscose	-	-	-	-	-
Jeans	-	-	-	-	-
Sportswear	-	-	-	-	●
Shirts	●	●	●	●	●
Active 40°	-	-	-	-	-
Mini 14'	-	-	-	-	●
Mini	●	●	●	●	-
Mini 30°	-	-	-	-	-
Super eco 40°	-	-	-	-	-
Intensive	●	●	●	●	-
Delicate	-	-	-	-	-
Cotton	●	●	●	●	●
Rinse	●	●	●	●	●
Spin + Pump	●	●	●	●	●
Spin	-	-	-	-	-
Pump	-	-	-	-	-
Synthetics	●	●	●	●	●
Cotton eco	-	-	-	-	●
Cotton 90°	-	-	-	-	-
Cotton 60°	-	-	-	-	-
Cotton 40°	-	-	-	-	-
Cotton cold	-	-	-	-	-
Synthetic 60°	-	-	-	-	-
Synthetic 40°	-	-	-	-	-
Synthetic 30°	-	-	-	-	-
Synthetic cold	-	-	-	-	-
Delicate 30°	-	-	-	-	-
Wool 40°	-	-	-	-	-
Wool cold	-	-	-	-	-
FUNCTIONS					
Prewash	●	●	●	●	●
Quick wash	●	●	●	●	●
Extra rinse	●	●	●	●	●
Easy iron	●	●	●	●	-
Soil level	-	-	-	-	-
Rinse hold	-	-	-	-	-
SAFETY					
aquAvoid plus	●	●	●	●	-
aquAvoid	-	-	-	-	●
Child lock	●	●	●	●	●
Door lock	●	●	●	●	●
Warning indicators:					
Child lock	●	●	●	●	●
Tap closed	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A*	A*	A*	A*	A*
Washing performance	A	A	A	A	A
Spin drying performance	A	B	B	C	A
Energy consumption (Cotton 60°), kWh	1,19	1,19	1,19	1,19	1,19
Water consumption (Cotton 60°), lt	52	52	52	52	52
Annual energy consumption, (200 cycles) kWh/Year	238	238	238	238	238
Annual water consumption, (200 cycles) kWh/Year	10400	10400	10400	10400	10400
Standard cycle duration (Cotton 60°+drying), min	152	143	145	143	151
TECHNICAL INFORMATION					
Brushless DC™ motor	-	-	-	-	-
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Total power, W	2200	2200	2200	2200	2200
Amperage, A	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●
Water pressure range, N/cm^2	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100
Water connection,	Cold	Cold	Cold	Cold	Cold
Cable length, cm	150	150	150	150	150
Maximumum possible height from floor to water connection, cm	75	75	75	75	75
CE / VDE approval	●	●	●	●	●
DIMENSIONS					
Product dimensions (HxWxD), mm	840x600x540	840x600x540	840x600x540	840x600x540	840x600x540
Packed dimensions (HxWxD), mm	880x650x610	880x650x610	880x650x610	880x650x610	880x650x610
Height with worktop, mm	840	840	840	840	840
Height without worktop, mm	820	820	820	820	820
Unpacked weight, kg	74	71	72	72	74
Packed weight, kg	75	72	73	73	75
COLOUR OPTIONS					
White cabinet - white panel	-	-	-	●	-
A: White cabinet - silver panel	●	●	●	-	●
S: Silver cabinet - black panel	●	-	-	-	●
Z: Piano black cabinet - piano black panel	-	-	-	-	-
C: Chrome door	-	-	-	-	-

* 10% less energy consumption than "A" class

MODEL CODE	WNF 7341	WNF 7321	WNF 7301	WNF 7241	WNF 7221
Type	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine
MAIN FEATURES					
Load capacity, kg	7	7	7	7	7
Drum volume, lt	55	55	55	55	55
Control type	Digital display	Digital display	Digital display	LED	LED
Maximum spin speed, rpm	1400	1200	1000	1400	1200
Spin speed options	Variable	Variable	Variable	Variable	Variable
No spin	●	●	●	●	●
Rinse hold	●	●	●	●	●
Time delay	19 h	19 h	19 h	3 / 6 / 9 h	3 / 6 / 9 h
Remaining time	●	●	●	-	-
Aquaround™ plus	-	-	-	-	-
Aquaround™	-	-	-	-	-
Automatic water adjustment system	●	●	●	●	●
Durable heater	●	●	●	●	●
Drum material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Tank material	Plastic	Plastic	Plastic	Plastic	Plastic
Porthole diameter, cm	34	34	34	34	34
Door opening,[1]	165	165	165	165	165
Door hinge	Left hand	Left hand	Left hand	Left hand	Left hand
Cold fill	●	●	●	●	●
PROGRAMMES					
Number of programmes	11	11	11	11	11
smarTwash	-	-	-	-	-
Night mode	-	-	-	-	-
Refresh	-	-	-	-	-
Hand wash	●	●	●	●	●
Dark wash	●	●	●	●	●
Bedding	-	-	-	-	-
Wool	●	●	●	●	●
Hygiene	-	-	-	-	-
Lingerie	-	-	-	-	-
Viscose	-	-	-	-	-
Jeans	-	-	-	-	-
Sportswear	●	●	●	●	●
Shirts	●	●	●	●	●
Active 40°	-	-	-	-	-
Mini 14'	●	●	●	●	●
Mini	-	-	-	-	-
Mini 30°	-	-	-	-	-
Super eco 40°	-	-	-	-	-
Intensive	-	-	-	-	-
Delicate	-	-	-	-	-
Cotton	●	●	●	●	●
Rinse	●	●	●	●	●
Spin + Pump	●	●	●	●	●
Spin	-	-	-	-	-
Pump	-	-	-	-	-
Synthetics	●	●	●	●	●
Cotton eco	●	●	●	●	●
Cotton 90°	-	-	-	-	-
Cotton 60°	-	-	-	-	-
Cotton 40°	-	-	-	-	-
Cotton cold	-	-	-	-	-
Synthetic 60°	-	-	-	-	-
Synthetic 40°	-	-	-	-	-
Synthetic 30°	-	-	-	-	-
Synthetic cold	-	-	-	-	-
Delicate 30°	-	-	-	-	-
Wool 40°	-	-	-	-	-
Wool cold	-	-	-	-	-
FUNCTIONS					
Prewash	●	●	●	●	●
Quick wash	●	●	●	●	●
Extra rinse	●	●	●	-	-
Easy iron	-	-	-	-	-
Soil level	-	-	-	-	-
Rinse hold	-	-	-	-	-
SAFETY					
aquAvoid plus	-	-	-	-	-
aquAvoid	●	●	●	●	●
Child lock	●	●	●	●	●
Door lock	●	●	●	●	●
Warning indicators:					
Child lock	●	●	●	●	●
Tap closed	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A*	A*	A*	A*	A*
Washing performance	A	A	A	A	A
Spin drying performance	B	B	C	B	B
Energy consumption (Cotton 60°), kWh	1,19	1,19	1,19	1,19	1,19
Water consumption (Cotton 60°), lt	52	52	52	52	52
Annual energy consumption, (200 cycles) kWh/Year	238	238	238	238	238
Annual water consumption, (200 cycles) kWh/Year	10400	10400	10400	10400	10400
Standard cycle duration (Cotton 60°+drying), min	151	151	151	151	151
TECHNICAL INFORMATION					
Brushless DC™ motor	-	-	-	-	-
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Total power, W	2200	2200	2200	2200	2200
Amperage, A	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●
Water pressure range, N/cm^2	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100
Water connection,	Cold	Cold	Cold	Cold	Cold
Cable length, cm	150	150	150	150	150
Maximumum possible height from floor to water connection, cm	75	75	75	75	75
CE / VDE approval	●	●	●	●	●
DIMENSIONS					
Product dimensions (HxWxD), mm	840x600x540	840x600x540	840x600x540	840x600x540	840x600x540
Packed dimensions (HxWxD), mm	880x650x610	880x650x610	880x650x610	880x650x610	880x650x610
Height with worktop, mm	840	840	840	840	840
Height without worktop, mm	820	820	820	820	820
Unpacked weight, kg	71	72	72	71	72
Packed weight, kg	72	73	73	72	73
COLOUR OPTIONS					
White cabinet - white panel	-	-	●	●	●
A: White cabinet - silver panel	●	●	-	-	-
S: Silver cabinet - black panel	-	-	-	-	-
Z: Piano black cabinet - piano black panel	-	-	-	-	-
C: Chrome door	-	-	-	-	-

* 10% less energy consumption than "A" class

WASHING MACHINE

MODEL CODE	WNF 7201	WNF 7281	WNF 6461	WNF 6441	WNF 6421
Type	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine
MAIN FEATURES					
Load capacity, kg	7	7	6	6	6
Drum volume, lt	55	55	50	50	50
Control type	LED	LED	Mini LCD	Mini LCD	Mini LCD
Maximum spin speed, rpm	1000	800	1600	1400	1200
Spin speed options	Variable	Variable	Variable	Variable	Variable
No spin	●	●	●	●	●
Rinse hold	●	●	●	●	●
Time delay	3 / 6 / 9 h	3 / 6 / 9 h	24 h	24 h	24 h
Remaining time	-	-	●	●	●
Aquaround™ plus	-	-	-	-	-
Aquaround™	-	-	-	-	-
Automatic water adjustment system	●	●	●	●	●
Durable heater	●	●	●	●	●
Drum material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Tank material	Plastic	Plastic	Plastic	Plastic	Plastic
Porthole diameter, cm	34	34	30	30	30
Door opening,°	165	165	165	165	165
Door hinge	Left hand	Left hand	Left hand	Left hand	Left hand
Cold fill	●	●	●	●	●
PROGRAMMES					
Number of programmes	11	11	12	12	12
smarTwash	-	-	-	-	-
Night mode	-	-	-	-	-
Refresh	-	-	-	-	-
Hand wash	●	●	●	●	●
Dark wash	●	●	●	●	●
Bedding	-	-	-	-	-
Wool	●	●	●	●	●
Hygiene	-	-	●	●	●
Lingerie	-	-	●	●	●
Viscose	-	-	-	-	-
Jeans	-	-	-	-	-
Sportswear	●	●	-	-	-
Shirts	●	●	●	●	●
Active 40°	-	-	-	-	-
Mini 14'	●	●	-	-	-
Mini	-	-	●	●	●
Mini 30°	-	-	-	-	-
Super eco 40°	-	-	-	-	-
Intensive	-	-	●	●	●
Delicate	-	-	-	-	-
Cotton	●	●	●	●	●
Rinse	●	●	●	●	●
Spin + Pump	●	●	●	●	●
Spin	-	-	-	-	-
Pump	-	-	-	-	-
Synthetics	●	●	●	●	●
Cotton eco	●	●	-	-	-
Cotton 90°	-	-	-	-	-
Cotton 60°	-	-	-	-	-
Cotton 40°	-	-	-	-	-
Cotton cold	-	-	-	-	-
Synthetic 60°	-	-	-	-	-
Synthetic 40°	-	-	-	-	-
Synthetic 30°	-	-	-	-	-
Synthetic cold	-	-	-	-	-
Delicate 30°	-	-	-	-	-
Wool 40°	-	-	-	-	-
Wool cold	-	-	-	-	-
FUNCTIONS					
Prewash	●	●	●	●	●
Quick wash	●	●	●	●	●
Extra rinse	-	-	●	●	●
Easy iron	-	-	●	●	●
Soil level	-	-	-	-	-
Rinse hold	-	-	-	-	-
SAFETY					
aquAvoid plus	-	-	-	-	-
aquAvoid	●	●	●	●	●
Child lock	●	●	●	●	●
Door lock	●	●	●	●	●
Warning indicators:					
Child lock	●	●	●	●	●
Tap closed	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A*	A*	A*	A*	A*
Washing performance	A	A	A	A	A
Spin drying performance	C	D	A	B	B
Energy consumption (Cotton 60°), kWh	1,19	1,19	1,02	1,02	1,02
Water consumption (Cotton 60°), lt	52	52	49	49	49
Annual energy consumption, (200 cycles) kWh/Year	238	238	204	204	204
Annual water consumption, (200 cycles) kWh/Year	10400	10400	9800	9800	9800
Standard cycle duration (Cotton 60°+drying), min	151	151	152	143	143
TECHNICAL INFORMATION					
Brushless DC™ motor	-	-	-	-	-
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Total power, W	2200	2200	2200	2200	2200
Amperage, A	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●
Water pressure range, N/cm^2	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100
Water connection,	Cold	Cold	Cold	Cold	Cold
Cable length, cm	150	150	150	150	150
Maximumum possible height from floor to water connection, cm	75	75	75	75	75
CE / VDE approval	●	●	●	●	●
DIMENSIONS					
Product dimensions (HxWxD), mm	840x600x540	840x600x540	840x600x500	840x600x500	840x600x500
Packed dimensions (HxWxD), mm	880x650x610	880x650x610	880x650x575	880x650x575	880x650x575
Height with worktop, mm	840	840	840	840	840
Height without worktop, mm	820	820	820	820	820
Unpacked weight, kg	72	71	69	68	65
Packed weight, kg	73	72	70	69	66
COLOUR OPTIONS					
White cabinet - white panel	●	●	-	-	●
A: White cabinet - silver panel	-	-	●	●	-
S: Silver cabinet - black panel	-	-	-	-	-
Z: Piano black cabinet - piano black panel	-	-	-	-	-
C: Chrome door	-	-	-	-	-

* 10% less energy consumption than "A" class

MODEL CODE	WNF 6401	WNF 6341	WNF 6321	WNF 6300	WNF 6380
Type	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine
MAIN FEATURES					
Load capacity, kg	6	6	6	6	6
Drum volume, lt	50	50	50	50	50
Control type	Mini LCD	Digital display	Digital display	Digital display	Digital display
Maximum spin speed, rpm	1000	1400	1200	1000	800
Spin speed options	Variable	Variable	Variable	Variable	Variable
No spin	●	●	●	●	●
Rinse hold	●	●	●	●	●
Time delay	24 h	19 h	19 h	19 h	19 h
Remaining time	●	●	●	●	●
Aquaround™ plus	-	-	-	-	-
Aquaround™	-	-	-	-	-
Automatic water adjustment system	●	●	●	●	●
Durable heater	●	●	●	●	●
Drum material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Tank material	Plastic	Plastic	Plastic	Plastic	Plastic
Porthole diameter, cm	30	30	30	30	30
Door opening,°	165	165	165	165	165
Door hinge	Left hand	Left hand	Left hand	Left hand	Left hand
Cold fill	●	●	●	●	●
PROGRAMMES					
Number of programmes	12	11	11	11	11
smarTwash	-	-	-	-	-
Night mode	-	-	-	-	-
Refresh	-	-	-	-	-
Hand wash	●	●	●	●	●
Dark wash	●	●	●	●	●
Bedding	-	-	-	-	-
Wool	●	●	●	●	●
Hygiene	●	-	-	-	-
Lingerie	●	-	-	-	-
Viscose	-	-	-	-	-
Jeans	-	-	-	-	-
Sportswear	-	●	●	●	●
Shirts	●	●	●	●	●
Active 40°	-	-	-	-	-
Mini 14'	-	●	●	●	●
Mini	●	-	-	-	-
Mini 30°	-	-	-	-	-
Super eco 40°	-	-	-	-	-
Intensive	●	-	-	-	-
Delicate	-	-	-	-	-
Cotton	●	●	●	●	●
Rinse	●	●	●	●	●
Spin + Pump	●	●	●	●	●
Spin	-	-	-	-	-
Pump	-	-	-	-	-
Synthetics	●	●	●	●	●
Cotton eco	-	●	●	●	●
Cotton 90°	-	-	-	-	-
Cotton 60°	-	-	-	-	-
Cotton 40°	-	-	-	-	-
Cotton cold	-	-	-	-	-
Synthetic 60°	-	-	-	-	-
Synthetic 40°	-	-	-	-	-
Synthetic 30°	-	-	-	-	-
Synthetic cold	-	-	-	-	-
Delicate 30°	-	-	-	-	-
Wool 40°	-	-	-	-	-
Wool cold	-	-	-	-	-
FUNCTIONS					
Prewash	●	●	●	●	●
Quick wash	●	●	●	●	●
Extra rinse	●	●	●	●	●
Easy iron	●	-	-	-	-
Soil level	-	-	-	-	-
Rinse hold	-	-	-	-	-
SAFETY					
aquAvoid plus	-	-	-	-	-
aquAvoid	●	●	●	-	-
Child lock	●	●	●	●	●
Door lock	●	●	●	●	●
Warning indicators:					
Child lock	●	●	●	●	●
Tap closed	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A*	A*	A*	A*	A*
Washing performance	A	A	A	A	A
Spin drying performance	C	B	B	C	D
Energy consumption (Cotton 60°), kWh	1,02	1,02	1,02	1,02	1,02
Water consumption (Cotton 60°), lt	49	49	49	49	49
Annual energy consumption, (200 cycles) kWh/Year	204	204	204	204	204
Annual water consumption, (200 cycles) kWh/Year	9800	9800	9800	9800	9800
Standard cycle duration (Cotton 60°+drying), min	143	151	151	151	151
TECHNICAL INFORMATION					
Brushless DC™ motor	-	-	-	-	-
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Total power, W	2200	2200	2200	2200	2200
Amperage, A	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●
Water pressure range, N/cm^2	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100
Water connection,	Cold	Cold	Cold	Cold	Cold
Cable length, cm	150	150	150	150	150
Maximumum possible height from floor to water connection, cm	75	75	75	75	75
CE / VDE approval	●	●	●	●	●
DIMENSIONS					
Product dimensions (HxWxD), mm	840x600x500	840x600x500	840x600x500	840x600x500	840x600x500
Packed dimensions (HxWxD), mm	880x650x575	880x650x575	880x650x575	880x650x575	880x650x575
Height with worktop, mm	840	840	840	840	840
Height without worktop, mm	820	820	820	820	820
Unpacked weight, kg	64	65	65	64	63
Packed weight, kg	65	66	66	65	64
COLOUR OPTIONS					
White cabinet - white panel	●	-	●	●	●
A: White cabinet - silver panel	-	●	-	-	-
S: Silver cabinet - black panel	-	-	-	-	-
Z: Piano black cabinet - piano black panel	-	-	-	-	-
C: Chrome door	-	-	-	-	-

* 10% less energy consumption than "A" class

WASHING MACHINE

MODEL CODE	WNF 6221	WNF 6200	WNF 6280	WNF 6100	WNF 6180
Type	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine
MAIN FEATURES					
Load capacity, kg	6	6	6	6	6
Drum volume, lt	50	50	50	50	50
Control type	LED	LED	LED	LED	LED
Maximum spin speed, rpm	1200	1000	800	1000	800
Spin speed options	Variable	Variable	Variable	Variable	Variable
No spin	●	●	●	●	●
Rinse hold	●	●	●	●	●
Time delay	3 / 6 / 9 h	3 / 6 / 9 h	3 / 6 / 9 h	-	-
Remaining time	-	-	-	-	-
Aquaround™ plus	-	-	-	-	-
Aquaround™	-	-	-	-	-
Automatic water adjustment system	●	●	●	●	●
Durable heater	●	●	●	-	-
Drum material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Tank material	Plastic	Plastic	Plastic	Plastic	Plastic
Porthole diameter, cm	30	30	30	30	30
Door opening,°	165	165	165	165	165
Door hinge	Left hand	Left hand	Left hand	Left hand	Left hand
Cold fill	●	●	●	●	●
PROGRAMMES					
Number of programmes	11	11	11	16	16
smarTwash	-	-	-	-	-
Night mode	-	-	-	-	-
Refresh	-	-	-	-	-
Hand wash	●	●	●	●	●
Dark wash	●	●	●	-	-
Bedding	-	-	-	-	-
Wool	●	●	●	●	●
Hygiene	-	-	-	-	-
Lingerie	-	-	-	-	-
Viscose	-	-	-	-	-
Jeans	-	-	-	-	-
Sportswear	●	●	●	-	-
Shirts	●	●	●	-	-
Active 40°	-	-	-	●	●
Mini 14'	●	●	●	-	-
Mini	-	-	-	-	-
Mini 30°	-	-	-	●	●
Super eco 40°	-	-	-	-	-
Intensive	-	-	-	-	-
Delicate	-	-	-	●	●
Cotton	●	●	●	-	-
Rinse	●	●	●	-	-
Spin + Pump	●	●	●	-	-
Spin	-	-	-	-	
Pump	-	-	-	-	
Synthetics	●	●	●	-	-
Cotton eco	●	●	●	-	-
Cotton 90°	-	-	-	●	●
Cotton 60°	-	-	-	●	●
Cotton 40°	-	-	-	●	●
Cotton cold	-	-	-	●	●
Synthetic 60°	-	-	-	●	●
Synthetic 40°	-	-	-	●	●
Synthetic 30°	-	-	-	●	●
Synthetic cold	-	-	-	●	●
Delicate 30°	-	-	-	●	●
Wool 40°	-	-	-	●	●
Wool cold	-	-	-	●	●
FUNCTIONS					
Prewash	●	●	●	●	●
Quick wash	●	●	●	-	-
Extra rinse	-	-	-	●	●
Easy iron	-	-	-	-	-
Soil level	-	-	-	-	-
Rinse hold	-	-	-	●	●
SAFETY					
aquAvoid plus	-	-	-	-	-
aquAvoid	●	-	-	-	-
Child lock	●	●	●	●	●
Door lock	●	●	●	●	●
Warning indicators:					
Child lock	●	●	●	●	●
Tap closed	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A*	A*	A*	A*	A*
Washing performance	A	A	A	A	A
Spin drying performance	B	C	D	C	D
Energy consumption (Cotton 60°), kWh	1,02	1,02	1,02	1,02	1,02
Water consumption (Cotton 60°), lt	49	49	49	49	49
Annual energy consumption, (200 cycles) kWh/Year	204	204	204	204	204
Annual water consumption, (200 cycles) kWh/Year	9800	9800	9800	9800	9800
Standard cycle duration (Cotton 60°+drying), min	151	151	151	145	145
TECHNICAL INFORMATION					
Brushless DC™ motor	-	-	-	-	-
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Total power, W	2200	2200	2200	2200	2200
Amperage, A	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●
Water pressure range, N/cm^2	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100
Water connection,	Cold	Cold	Cold	Cold	Cold
Cable length, cm	150	150	150	150	150
Maximumum possible height from floor to water connection, cm	75	75	75	75	75
CE / VDE approval	●	●	●	●	●
DIMENSIONS					
Product dimensions (HxWxD), mm	840x600x500	840x600x500	840x600x500	840x600x500	840x600x500
Packed dimensions (HxWxD), mm	880x650x575	880x650x575	880x650x575	880x650x575	880x650x575
Height with worktop, mm	840	840	840	840	840
Height without worktop, mm	820	820	820	820	820
Unpacked weight, kg	65	64	63	63	63
Packed weight, kg	66	65	64	64	64
COLOUR OPTIONS					
White cabinet - white panel	●	●	●	●	●
A: White cabinet - silver panel	-	-	-	-	-
S: Silver cabinet - black panel	-	-	-	-	-
Z: Piano black cabinet - piano black panel	-	-	-	-	-
C: Chrome door	-	-	-	-	-

* 10% less energy consumption than "A" class

MODEL CODE	WNF 5441	WNF 5421	WNF 5341	WNF 5321	WNF 5300
Type	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine
MAIN FEATURES					
Load capacity, kg	5	5	5	5	5
Drum volume, lt	44	44	44	44	44
Control type	Mini LCD	Mini LCD	Digital display	Digital display	Digital display
Maximum spin speed, rpm	1400	1200	1400	1200	1000
Spin speed options	Variable	Variable	Variable	Variable	Variable
No spin	●	●	●	●	●
Rinse hold	●	●	●	●	●
Time delay	24 h	24 h	19 h	19 h	19 h
Remaining time	●	●	●	●	●
Aquaround™ plus	-	-	-	-	-
Aquaround™	-	-	-	-	-
Automatic water adjustment system	●	●	●	●	●
Durable heater	-	-	-	-	-
Drum material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Tank material	Plastic	Plastic	Plastic	Plastic	Plastic
Porthole diameter, cm	30	30	30	30	30
Door opening,°	165	165	165	165	165
Door hinge	Left hand	Left hand	Left hand	Left hand	Left hand
Cold fill	●	●	●	●	●
PROGRAMMES					
Number of programmes	12	12	11	11	11
smarTwash	-	-	-	-	-
Night mode	-	-	-	-	-
Refresh	-	-	-	-	-
Hand wash	●	●	●	●	●
Dark wash	●	●	●	●	●
Bedding	-	-	-	-	-
Wool	●	●	●	●	●
Hygiene	●	●	-	-	-
Lingerie	●	●	-	-	-
Viscose	-	-	-	-	-
Jeans	-	-	-	-	-
Sportswear	-	-	●	●	●
Shirts	●	●	●	●	●
Active 40°	-	-	-	-	-
Mini 14'	-	-	●	●	●
Mini	●	●	-	-	-
Mini 30°	-	-	-	-	-
Super eco 40°	-	-	-	-	-
Intensive	●	●	-	-	-
Delicate	-	-	-	-	-
Cotton	●	●	●	●	●
Rinse	●	●	●	●	●
Spin + Pump	●	●	●	●	●
Spin	-	-	-	-	-
Pump	-	-	-	-	-
Synthetics	●	●	●	●	●
Cotton eco	-	-	●	●	●
Cotton 90°	-	-	-	-	-
Cotton 60°	-	-	-	-	-
Cotton 40°	-	-	-	-	-
Cotton cold	-	-	-	-	-
Synthetic 60°	-	-	-	-	-
Synthetic 40°	-	-	-	-	-
Synthetic 30°	-	-	-	-	-
Synthetic cold	-	-	-	-	-
Delicate 30°	-	-	-	-	-
Wool 40°	-	-	-	-	-
Wool cold	-	-	-	-	-
FUNCTIONS					
Prewash	●	●	●	●	●
Quick wash	●	●	●	●	●
Extra rinse	●	●	●	●	●
Easy iron	●	●	-	-	-
Soil level	-	-	-	-	-
Rinse hold	-	-	-	-	-
SAFETY					
aquAvoid plus	-	-	-	-	-
aquAvoid	●	●	●	●	-
Child lock	●	●	●	●	●
Door lock	●	●	●	●	●
Warning indicators:					
Child lock	●	●	●	●	●
Tap closed	●	●	●	●	●
PERFORMANCE					
Energy efficiency class	A*	A*	A*	A*	A*
Washing performance	A	A	A	A	A
Spin drying performance	B	B	B	B	C
Energy consumption (Cotton 60°), kWh	0,85	0,85	0,85	0,85	0,85
Water consumption (Cotton 60°), lt	45	45	47	47	47
Annual energy consumption, (200 cycles) kWh/Year	170	170	170	170	170
Annual water consumption, (200 cycles) kWh/Year	9000	9000	9000	9000	9000
Standard cycle duration (Cotton 60°+drying), min	148	148	151	151	151
TECHNICAL INFORMATION					
Brushless DC™ motor	-	-	-	-	-
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Total power, W	2200	2200	2200	2200	2200
Amperage, A	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●
Water pressure range, N/cm^2	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100
Water connection,	Cold	Cold	Cold	Cold	Cold
Cable length, cm	150	150	150	150	150
Maximumum possible height from floor to water connection, cm	75	75	75	75	75
CE / VDE approval	●	●	●	●	●
DIMENSIONS					
Product dimensions (HxWxD), mm	840x600x450	840x600x450	840x600x450	840x600x450	840x600x450
Packed dimensions (HxWxD), mm	880x650x525	880x650x525	880x650x525	880x650x525	880x650x525
Height with worktop, mm	840	840	840	840	840
Height without worktop, mm	820	820	820	820	820
Unpacked weight, kg	63	63	63	63	60
Packed weight, kg	64	64	64	64	61
COLOUR OPTIONS					
White cabinet - white panel	-	-	●	●	●
A: White cabinet - silver panel	●	●	-	-	-
S: Silver cabinet - black panel	-	-	-	-	-
Z: Piano black cabinet - piano black panel	-	-	-	-	-
C: Chrome door	-	-	-	-	-

* 10% less energy consumption than "A" class

WASHING MACHINE

MODEL CODE	WNF 5380	WNF 5221	WNF 5200	WNF 5280	WNF 5100	WNF 5180
Type	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine
MAIN FEATURES						
Load capacity, kg	5	5	5	5	5	5
Drum volume, lt	44	44	44	44	44	44
Control type	Digital display	LED	LED	LED	LED	LED
Maximum spin speed, rpm	800	1200	1000	800	1000	800
Spin speed options	Variable	Variable	Variable	Variable	Variable	Variable
No spin	●	●	●	●	●	●
Rinse hold	●	●	●	●	●	●
Time delay	19 h	3 / 6 / 9 h	3 / 6 / 9 h	3 / 6 / 9 h	-	-
Remaining time	●	-	-	-	-	-
Aquaround™ plus	-	-	-	-	-	-
Aquaround™	-	-	-	-	-	-
Automatic water adjustment system	●	●	●	●	●	●
Durable heater	-	-	-	-	-	-
Drum material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Tank material	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
Porthole diameter, cm	30	30	30	30	30	30
Door opening,°	165	165	165	165	165	165
Door hinge	Left hand	Left hand	Left hand	Left hand	Left hand	Left hand
Cold fill	●	●	●	●	●	●
PROGRAMMES						
Number of programmes	11	11	11	11	16	16
smarTwash	-	-	-	-	-	-
Night mode	-	-	-	-	-	-
Refresh	-	-	-	-	-	-
Hand wash	●	●	●	●	●	●
Dark wash	●	●	●	●	-	-
Bedding	-	-	-	-	-	-
Wool	●	●	●	●	-	●
Hygiene	-	-	-	-	-	-
Lingerie	-	-	-	-	-	-
Viscose	-	-	-	-	-	-
Jeans	-	-	-	-	-	-
Sportswear	●	●	●	●	-	-
Shirts	●	●	●	●	-	-
Active 40°	-	-	-	-	●	●
Mini 14'	●	●	●	●	-	-
Mini	-	-	-	-	-	-
Mini 30°	-	-	-	-	●	●
Super eco 40°	-	-	-	-	-	-
Intensive	-	-	-	-	-	-
Delicate	-	-	-	-	●	●
Cotton	●	●	●	●	-	-
Rinse	●	●	●	●	-	-
Spin + Pump	●	●	●	●	●	●
Spin	-	-	-	-	-	-
Pump	-	-	-	-	-	-
Synthetics	●	●	●	●	-	-
Cotton eco	●	●	●	●	-	-
Cotton 90°	-	-	-	-	●	●
Cotton 60°	-	-	-	-	●	●
Cotton 40°	-	-	-	-	●	●
Cotton cold	-	-	-	-	●	●
Synthetic 60°	-	-	-	-	●	●
Synthetic 40°	-	-	-	-	●	●
Synthetic 30°	-	-	-	-	●	●
Synthetic cold	-	-	-	-	●	●
Delicate 30°	-	-	-	-	●	●
Wool 40°	-	-	-	-	●	●
Wool cold	-	-	-	-	●	●
FUNCTIONS						
Prewash	●	●	●	●	●	●
Quick wash	●	●	●	●	-	-
Extra rinse	●	-	-	-	●	●
Easy iron	-	-	-	-	-	-
Soil level	-	-	-	-	-	-
Rinse hold	-	-	-	-	●	●
SAFETY						
aquAvoid plus	-	-	-	-	-	-
aquAvoid	-	●	-	-	-	-
Child lock	●	●	●	●	●	●
Door lock	●	●	●	●	●	●
Warning indicators:						
Child lock	●	●	●	●	●	●
Tap closed	●	●	●	●	●	●
PERFORMANCE						
Energy efficiency class	A*	A*	A*	A*	A*	A*
Washing performance	A	A	A	A	A	A
Spin drying performance	D	B	C	D	C	D
Energy consumption (Cotton 60°), kWh	0,85	0,85	0,85	0,85	0,85	0,85
Water consumption (Cotton 60°), lt	47	47	47	47	49	49
Annual energy consumption, (200 cycles) kWh/Year	170	170	170	170	170	170
Annual water consumption, (200 cycles) kWh/Year	9000	9000	9000	9400	9800	9800
Standard cycle duration (Cotton 60°+drying), min	151	151	151	151	145	145
TECHNICAL INFORMATION						
Brushless DC™ motor	-	-	-	-	-	-
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Total power, W	2200	2200	2200	2200	2200	2200
Amperage, A	10	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●	●
Water pressure range, N/cm^2	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100	1 - 100
Water connection,	Cold	Cold	Cold	Cold	Cold	Cold
Cable length, cm	150	150	150	150	150	150
Maximumum possible height from floor to water connection, cm	75	75	75	75	75	75
CE / VDE approval	●	●	●	●	●	●
DIMENSIONS						
Product dimensions (HxWxD), mm	840x600x450	840x600x450	840x600x450	840x600x450	840x600x450	840x600x450
Packed dimensions (HxWxD), mm	880x650x525	880x650x525	880x650x525	880x650x525	880x650x525	880x650x525
Height with worktop, mm	840	840	840	840	840	840
Height without worktop, mm	820	820	820	820	820	820
Unpacked weight, kg	60	63	63	60	60	60
Packed weight, kg	61	64	64	61	61	61
COLOUR OPTIONS						
White cabinet - white panel	●	●	●	●	●	●
A: White cabinet - silver panel	-	-	-	-	-	-
S: Silver cabinet - black panel	-	-	-	-	-	-
Z: Piano black cabinet - piano black panel	-	-	-	-	-	-
C: Chrome door	-	-	-	-	-	-

* 10% less energy consumption than "A" class

TOP LOADERS

MODEL CODE	WT 5330	WAT 1530	WAT 1320	WAT 1300	WAT 1308	WDT 5431	TKT 5353
Type	Top Loader Washing Machine	Top Loader Washing Machine	Top Loader Washing Machine	Top Loader Washing Machine	Top Loader Washing Machine	Top Loader Washer Dryer	Top Loader Condenser Dryer
MAIN FEATURES							
Load capacity, kg	6	5	5	5	5	5	5
Drum volume, lt	50	42	42	42	42	50	82
Control type	Digital display	Mini LCD	Digital display	Digital display	Digital display	Digital display	Digital display
Maximum spin speed, rpm	1300	1300	1200	1000	800	1300	-
Spin speed options	Variable	Variable	Variable	Variable	Variable	Variable	-
No spin	●	●	●	●	●	●	●
Rinse hold	●	●	●	●	●	●	●
Time delay	19 h	24 h	19 h	19 h	19 h	19 h	3 / 6 / 9 h
Remaining time	●	●	●	●	●	●	-
Automatic water adjustment system	●	●	●	●	●	●	-
Stainless steel drum and tank	●	●	●	●	●	●	●
Cold fill	●	●	●	●	●	●	-
Automatic sensor drying	-	-	-	-	-	-	●
Drip dry	-	●	●	●	●	●	-
Bi-directional drum action	-	-	-	-	-	-	●
Auto cool down	●	●	●	●	●	●	●
Auto anti-creasing cycle	-	-	-	-	-	-	●
Automatic variable capacity	●	●	●	●	●	●	-
Supple-open™ for smooth drum opening	●	●	●	●	●	-	-
Comforstop™ for easy unloading	●	●	●	●	●	●	●
Eco control	●	●	●	●	●	●	●
Unclogable draining pump with object trap	-	●	●	●	●	●	-
PROGRAMMES							
Number of programmes	16	Multi	15	15	15	14+2	11
Mini 30'	●	●	●	●	●	●	-
Hand wash	●	●	●	●	●	●	-
Wool	●	●	●	●	●	●	-
Wool 30°	●	-	●	●	●	●	-
Wool 40°	●	-	●	●	●	-	-
Delicate	-	●	●	●	●	-	●
Delicate 30°	●	-	●	●	●	●	-
Delicate 40°	●	-	-	-	-	●	-
Easy care 30°	●	-	●	●	●	●	-
Easy care 40°	●	-	●	●	●	●	-
Easy care 60°	●	-	●	●	●	●	-
Coloured wash	-	●	-	-	-	-	-
Coloured wash 40°	●	-	●	●	●	●	-
Coloured wash eco	●	-	-	-	-	-	-
Coloured wash 60°	●	-	●	●	●	●	-
Coloured wash 90°	-	-	●	●	●	●	-
Coloured wash 95°	●	-	-	-	-	-	-
Rinse	●	●	●	●	●	●	-
Spin	●	●	●	●	●	●	-
Intensive	-	-	-	-	-	-	●
Mix	-	-	-	-	-	-	●
Cotton	-	-	-	-	-	-	●
Ready to wear (cotton)	-	-	-	-	-	-	●
Extra dry (cotton)	-	-	-	-	-	-	●
Wool refresh	-	-	-	-	-	-	●
Refresh	-	-	-	-	-	-	●
Normal drying	-	-	-	-	-	●	-
Low drying	-	-	-	-	-	●	-
Timed programme	-	-	-	-	-	-	20-40-60 min
FUNCTIONS							
Prewash	●	●	●	●	●	●	-
Extra rinse	●	●	●	●	●	●	-
Easy iron	●	●	●	●	●	●	-
Intensive	●	●	-	-	-	●	-
SAFETY							
aquAvoid	●	●	●	●	●	●	-
Child lock	-	●	-	-	-	-	-
Overflow safety	●	●	●	●	●	●	-
Foam detection	●	●	●	●	●	●	-
End of cycle buzzer	-	-	-	-	-	-	●
Warning indicators:							
Watertank full	-	-	-	-	-	-	●
Clean filter	-	-	-	-	-	-	●
PERFORMANCE							
Energy efficiency class	A	A	A	A	A	B	C
Washing performance	A	A	A	A	A	A	-
Spin drying performance	B	B	B	C	C	B	-
Energy consumption, kWh	1,02	0,95	0,95	0,95	0,95	4,86 / 1,14	3,2
Water consumption, lt	48	48	48	48	48	99 / 54	-
Annual energy consumption, (200 cycles) kWh/Year	20400	19000	19000	19000	19000	-	-
Annual water consumption, (200 cycles) kWh/Year	9600	9600	9600	9600	9600	-	65000
Standard cycle duration (Cotton 60°+drying), min	-	-	-	-	-	-	72
Noise level washing, dBA	69	59	59	59	56	73	67
Noise level spinning, dBA	76	80	80	78	76	80	-
TECHNICAL INFORMATION							
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Total power, W	2200	2250	2250	2250	2250	2200	2200
Amperage, A	10	10	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●	●	-
Water pressure range, N/cm^2	10 - 100	10 - 100	10 - 100	10 - 100	10 - 100	10 - 100	-
Cable length, m	1,35	1,35	1,35	1,35	1,35	1,35	1,35
Maximumum possible height from floor to water connection, m	0,80-1,1	0,65-0,90	0,65-0,90	0,65-0,90	0,65-0,90	0,80-1,1	-
CE approval	●	●	●	●	●	●	●
DIMENSIONS							
Product dimensions (HxWxD), mm	850x450x600	850x400x600	850x400x600	850x400x600	850x400x600	850x450x600	850x450x600
Packed dimensions (HxWxD), mm	1000x550x725	970x480x700	970x480x700	970x480x700	970x480x700	1000x550x725	980x520x680
Unpacked weight, kg	73	57	57	53	53	70	37
Packed weight, kg	80	59	59	55	55	77	39
COLOUR OPTIONS							
White	●	●	●	●	●	●	●

DRYERS

MODEL CODE	TKF 7459	TKF 7449	TKF 8439	TKF 8239	TAF 7239
Type	Heat Pump Dryer	Heat Pump Dryer	Condenser Dryer	Condenser Dryer	Air-Vented Dryer
MAIN FEATURES					
Load capacity, kg	7	7	8	8	7
Drum volume, lt	120	120	118	118	102
Control type	Mini LCD	Mini LCD	Mini LCD	LED	LED
Time delay	1-24 h	1-24 h	1-24 h	3 / 6 / 9 h	3 / 6 / 9 h
Remaining time	●	●	●	-	-
Stainless steel drum and tank	●	●	●	●	●
Interior drum light	●	●	●	●	●
Bi-directional drum action	●	●	●	●	●
Automatic sensor drying	●	●	●	●	●
Auto cool-down	●	●	●	●	●
Auto anti-creasing cycle	●	●	●	●	●
Mains drain option	●	●	●	●	-
3-level drying	●	●	●	-	-
Vent hose	-	-	-	-	●
Porthole diameter (HxW), cm	35x34	35x34	39,5x32	39,5x32	39,5x32
Door type	Rectangular	Rectangular	Ellipse	Ellipse	Ellipse
Door opening,°	150	150	150	150	150
Door hinge	Left hand	Left hand	Left hand	Left hand	Left hand
PROGRAMMES					
Number of programmes	16	16	16	16	16
Wool drying	●	-	-	-	-
Silk drying	●	-	-	-	-
Wool refresh	-	●	●	-	-
Silk refresh	-	●	-	-	-
Refresh	●	●	●	●	●
Lingerie	●	●	●	-	-
Viscose	●	●	●	-	-
Jeans	●	●	●	●	●
Sportswear	●	●	●	-	-
Shirts	●	●	●	●	●
Shirts 15'	-	-	●	-	-
Shirts 30'	●	●	-	-	-
Mini 30'	-	-	-	-	●
Mini 35'	-	-	●	-	-
Mini 45'	-	-	-	●	-
Delicate	-	-	-	●	●
Mix	●	●	●	●	●
Ready to iron (cotton)	●	●	●	●	●
Ready to wear+ (cotton)	-	-	-	●	●
Ready to wear (cotton)	●	●	●	●	●
Extra dry (cotton)	●	●	●	●	●
Ready to iron (synthetic)	●	●	●	●	●
Ready to wear (synthetic)	●	●	●	●	●
Timed programme	●	●	●	10-20-40-60 min	10-20-40-60 min
SAFETY					
Child lock	●	●	●	●	●
End of cycle buzzer	●	●	●	●	●
Warning indicators:					
Child lock	●	●	●	-	-
Clean filter	●	●	●	●	●
Water-tank full	●	●	●	●	-
PERFORMANCE					
Energy efficiency class	A*	A*	B	B	C
Energy consumption, kWh	2,25	2,35	4,49	4.49	3,95
Standard cycle duration (cotton, 1000 rpm, 60% moisture), min	140	145	125	125	122
TECHNICAL INFORMATION					
Supply voltage, V/Hz	220-240 / 50	220-240 / 50	220-230 / 50	220-230 / 50	220-230 / 50
Total maximum power, W	1300	1300	2700	2700	2200
Amperage, A	5,5	5,5	12	12	10
Cable length, m	1,5	1,5	1,5	1,5	1,5
Maximum possible hose length, cm	-	-	-	-	200
CE / VDE approval	●	●	●	●	●
DIMENSIONS					
Product dimensions (HxWxD), mm	850x595x593	850x595x593	846x595x598	846x595x598	843x595x530
Packed dimensions (HxWxD), mm	900x650x690	900x650x690	880x650x660	880x650x660	890x665x585
Height with worktop, mm	850	850	846	846	843
Height without worktop, mm	820	820	819	819	816
Unpacked weight, kg	61	58	40	40	32
Packed weight, kg	64	61	43	43	34
COLOUR OPTIONS					
White cabinet - white panel	-	-	-	●	●
A: White cabinet - silver panel	●	●	●	-	-
S: Silver cabinet - black panel	●	●	●	-	-
Z: Piano black cabinet - piano black panel	●	-	-	-	-

* 30% less energy consumption than "A" class

DISHWASHERS

MODEL CODE	smarTouch™	GSN 9585	GSN 9582	GSN 9580	GSN 9581
Type	60 cm Electronic Dishwasher	60 cm Electronic Dishwasher	60 cm Electronic Dishwasher	60 cm Electronic Dishwasher	60 cm Electronic Dishwasher
MAIN FEATURES					
Place settings	12	15	12	12	12
Control type	Touch control LCD	Logitronic LCD	Logitronic LCD	Logitronic LCD	Logitronic LCD
Sensor management	●	●	●	●	●
Time delay	-	18 h	18 h	18 h	18 h
Remaining time	●	●	●	●	●
Programme follower	●	●	●	●	●
Drying system	Turbo fan	Turbo fan	Turbo fan	Turbo fan	Turbo fan
Salt and rinse aid indicators	●	●	●	●	●
Auto half load	●	●	●	●	●
Automatic water softener	●	-	-	-	-
PROGRAMMES					
Number of programmes	Auto	10	10	10	10
Prewash	-	●	●	●	●
Super mini 20'	-	●	●	●	●
Mini 30' 35°	-	●	●	●	●
Delicate 40°	-	●	●	●	●
Eco 50°	-	●	●	●	●
A express 55'	-	●	-	-	-
A express 58'	-	-	●	●	●
Intensive 70°	-	●	●	●	●
Hygiene+ 70°	-	●	●	●	●
Auto 40-65°	-	●	●	●	●
Auto 55-65°	-	-	-	-	-
Mix wash™	-	●	●	●	●
SPECIAL FUNCTIONS					
Night	-	●	●	●	●
Fast	-	●	●	●	●
Crystal dry	-	●	●	●	●
ALLin1	-	●	●	●	●
Half load	-	-	-	-	-
Time delay	-	●	●	●	●
INTERIOR DESIGN					
Inner illumunation with door opening	-	-	-	-	-
smartRACK, loaded adjustable upper basket	●	●	●	●	●
Unloaded adjustable upper basket	-	-	-	-	-
Removable 3rd basket	-	●	-	●	-
Height adjustable shelves for mugs	●	●	●	●	●
Upper rack shelves for mugs	-	-	-	-	-
Glass holder	●	●	●	●	-
Knife rack	●	-	-	-	●
Foldable plate supports in the lower basket	●	●	●	●	●
Bottle holder	●	●	●	●	●
Multi purpose tray	●	-	-	-	-
Cuttery basket	3 way split	Standard	Standard	Sliding	3 way split
Metal filter	●	●	●	●	●
SAFETY					
aquAvoid™ plus	●	●	●	●	●
aquAvoid™	-	-	-	-	-
DMFS double motion float system	●	●	●	●	●
Antibacterial seal	●	●	●	●	●
Key lock	●	●	●	●	●
Warning indicators:					
Tap closed	●	●	●	●	●
Door open	●	●	●	●	●
Water leakage	●	●	●	●	●
Filter blocked	●	-	-	-	-
PERFORMANCE					
Energy efficiency class	A	A*	A	A	A
Cleaning performance	A	A	A	A	A
Drying performance	A	A	A	A	A
Water consumption, lt	10	12	7	9	9
Energy consumption, kWh	1,05	0,97	1,05	1,05	1,05
Annual energy consumption, (220 cycles) kWh/year	231	213	231	231	231
Annual water consumption, (220 cycles) kWh/year	2200	2640	1980	1980	1980
Noise level, dBA	42	42	39	39	42
TECHNICAL INFORMATION					
Brushless DC™ motor	●	●	●	●	●
Supply voltage, V/Hz	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50
Total power, W	2200	2200	2200	2200	2200
Amperage, A	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●
Water pressure range, N/cm²	3 to 100	3 to 100	3 to 100	3 to 100	3 to 100
Warm water connection, °C	60	60	60	60	60
Cable length, m	1,8	1,8	1,8	1,8	1,8
Maximumum possible height from floor to water connection, cm	110	110	110	110	110
Maximum possible hose length, cm	180	180	180	180	180
Maximum accepted water hardness	60	60	60	60	60
Maximum temperature for water intake, °C	60	60	60	60	60
CE / VDE approval	●	●	●	●	●
DIMENSIONS					
Product dimensions (HxWxD), mm	850x600x570	850x600x570	850x600x570	850x600x570	850x600x570
Packed dimensions (HxWxD), mm	889x644x661	889x644x661	889x644x661	889x644x661	889x644x661
Height without worktop, cm	82	82	82	82	82
Feet adjustable by, mm	150	150	150	150	150
Unpacked weight, kg	55	56	57	57	57
Packed weight, kg	58	59	60	60	60
COLOUR OPTIONS					
White door - white inlay	-	-	-	-	-
White door - black control panel	●	-	-	-	-
A: White door - aluminum inlay	-	●	●	●	●
X: Fingerprint free stainless steel door - black control panel	●	-	-	-	-
X: Fingerprint free stainless steel door - fingerprint free stainless steel inlay	-	-	-	-	-
XB: Fingerprint free stainless steel door - black inlay	-	●	-	●	-
E: Full fingerprint free stainless steel door	-	-	-	-	-
Black mirror with aluminum frame and handle	-	-	-	-	-

* 10% less energy consumption than "A" class

DISHWASHERS

MODEL CODE	GSN 9485	GSN 9475	GSN 9430	GSN 9420	MGTN 9225
Type	60 cm Electronic Dishwasher	60 cm Electronic Dishwasher	60 cm Electronic Dishwasher	60 cm Electronic Dishwasher	60 cm Electronic Dishwasher
MAIN FEATURES					
Place settings	15	15	12	12	15
Control type	LCD	LCD	LCD	LCD	LED
Sensor management	-	-	-	-	-
Time delay	24 h	24 h	24 h	24 h	-
Remaining time	●	●	●	●	-
Programme follower	●	●	●	●	●
Drying system	Turbo fan	Turbo fan	Condensation	Condensation	Condensation
Salt and rinse aid indicators	●	●	●	●	●
Auto half load	-	-	-	-	-
Automatic water softener	-	-	-	-	-
PROGRAMMES					
Number of programmes	9	7	6	5	5
Prewash	●	●	-	-	●
Super mini 20'	●	-	●	●	-
Mini 30' 35°	●	●	●	●	●
Delicate 40°	●	●	●	-	-
Eco 50°	●	●	●	●	●
A express 55'	-	-	-	-	-
A express 58'	●	●	●	●	●
Intensive 70°	●	●	●	●	●
Hygiene® 70°	●	-	-	-	-
Auto 40-65°	●	●	-	-	-
Auto 55-65°	-	-	-	-	-
Mix wash™	-	-	-	-	-
SPECIAL FUNCTIONS					
Night	-	-	-	-	-
Fast	-	-	-	-	-
Crystal dry	●	●	-	-	-
ALLin1	●	●	●	●	-
Half load	●	●	●	●	●
Time delay	●	●	●	●	-
INTERIOR DESIGN					
Inner illumunation with door opening	-	-	-	-	●
smartRACK, loaded adjustable upper basket	●	●	●	●	●
Unloaded adjustable upper basket	-	-	-	-	-
Removable 3rd basket	-	-	-	-	-
Height adjustable shelves for mugs	●	●	●	●	●
Upper rack shelves for mugs	-	-	-	-	-
Glass holder	●	●	-	-	●
Knife rack	●	●	-	-	●
Foldable plate supports in the lower basket	●	●	●	●	●
Bottle holder	●	●	●	-	●
Multi purpose tray	●	●	-	-	●
Cutlery basket	Standard	Standard	3 way split	3 way split	3 way split
Metal filter	●	●	●	●	●
SAFETY					
aquAvoid™ plus	●	●	●	-	●
aquAvoid™	-	-	-	●	-
DMFS double motion float system	●	●	●	●	●
Antibacterial seal	●	●	●	●	●
Key lock	●	●	●	●	-
Warning indicators:					
Tap closed	-	-	-	-	-
Door open	-	-	-	-	-
Water leakage	-	-	-	-	-
Filter blocked	-	-	-	-	-
PERFORMANCE					
Energy efficiency class	A	A	A	A	A
Cleaning performance	A	A	A	A	A
Drying performance	A	A	A	A	A
Water consumption, lt	14	14	13	13	16
Energy consumption, kWh	1,10	1,10	1,05	1,05	1,1
Annual energy consumption, (220 cycles) kWh/year	242	242	231	231	242
Annual water consumption, (220 cycles) kWh/year	3080	3080	2860	2860	3520
Noise level, dBA	45	45	47	49	49
TECHNICAL INFORMATION					
Brushless DC™ motor	-	-	-	-	-
Supply voltage, V/Hz	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50
Total power, W	2200	2200	2200	2200	2200
Amperage, A	10	10	10	10	10
Water supply connection 3/4"	●	●	●	●	●
Water pressure range, N/cm^2	3 to 100	3 to 100	3 to 100	3 to 100	3 to 100
Warm water connection, °C	60	60	60	60	60
Cable length, m	1,8	1.8	1.8	1.8	1.8
Maximumum possible height from floor to water connection, cm	110	110	110	110	110
Maximum possible hose length, cm	180	180	180	180	180
Maximum accepted water hardness	60	60	60	60	60
Maximum temperature for water intake, °C	60	60	60	25	60
CE / VDE approval	●	●	●	●	●
DIMENSIONS					
Product dimensions (HxWxD), mm	850x600x570	850x600x570	850x600x570	850x600x570	850x600x570
Packed dimensions (HxWxD), mm	889x644x661	889x644x661	889x644x661	889x644x661	889x644x661
Height without worktop, cm	82	82	82	82	82
Feet adjustable by, mm	150	150	150	150	150
Unpacked weight, kg	56	56	50	50	52
Packed weight, kg	59	59	53	53	55
COLOUR OPTIONS					
White door - white inlay	-	-	-	-	-
White door - black control panel	-	-	-	-	-
A: White door - aluminum inlay	●	●	●	●	-
X: Fingerprint free stainless steel door - black control panel	-	-	-	-	-
X: Fingerprint free stainless steel door - fingerprint free stainless steel inlay	-	-	-	-	-
XB: Fingerprint free stainless steel door - black inlay	●	●	-	-	-
E: Full fingerprint free stainless steel door	-	-	-	-	-
Black mirror with aluminum frame and handle	-	-	-	-	●

MODEL CODE	GTN 9380	GTN 9220	GSN 9220 SP	GSN 9120
Type	60 cm Electronic Dishwasher	60 cm Electronic Dishwasher	60 cm Electronic Dishwasher	60 cm Electronic Dishwasher
MAIN FEATURES				
Place settings	12	12	12	12
Control type	Digital display	LED	LED	Knob
Sensor management	-	-	-	-
Time delay	24 h	-	-	3 / 6 / 9 h
Remaining time	-	-	-	-
Programme follower	-	●	●	●
Drying system	Turbo fan	Condensation	Condensation	Condensation
Salt and rinse aid indicators	●	●	●	●
Auto half load	-	-	-	-
Automatic water softener	-	-	-	-
PROGRAMMES				
Number of programmes	8	5	5	5
Prewash	●	●	●	●
Super mini 20'	-	-	-	-
Mini 30' 35°	●	●	●	●
Delicate 40°	●	-	-	-
Eco 50°	●	●	●	●
A express 55'	-	-	-	-
A express 58'	●	●	●	●
Intensive 70°	●	●	●	●
Hygiene® 70°	●	-	-	-
Auto 40-65°	●	-	-	-
Auto 55-65°	-	-	-	-
Mix wash™	-	-	-	-
SPECIAL FUNCTIONS				
Night	-	-	-	-
Fast	-	-	-	-
Crystal dry	-	-	-	-
ALLin1	-	-	-	-
Half load	●	●	●	●
Time delay	●	-	-	●
INTERIOR DESIGN				
Inner illumunation with door opening	-	●	-	-
smartRACK, loaded adjustable upper basket	●	●	●	-
Unloaded adjustable upper basket	-	-	-	●
Removable 3rd basket	-	-	-	-
Height adjustable shelves for mugs	●	●	●	●
Upper rack shelves for mugs	-	-	-	-
Glass holder	●	●	●	-
Knife rack	●	●	-	-
Foldable plate supports in the lower basket	●	●	●	●
Bottle holder	●	●	●	-
Multi purpose tray	●	●	●	-
Cutlery basket	3 way split	3 way split	3 way split	-
Metal filter	●	●	●	●
SAFETY				
aquAvoid™ plus	●	●	●	●
aquAvoid™	-	-	-	-
DMFS double motion float system	●	●	●	●
Antibacterial seal	●	●	●	●
Key lock	-	-	-	-
Warning indicators:				
Tap closed	-	-	-	-
Door open	-	-	-	-
Water leakage	-	-	-	-
Filter blocked	-	-	-	-
PERFORMANCE				
Energy efficiency class	A	A	A	A
Cleaning performance	A	A	A	A
Drying performance	A	A	A	A
Water consumption, lt	13	15	15	15
Energy consumption, kWh	1,05	1,05	1,05	1,05
Annual energy consumption, (220 cycles) kWh/year	231	231	231	231
Annual water consumption, (220 cycles) kWh/year	2860	3300	3300	3300
Noise level, dBA	47	49	47	47
TECHNICAL INFORMATION				
Brushless DC™ motor	-	-	-	-
Supply voltage, V/Hz	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50
Total power, W	2200	2200	2200	2200
Amperage, A	10	10	10	10
Water supply connection 3/4"	●	●	●	●
Water pressure range, N/cm^2	3 to 100	3 to 100	3 to 100	3 to 100
Warm water connection, °C	60	60	60	60
Cable length, m	1.8	1,8	1,8	1,8
Maximumum possible height from floor to water connection, cm	110	110	110	110
Maximum possible hose length, cm	180	180	180	180
Maximum accepted water hardness	60	60	60	60
Maximum temperature for water intake, °C	60	60	60	60
CE / VDE approval	●	●	●	●
DIMENSIONS				
Product dimensions (HxWxD), mm	850x600x570	850x600x570	850x600x570	850x600x570
Packed dimensions (HxWxD), mm	889x644x661	889x644x661	889x644x661	889x644x661
Height without worktop, cm	82	82	82	82
Feet adjustable by, mm	150	150	150	150
Unpacked weight, kg	50	52	50	47
Packed weight, kg	53	55	53	50
COLOUR OPTIONS				
White door - white inlay	-	-	●	●
White door - black control panel	-	-	-	-
A: White door - aluminum inlay	-	-	-	-
X: Fingerprint free stainless steel door - black control panel	-	-	●	-
X: Fingerprint free stainless steel door - fingerprint free stainless steel inlay	-	-	-	-
XB: Fingerprint free stainless steel door - black inlay	-	-	-	-
E: Full fingerprint free stainless steel door	●	●	-	-
Black mirror with aluminum frame and handle	-	-	-	-

DISHWASHERS

MODEL CODE	GSN 9121	GSS 9480	GSS 9470	GSS 9220
Type	60 cm Electronic Dishwasher	45 cm Electronic Dishwasher	45 cm Electronic Dishwasher	45 cm Electronic Dishwasher
MAIN FEATURES				
Place settings	12	10	10	10
Control type	Knob	LCD	LCD	LED
Sensor management	-	-	-	-
Time delay	3 / 6 / 9 h	24 h	24 h	-
Remaining time	-	●	●	-
Programme follower	●	●	●	●
Drying system	Condensation	Condensation	Condensation	Condensation
Salt and rinse aid indicators	●	●	●	●
Auto half load	-	-	-	-
Automatic water softener	-	-	-	-
PROGRAMMES				
Number of programmes	5	9	7	5
Prewash	●	●	●	●
Super mini 20'	-	●	-	-
Mini 30' 35°	●	●	●	●
Delicate 40°	-	●	●	-
Eco 50°	●	●	●	●
A express 55'	-	-	-	-
A express 58'	●	●	●	●
Intensive 70°	●	●	●	●
Hygiene* 70°	-	●	-	-
Auto 40-65°	-	-	-	-
Auto 55-65°	-	●	●	-
Mix wash™	-	-	-	-
SPECIAL FUNCTIONS				
Night	-	-	-	-
Fast	-	-	-	-
Crystal dry	-	-	-	-
ALLin1	-	●	●	-
Half load	●	●	●	●
Time delay	●	●	●	-
INTERIOR DESIGN				
Inner illumunation with door opening	-	-	-	-
smartRACK, loaded adjustable upper basket	-	-	-	-
Unloaded adjustable upper basket	●	●	●	●
Removable 3rd basket	-	-	-	-
Height adjustable shelves for mugs	●	-	-	-
Upper rack shelves for mugs	-	●	●	●
Glass holder	-	-	-	-
Knife rack	-	-	-	-
Foldable plate supports in the lower basket	-	●	●	●
Bottle holder	-	-	-	-
Multi purpose tray	-	-	-	-
Cutlery basket	-	-	-	-
Metal filter	●	●	●	●
SAFETY				
aquAvoid™ plus	-	●	●	●
aquAvoid™	●	-	-	-
DMFS double motion float system	●	●	●	●
Antibacterial seal	●	●	●	●
Key lock	-	●	●	●
Warning indicators:				
Tap closed	-	-	-	-
Door open	-	-	-	-
Water leakage	-	-	-	-
Filter blocked	-	-	-	-
PERFORMANCE				
Energy efficiency class	A	A	A	A
Cleaning performance	A	A	A	A
Drying performance	A	A	A	A
Water consumption, lt	15	12	12	12
Energy consumption, kWh	1,05	1,01	1,01	1,01
Annual energy consumption, (220 cycles) kWh/year	231	222	222	222
Annual water consumption, (220 cycles) kWh/year	3300	2640	2640	2640
Noise level, dBA	49	47	47	49
TECHNICAL INFORMATION				
Brushless DC™ motor	-	-	-	-
Supply voltage, V/Hz	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50
Total power, W	2200	2200	2200	2200
Amperage, A	10	10	10	10
Water supply connection 3/4"	●	●	●	●
Water pressure range, N/cm^2	3 to 100	3 to 100	3 to 100	3 to 100
Warm water connection, °C	60	60	60	60
Cable length, m	1,8	1,8	1,8	1,8
Maximumum possible height from floor to water connection, cm	110	110	110	110
Maximum possible hose length, cm	180	180	180	180
Maximum accepted water hardness	60	60	60	60
Maximum temperature for water intake, °C	25	60	60	60
CE / VDE approval	●	●	●	●
DIMENSIONS				
Product dimensions (HxWxD), mm	850x600x570	850x450x570	850x450x570	850x450x570
Packed dimensions (HxWxD), mm	889x644x661	889x494x661	889x494x661	889x494x661
Height without worktop, cm	82	82	82	82
Feet adjustable by, mm	150	150	150	150
Unpacked weight, kg	47	44.5	44,5	44,5
Packed weight, kg	50	47	47	47
COLOUR OPTIONS				
White door - white inlay	●	-	-	●
White door - black control panel	-	-	-	-
A: White door - aluminum inlay	-	-	-	-
X: Fingerprint free stainless steel door - black control panel	-	-	-	-
X: Fingerprint free stainless steel door - fingerprint free stainless steel inlay	-	●	●	●
XB: Fingerprint free stainless steel door - black inlay	-	-	-	-
E: Full fingerprint free stainless steel door	-	-	-	●
Black mirror with aluminum frame and handle	-	-	-	-

COOKERS

MODEL CODE	BGG 15120 S	HKN 1435	HKN 81420	HKN 81120	HMN 81020
Type	90 cm Gas Cooker	60 cm Multifunction Cooker	60 cm Multifunction Cooker	60 cm Multifunction Cooker	60 cm Multifunction Cooker
OVEN					
Cavity volume, lt	90	55	58	58	58
Control type	Ringer timer	Digital timer	Digital timer	Minute minder	Mechanic
Door closed grill	-	●	●	●	●
Full width glass inner door	●	●	-	●	●
Triple glazed door	-	●	●	●	●
Interior lighting	●	●	●	●	●
Cavity enamel type	Black	Easy Clean grey	Black	Black	Black
Catalytic back wall	-	●	-	-	-
Catalytic side walls	-	●	-	-	-
Side racks	●	●	-	-	-
Glass top lid	●	-	-	-	-
Easy glide storage drawer	-	●	●	●	●
COOKING FUNCTIONS					
Number of cooking functions	-	8	7	7	7
Bottom heater	-	●	-	-	-
Low grill	-	-	-	-	-
Defrost	-	●	●	●	●
Conventional	-	●	●	●	●
Grill	-	●	●	●	●
Bottom heater+fan	-	-	●	●	●
Top heater+fan	-	-	●	●	●
Low grill+fan	-	●	-	-	-
Grill+fan	-	-	●	●	●
Conventional+fan	-	●	●	●	●
Fan cooking	-	●	-	-	-
3D	-	●	-	-	-
ACCESSORIES					
Standard cooking tray	●	●	●	●	●
Deep cooking tray	-	●	●	●	●
Telescopic wire shelf	-	●	-	-	-
Wire shelf	●	-	●	●	●
Turnspit	●	●	-	-	-
HOB					
Number and type of zones	5 gas burners	4 vitroceramic zones	4 vitroceramic zones	4 vitroceramic zones	4 hot plates
Front left, mm-W	Semi rapid burner - 2000	Ø 120 / 210 – 750 / 2200 (duo)	Ø 180 – 1700	Ø 180 – 1700	Ø 145 – 1000
Rear left, mm-W	Semi rapid burner - 2000	Ø 140 – 1200	Ø 140 – 1200	Ø 140 – 1200	Ø 180 – 1500
Front right, mm-W	Economy burner - 1000	Ø 180 – 1800	Ø 140 – 1200	Ø 140 – 1200	Ø 180 – 2000 (rapid)
Rear right, mm-W	Rapid burner - 2900	Ø 170 / 265 – 1500 / 2400 (extended)	Ø 180 – 1700	Ø 180 – 1700	Ø 145 – 1000
Center, mm-W	Wok burner - 3600	-	-	-	-
Burner caps	Cast iron	-	-	-	-
Pan supprts	Cast iron	-	-	-	-
Electronic ignition integrated into the knobs	●	-	-	-	-
Push button ignition for burners	-	-	-	-	-
Flame failure cut-out device	●	-	-	-	-
PERFORMANCE					
Energy efficiency class	-	A	A	A	A
Total power, W	19500	10300	8300	8300	8000
Energy consumption:					
Conventional, kWh	-	0,88	0,88	0,88	0,88
Fan heating, kWh	-	0,79	0,79	0,79	0,79
TECHNICAL INFORMATION					
Supply voltage, V/Hz	230 / 50	230 / 50	220-230 / 50	220-230 / 50	220-230 / 50 - 380-400 / 50
Amperage, A	50	41	10	10	10
Gas power, W	19500	-	-	-	-
Electric power, W	-	10300	8300	8300	8000
CE / VDE approved	●	●	●	●	●
DIMENSIONS					
Product dimensions (HxWxD), mm	850x900x600	850x600x600	850x600x600	850x600x600	850x500x600
Packed dimensions (HxWxD), mm	870x960x700	965x660x700	965x660x700	965x660x700	965x560x700
Adjustable feet	-	●	●	●	●
Unpacked weight, kg	62,3	58	53	53,75	54,75
Packed weight, kg	69,4	65	58,3	58,6	57,9
COLOUR OPTIONS					
White cabinet - white inlay	●	-	●	●	●
A: White cabinet - silver inlay	-	●	-	-	-
X: Stainless steel cabinet - black inlay	●	●	-	-	-
E: Stainless steel cabinet - stainless steel inlay	-	-	●	-	●

COOKERS

MODEL CODE	HGN 1435	HGN 81420	HGN 81120	GGN 81100	GGN 81000
Type	60 cm Multifunction Cooker	60 cm Multifunction Cooker	60 cm Multifunction Cooker	60 cm Gas Cooker	60 cm Gas Cooker
OVEN					
Cavity volume, lt	55	58	58	54	55
Control type	Digital timer	Diigital timer	Ringer timer	Ringer timer	-
Door closed grill	●	●	●	Gas grill	-
Full width glass inner door	●	●	●	●	●
Triple glazed door	●	-	-	-	-
Interior lighting	●	●	●	●	●
Cavity enamel type	Easy Clean grey	Black	Black	Black	Black
Catalytic back wall	●	-	-	-	-
Catalytic side walls	●	-	-	-	-
Side racks	●	-	-	-	-
Glass top lid	●	●	●	●	●
Easy glide storage drawer	●	●	●	●	●
COOKING FUNCTIONS					
Number of cooking functions	8	7	7	-	-
Bottom heater	●	-	-	-	-
Low grill	-	-	-	-	-
Defrost	●	●	●	-	-
Conventional	●	●	●	-	-
Grill	●	●	●	●	-
Bottom heater+fan	-	●	●	-	-
Top heater+fan	-	●	●	-	-
Low grill+fan	●	-	-	-	-
Grill+fan	-	●	●	-	-
Conventional+fan	●	●	●	-	-
Fan cooking	●	-	-	-	-
3D	●	-	-	-	-
ACCESSORIES					
Standard cooking tray	-	●	●	●	●
Deep cooking tray	●	●	●	●	-
Telescopic wire shelf	-	-	-	-	-
Wire shelf	●	●	●	●	●
Turnspit	-	-	-	-	-
HOB					
Number and type of zones	4 gas burners	4 gas burners	4 gas burners	4 gas burners	4 gas burners
Front left, mm-W	Semi rapid burner - 2000	Semi rapid burner - 2000	Semi rapid burner - 2000	Semi rapid burner - 2000	Semi rapid burner - 2000
Rear left, mm-W	Semi rapid burner - 2000	Semi rapid burner - 2000	Semi rapid burner - 2000	Semi rapid burner - 2000	Semi rapid burner - 2000
Front right, mm-W	Rapid burner - 2900	Rapid burner - 2900	Rapid burner - 2900	Rapid burner - 2900	Rapid burner - 2900
Rear right, mm-W	Economy burner - 1000	Economy burner - 1000	Economy burner - 1000	Economy burner - 1000	Economy burner - 1000
Center, mm-W	-	-	-	-	-
Burner caps	Enamel	Enamel	Enamel	Enamel	Enamel
Pan supprts	Enamel	Enamel	Enamel	Enamel	Enamel
Electronic ignition integrated into the knobs	●	●	-	-	-
Push button ignition for burners	-	-	●	●	●
Flame failure cut-out device	●	●	-	-	-
PERFORMANCE					
Energy efficiency class	A	A	A	-	-
Total power, W	-	10600	10400	10900	10400
Energy consumption:					
Conventional, kWh	0,88	0,88	0,88	-	-
Fan heating, kWh	0,79	0,79	0,79	-	-
TECHNICAL INFORMATION					
Supply voltage, V/Hz	220-230 / 50	220-230 / 50	220-230 / 50	220-230 / 50	220-230 / 50
Amperage, A	12,2	10	10	10	10
Gas power, W	7900	7900	7900	10900	10400
Electric power, W	2500	2500	2500	-	-
CE / VDE approved	●	●	●	●	●
DIMENSIONS					
Product dimensions (HxWxD), mm	850x600x600	850x600x600	850x600x600	850x600x600	850x600x600
Packed dimensions (HxWxD), mm	965x660x700	965x660x700	965x660x700	965x660x700	965x660x700
Adjustable feet	●	●	●	●	●
Unpacked weight, kg	63	56,2	56	53,4	50,1
Packed weight, kg	68	61,5	61,3	58,7	55,4
COLOUR OPTIONS					
White cabinet - white inlay	●	●	●	●	●
A: White cabinet - silver inlay	-	-	-	-	-
X: Stainless steel cabinet - black inlay	●	-	-	-	-
E: Stainless steel cabinet - stainless steel inlay	-	●	-	●	-

MODEL CODE	HKS 81420	HKS 81120	HMS 81120	HGS 81120	GGS 81100	GGS 81000
Type	50 cm Multifunction Cooker	50 cm Multifunction Cooker	50 cm Multifunction Cooker	50 cm Multifunction Cooker	50 cm Gas Cooker	50 cm Gas Cooker
OVEN						
Cavity volume, lt	47	47	50	49	46	55
Control type	Digital timer	Minute minder	Minute minder	Minute minder	Ringer timer	-
Door closed grill	●	●	●	-	Gas grill	Gas grill
Full width glass inner door	●	●	●	●	●	●
Triple glazed door	-	●	-	●	-	-
Interior lighting	●	●	●	●	●	●
Cavity enamel type	Black	Black	Black	Black	Black	Black
Catalytic back wall	-	-	-	-	-	-
Catalytic side walls	-	-	-	-	-	-
Side racks	-	-	-	-	-	-
Glass top lid	-	-	-	●	●	●
Easy glide storage drawer	●	●	●	●	●	●
COOKING FUNCTIONS						
Number of cooking functions	7	7	7	7	-	-
Bottom heater	-	-	-	-	-	-
Low grill	-	-	-	-	-	-
Defrost	●	●	●	●	-	-
Conventional	●	●	●	●	-	-
Grill	●	●	●	●	●	●
Bottom heater+fan	●	●	●	●	-	-
Top heater+fan	●	●	●	●	-	-
Low grill+fan	-	-	-	-	-	-
Grill+fan	●	●	●	●	-	-
Conventional+fan	●	●	●	●	-	-
Fan cooking	-	-	-	-	-	-
3D	-	-	-	-	-	-
ACCESSORIES						
Standard cooking tray	●	●	●	●	●	●
Deep cooking tray	●	●	●	●	●	-
Telescopic wire shelf	-	-	-	-	-	-
Wire shelf	●	●	●	●	●	●
Turnspit	-	-	-	●	●	-
HOB						
Number and type of zones	4 vitrceramic zones	4 vitrceramic zones	4 hot plates	4 gas burners	4 gas burners	4 gas burners
Front left, mm-W	Ø180 – 700 / 1700 (duo-hi-light)	Ø180 – 700 / 1700 (duo-hi-light)	Ø 180 – 2000 (rapid)	Semi rapid burner - 2000	Semi rapid burner - 2000	Semi rapid burner - 2000
Rear left, mm-W	Ø140 – 1200	Ø140 – 1200	Ø 145 – 1000	Semi rapid burner - 2000	Semi rapid burner - 2000	Semi rapid burner - 2000
Front right, mm-W	Ø140 – 1200	Ø140 – 1200	Ø 145 – 1000	Rapid burner - 2900	Rapid burner - 2900	Rapid burner - 2900
Rear right, mm-W	Ø180 – 1700	Ø180 – 1700	Ø 180 – 1500	Economy burner - 1000	Economy burner - 1000	Economy burner - 1000
Center, mm-W	-	-	-	-	-	-
Burner caps	-	-	-	Enamel	Enamel	Enamel
Pan supprts	-	-	-	Enamel	Enamel	Enamel
Electronic ignition integrated into the knobs	-	-	-	●	●	-
Push button ignition for burners	-	-	-	-	-	●
Flame failure cut-out device	-	-	-	-	-	-
PERFORMANCE						
Energy efficiency class	A	A	A	A	-	-
Total power, W	7800	7800	7500	7900	10400	10400
Energy consumption:						
Conventional, kWh	0,88	0,88	0,88	0,88	0,88	0,88
Fan heating, kWh	0,79	0,79	0,79	0,79	0,79	0,79
TECHNICAL INFORMATION						
Supply voltage, V/Hz	220-230 / 50	220-230 / 50	220-230 / 50	220-230 / 50	220-230 / 50	220-230 / 50
Amperage, A	10	10	10	10	10	10
Gas power, W	-	-	-	7900	10400	10400
Electric power, W	7800	7800	7500	-	-	-
CE / VDE approved	●	●	●	●	●	●
DIMENSIONS						
Product dimensions (HxWxD), mm	850x500x600	850x500x600	850x500x600	850x500x600	850x500x600	850x500x600
Packed dimensions (HxWxD), mm	965x560x700	965x560x700	965x560x700	965x560x700	965x560x700	965x560x700
Adjustable feet	●	●	●	●	●	●
Unpacked weight, kg	46,9	40	48,8	50,2	43	40
Packed weight, kg	51,2	45	53	54,5	47	45
COLOUR OPTIONS						
White cabinet - white inlay	●	●	●	●	●	●
A: White cabinet - silver inlay	-	-	-	-	-	-
X: Stainless steel cabinet - black inlay	-	-	-	-	-	-
E: Stainless steel cabinet - stainless steel inlay	●	-	-	●	●	-